

2024 PRICE LIST



centerline
by **Traulsen**



**SAY GOODBYE TO THROW-AWAY REFRIGERATION &
HELLO TO LONG LASTING RELIABILITY**

GENERAL & IMPORTANT EQUIPMENT INFORMATION

GENERAL

Contact Information, Other Important Numbers & Product Literature 99
 Standard Discounting Notes Page 4
 Terms & Conditions of Sale 98-99
 Kool Klad Exterior Laminate Décor 92
 Warranty 97

PRODUCT

Dealer's Choice Products 17
 Tray Slide & Shelf Versatility Chart 6, 31, 93
 Understanding Traulsen Model Numbers 14, 32, 91

CENTERLINE PRODUCTS:

REFRIGERATORS & FREEZERS

REACH-IN

One & Two Section Refrigerator & Freezer Models 5, 13

COMPACT – REFRIGERATORS & FREEZERS

UNDERCOUNTERS

1, 2, & 3 Door and Drawer Refrigerator Models 7-9, 13
 1, 2, & 3 Door and Drawer Freezer Models 9, 13

PREP TABLES

1, 2, & 3 Door and Drawer Refrigerator Models 10-11, 13

BLAST CHILLERS

Reach-In and Undercounters 12-13

DEALER'S CHOICE PRODUCTS:

G-SERIES

REFRIGERATORS & FREEZERS

Reach-In

One, Two & Three Section Refrigerator & Freezer Models 18-20

Reach-In – Full-Height Glass Door Merchandisers

One, Two & Three Section Merchandiser Models 21

Reach-In – 220V for Export

One, Two & Three Section Refrigerator & Freezer Models 22

Pass-Thru

One & Two Section Refrigerator Models 23-24

Hinging Drawings, Accessory Kits (Field Installed) – Reach-In & Pass-Thru

One, Two & Three Section Accessory Kits 27-30

HEATED CABINETS

Reach-In

One & Two Section Heated Cabinet Models 25

Pass-Thru

One & Two Section Heated Cabinet Models 26

Hinging Drawings, Accessory Kits (Field Installed) – Reach-In & Pass-Thru

One & Two Section Heated Cabinet Models 27-30

COMPACT – REFRIGERATORS & FREEZERS

UNDERCOUNTERS

One & Two Door Refrigerator & Freezer Models 33-34

One & Two Door Refrigerator Models with Glass Door and Lights 35

Accessories 40

PREP TABLES

One & Two Door Refrigerator Models 36-40

Accessories 40

G-SERIES (R290)

R290 REFRIGERATORS & FREEZERS

Reach-In

One, Two & Three Section Refrigerator & Freezer Models 41-43

Pass-Thru

One & Two Section Refrigerator Models 44-46

Hinging Drawings, Accessory Kits (Field Installed) – Reach-In & Pass-Thru

One, Two & Three Section Accessory Kits 27-30

R290 COMPACT – REFRIGERATORS & FREEZERS

UNDERCOUNTERS

One & Two Door Refrigerator & Freezer Models 47-48

Accessories 40

PREP TABLES

One & Two Door Refrigerator Models 49-51

Accessories 40

SPEC LINE PRODUCTS:

R&A SERIES

REFRIGERATORS & FREEZERS

Reach-In/Pass-Thru

One, Two & Three Section Refrigerator Models 53, 55, 57

One, Two & Three Section Refrigerator Models For Remote Applications 54, 56, 58

Options For Refrigerator Models 61

One, Two & Three Section Freezers Models 59

One, Two & Three Section Freezers Models For Remote Applications 60

Options For Freezers Models 61

Roll-In/Roll-Thru

One, Two & Three Section Refrigerator Models 62

One, Two & Three Section Refrigerator Models For Remote Applications 63

One, Two & Three Section Freezers Models 64

One, Two & Three Section Freezers Models For Remote Applications 65

Options For Refrigerator & Freezer Models 66

DUAL TEMP

Reach-In

One, Two & Three Section Dual Temp Models 67

Options For Dual Temp Models 68

HEATED CABINETS

Reach-In/Pass-Thru

One, Two & Three Section Heated Cabinet Models 69

Options For Heated Cabinet Models 70

Roll-In/Roll-Thru

One, Two & Three Section Heated Cabinet Models 71

Options For Heated Cabinet Models 72

CHILLERS

BLAST CHILLER – REACH-IN, ROLL-IN/ROLL-THRU & UNDERCOUNTERS

Blast Chiller Models 73

Options For Blast Chiller Models 74

QUICK CHILLER-UNDERCOUNTER

48" Wide Quick Chiller Model 75

RMC SERIES – MILK COOLERS

Single and Double Access Models 76

TU SERIES – REFRIGERATORS

FULL SIZE UNDERCOUNTERS

One, Two and Three Door Refrigerator Models 77

Options For Refrigerator Models 78

TE SERIES – REFRIGERATORS & FREEZERS

EQUIPMENT STANDS

Two, Four & Six Drawer Refrigerator Models 79

Options For Refrigerator Models 80

Two & Four Drawer Freezer Models 79

Options For Freezer Models 80

TF SERIES – FLEX DRAWER REFRIGERATOR/FREEZERS

Undercounter Flex Drawer Refrigerator/Freezer 81

TS SERIES – FULL SIZE PREP TABLES

FULL SIZE PREP TABLES

48", 66", 72" & 90" Wide Models 82

Options & Accessories 83

TB SERIES – FULL SIZE GLYCOL PREP TABLES

FULL SIZE GLYCOL PREP TABLES

46", 60", 65" 71", 91" & 113" Wide Models 84

Options & Accessories 85

SPECIAL APPLICATION PRODUCTS

Sliding Glass Door Refrigerator Models 86

Air-Curtain Refrigerator Models 87

Even-Thaw Refrigerator Models 87

Convertible Refrigerator or Freezer Models 88

Correctional Facilities Application Models 89

Wine Refrigerator Models 90

This page is provided for your convenience to make personal notations.

STANDARD DISCOUNTING NOTES – CENTERLINE PRODUCTS

| MODEL & NOTES | DISCOUNT |
|---|----------|
| CENTERLINE – REACH-IN | |
| CENTERLINE - COMPACT UNDERCOUNTER & PREP TABLES | |
| CENTERLINE - REACH-IN & UNDERCOUNTER BLAST CHILLERS | |

STANDARD DISCOUNTING NOTES – DEALER'S CHOICE PRODUCTS

| MODEL & NOTES | DISCOUNT |
|------------------------------------|----------|
| G-SERIES – REACH-IN & PASS-THRU | |
| COMPACT UNDERCOUNTER & PREP TABLES | |
| OPTIONS & ACCESSORIES | |

STANDARD DISCOUNTING NOTES – SPEC-LINE PRODUCTS

| MODEL & NOTES | DISCOUNT |
|--|----------|
| R & A SERIES – REACH-IN & PASS-THRU | |
| R & A SERIES – ROLL-IN & ROLL-THRU | |
| CHILLERS – BLAST CHILLERS & QUICK CHILLERS | |
| RMC SERIES – MILK COOLERS | |
| TU SERIES – FULL SIZE UNDERCOUNTERS | |
| TE SERIES – EQUIPMENT STANDS | |
| TS SERIES – FULL SIZE PREP TABLES | |
| TB SERIES – GLYCOL FULL SIZE PREP TABLES | |
| SPECIAL APPLICATION PRODUCTS | |
| OPTIONS & ACCESSORIES | |

STANDARD FEATURES



QUALITY & PERFORMANCE

- Balanced refrigeration system with oversized evaporator coil
- Superior temperature maintenance and recovery
- Capillary tube metering device (TXV on Freezers)



EASE OF USE

- Electronic control with LED display for easy monitoring
- Recessed handle(s) for easy operator grip
- Stay-open / self-closing door(s) with locks
- Ergonomically friendly, bottom-mounted system



DURABILITY

- Easily accessible system for maintenance
- Stainless steel front and sides with corrosion resistant anodized aluminum interior
- Gasket protecting retainer



OPERATOR ASSURANCE

- Durable construction for long equipment life
- Environmentally friendly refrigerants
- Extra storage space on top of unit
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty



Terms & Conditions Apply See Full Warranty Statement



CLBM
1 Section,
Solid Door



CLBM
1 Section,
Solid Half-
Height
Doors



CLBM
1 Section, Solid Door



CLBM
2 Section, Solid Door




CLBM
2 Section, Glass Door

STANDARD CONFIGURATION (Height without 4" standard casters)


| DESCRIPTION | MODEL | LIST PRICE |
|---|-----------------------|-------------|
| REFRIGERATOR – 1 SECTION, SOLID DOOR – 27" W x 78" H x 33.5" D | | |
| 1 Sec Ref, half-height solid doors, hinge left | CLBM-23R-HS-L | \$13,393.00 |
| 1 Sec Ref, half-height solid doors, hinge right | CLBM-23R-HS-R | \$13,393.00 |
| 1 Sec Ref, full-height solid door, hinge left | CLBM-23R-FS-L | \$12,006.00 |
| 1 Sec Ref, full-height solid door, hinge right | CLBM-23R-FS-R | \$12,006.00 |
| REFRIGERATOR – 1 SECTION, GLASS DOOR – 27" W x 78" H x 33.5" D | | |
| 1 Sec Ref, half-height glass doors, hinge left | CLBM-23R-HG-L | \$14,461.00 |
| 1 Sec Ref, half-height glass doors, hinge right | CLBM-23R-HG-R | \$14,461.00 |
| 1 Sec Ref, full-height glass doors, hinge left | CLBM-23R-FG-L | \$13,719.00 |
| 1 Sec Ref, full-height glass doors, hinge right | CLBM-23R-FG-R | \$13,719.00 |
| FREEZER – 1 SECTION, SOLID DOOR – 27" W x 78" H x 33.5" D | | |
| 1 Sec Frz, half-height solid doors, hinge left | CLBM-23F-HS-L | \$15,847.00 |
| 1 Sec Frz, half-height solid doors, hinge right | CLBM-23F-HS-R | \$15,847.00 |
| 1 Sec Frz, full-height solid doors, hinge left | CLBM-23F-FS-L | \$15,003.00 |
| 1 Sec Frz, full-height solid doors, hinge right | CLBM-23F-FS-R | \$15,003.00 |
| REFRIGERATOR – 2 SECTION, SOLID DOOR – 53.7" W x 78" H x 33.5" D | | |
| 2 Sec Ref, half-height solid doors, hinge left/right | CLBM-49R-HS-LR | \$16,744.00 |
| 2 Sec Ref, half-height solid doors, hinge left/left | CLBM-49R-HS-LL | \$16,744.00 |
| 2 Sec Ref, half-height solid doors, hinge right/right | CLBM-49R-HS-RR | \$16,744.00 |
| 2 Sec Ref, full-height solid doors, hinge left/right | CLBM-49R-FS-LR | \$15,594.00 |
| 2 Sec Ref, full-height solid doors, hinge left/left | CLBM-49R-FS-LL | \$15,594.00 |
| 2 Sec Ref, full-height solid doors, hinge right/right | CLBM-49R-FS-RR | \$15,594.00 |
| REFRIGERATOR – 2 SECTION, GLASS DOOR – 53.7" W x 78" H x 33.5" D | | |
| 2 Sec Ref, half-height glass doors, hinge left/right | CLBM-49R-HG-LR | \$19,149.00 |
| 2 Sec Ref, half-height glass doors, hinge left/left | CLBM-49R-HG-LL | \$19,149.00 |
| 2 Sec Ref, half-height glass doors, hinge right/right | CLBM-49R-HG-RR | \$19,149.00 |
| 2 Sec Ref, full-height glass doors, hinge left/right | CLBM-49R-FG-LR | \$17,921.00 |
| 2 Sec Ref, full-height glass doors, hinge left/left | CLBM-49R-FG-LL | \$17,921.00 |
| 2 Sec Ref, full-height glass doors, hinge right/right | CLBM-49R-FG-RR | \$17,921.00 |
| FREEZER – 2 SECTION, SOLID DOOR – 53.7" W x 78" H x 33.5" D | | |
| 2 Sec Frz, half-height solid doors, hinge left/right | CLBM-49F-HS-LR | \$22,305.00 |
| 2 Sec Frz, half-height solid doors, hinge left/left | CLBM-49F-HS-LL | \$22,305.00 |
| 2 Sec Frz, half-height solid doors, hinge right/right | CLBM-49F-HS-RR | \$22,305.00 |
| 2 Sec Frz, full-height solid doors, hinge left/right | CLBM-49F-FS-LR | \$21,040.00 |
| 2 Sec Frz, full-height solid doors, hinge left/left | CLBM-49F-FS-LL | \$21,040.00 |
| 2 Sec Frz, full-height solid doors, hinge right/right | CLBM-49F-FS-RR | \$21,040.00 |

ACCESSORIES

For Accessory Kits [See Page 13](#)



**#1 TRAYSLIDES
 STANDARD**



UNIVERSAL TRAYSLIDES STANDARD

NOTES:

1. For all after market parts call Traulsen parts department at 800-825-8220.
2. The above quantities represent the maximum amount of trayslides recommended by Traulsen to achieve best air circulation and refrigeration performance.
3. Optional trayslides are not available for Compact Undercounter, and Prep Table models.
4. All Centerline™ by Traulsen accessory kits are pre-packaged for easy installation at the job site.

TRAYSLIDES

| DESCRIPTION | SPACING | | | |
|--|---------|----|----|----|
| #1 TRAYSLIDES – STANDARD | | | | |
| 16 ga. Stainless steel angle type for bottom support of: (1) 18" x 26" Pan | 2" | 3" | 4" | 5" |
| Behind full-height door – all models | 26 | 17 | 13 | 10 |
| Behind upper half-height door – all models | 12 | 8 | 6 | 4 |
| Behind lower half-height door – all models | 12 | 8 | 6 | 5 |

UNIVERSAL TRAYSLIDES – STANDARD

| 16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 12" x 20" Pans | 4" | 5" | 6" |
|--|----|----|----|
| Behind full-height door – all models | 13 | 10 | 8 |
| Behind upper half-height door – all models | 6 | 4 | 4 |
| Behind lower half-height door – all models | 6 | 5 | 4 |

SHELVES (SOME SHELVES ARE NOT AVAILABLE FOR HEATED CABINETS)

| CAPACITY | STD. | MAX. |
|--|------|--------------------|
| Behind full-height door mounted on standard shelf pins | 3 | 8 |
| Behind half-height door mounted on standard shelf pins | 3 | 7 |
| Behind full-height door mounted on optional pilasters | 3 | 12 (4" spacing) |
| Behind half-height door mounted on optional pilasters | 3 | 11 (4" spacing) |

STANDARD FEATURES



QUALITY & PERFORMANCE

- Superior temperature maintenance and recovery
- Capillary tube metering device



EASE OF USE

- Stay-open / self-closing door(s) for ease of loading and unloading
- Two epoxy-coated shelves per door on pilasters (door models)
- Electronic control with easy to read LED display
- Recessed handle provides easy grip
- Door rehinge feature on all sizes for flexibility



SANITATION AND CLEANING

- Stainless steel exterior with corrosion resistant anodized aluminum interior
- Fully removable drawers (on drawer models)



OPERATOR ASSURANCE

- Durable construction for long equipment life
- Environmentally friendly refrigerants
- Worktop models available
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty



Terms & Conditions Apply
See Full Warranty Statement



CLUC
1 Section, Solid Door



CLUC
2 Section, Solid Doors



CLUC
2 Section, Glass Doors



CLUC
2 Section, Four Drawers

STANDARD CONFIGURATION (Height without 4" standard casters)

COMPACT UNDERCOUNTER REFRIGERATORS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING | MODEL | LIST PRICE |
|----------------------------|-----------|-----------------------|------------------------|------------------------|-------------|
| 27.5" W x 31.5" D x 30" H | Solid | 1 | Left | CLUC-27R-SD-L | \$7,184.00 |
| | | | Right | CLUC-27R-SD-R | \$7,184.00 |
| 36.25" W x 31.5" D x 30" H | Glass | 1 | Left | CLUC-27R-GD-L | \$8,723.00 |
| | | | Right | CLUC-27R-GD-R | \$8,723.00 |
| | Solid | 2 | Left / Right | CLUC-36R-SD-LR | \$9,654.00 |
| | | | Left / Left | CLUC-36R-SD-LL | \$9,654.00 |
| 48.25" W x 31.5" D x 30" H | Glass | 2 | Right / Right | CLUC-36R-SD-RR | \$9,654.00 |
| | | | Left / Right | CLUC-36R-GD-LR | \$10,391.00 |
| | Solid | 2 | Left / Left | CLUC-36R-GD-LL | \$10,391.00 |
| | | | Right / Right | CLUC-36R-GD-RR | \$10,391.00 |
| 60.25" W x 31.5" D x 30" H | Solid | 2 | Left / Right | CLUC-48R-SD-LR | \$10,789.00 |
| | | | Left / Left | CLUC-48R-SD-LL | \$10,789.00 |
| | Glass | 2 | Right / Right | CLUC-48R-SD-RR | \$10,789.00 |
| | | | Left / Right | CLUC-48R-GD-LR | \$13,016.00 |
| | Solid | 2 | Left / Left | CLUC-48R-GD-LL | \$13,016.00 |
| | | | Right / Right | CLUC-48R-GD-RR | \$13,016.00 |
| 72.19" W x 31.5" D x 30" H | Solid | 2 | Left / Right | CLUC-60R-SD-LR | \$11,977.00 |
| | | | Left / Left | CLUC-60R-SD-LL | \$11,977.00 |
| | Glass | 2 | Right / Right | CLUC-60R-SD-RR | \$11,977.00 |
| | | | Left / Right | CLUC-60R-GD-LR | \$13,120.00 |
| | Solid | 3 | Left / Left | CLUC-60R-GD-LL | \$13,120.00 |
| | | | Right / Right | CLUC-60R-GD-RR | \$13,120.00 |
| 72.25" W x 31.5" D x 30" H | Solid | 3 | Left / Right / Right | CLUC-72R-SD-LRR | \$13,720.00 |
| | | | Left / Left / Left | CLUC-72R-SD-LLL | \$13,720.00 |
| | Glass | 3 | Right / Right / Right | CLUC-72R-SD-RRR | \$13,720.00 |
| | | | Left / Right / Right | CLUC-72R-GD-LRR | \$14,468.00 |
| Solid | 3 | Left / Left / Left | CLUC-72R-GD-LLL | \$14,468.00 | |
| | | Right / Right / Right | CLUC-72R-GD-RRR | \$14,468.00 | |

COMPACT UNDERCOUNTER REFRIGERATORS WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | NUMBER OF DRAWERS | PANS PER DRAWER | MODEL | LIST PRICE |
|----------------------------|-------------------|---------------------------|--------------------|-------------|
| 27.5" W x 31.5" D x 30" H | 2 | (1) Full Size | CLUC-27R-DW | \$10,728.00 |
| 48.25" W x 31.5" D x 30" H | 4 | (1) 1/2 pan & (1) 1/3 pan | CLUC-48R-DW | \$17,878.00 |
| 60.25" W x 31.5" D x 30" H | 4 | (1) Full Size | CLUC-60R-DW | \$18,106.00 |
| 72.25" W x 31.5" D x 30" H | 6 | (1) 1/2 pan & (1) 1/3 pan | CLUC-72R-DW | \$21,586.00 |

ACCESSORIES

For Accessory Kits See Page 13

COMPACT UNDERCOUNTER REFRIGERATOR & FREEZER 27", 36", 48", 60", & 72" WIDE MODELS



STANDARD CONFIGURATION (Height without 4" standard casters)

COMPACT UNDERCOUNTER WORKTOP REFRIGERATORS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING | MODEL | LIST PRICE |
|----------------------------|-----------|---------|-----------------------|-------------------|-------------|
| 27.5" W x 31.5" D x 34" H | Solid | 1 | Left | CLUC-27R-SD-WTL | \$7,395.00 |
| | | | Right | CLUC-27R-SD-WTR | \$7,395.00 |
| | Glass | 1 | Left | CLUC-27R-GD-WTL | \$9,033.00 |
| | | | Right | CLUC-27R-GD-WTR | \$9,033.00 |
| 36.25" W x 31.5" D x 34" H | Solid | 2 | Left / Right | CLUC-36R-SD-WTLR | \$10,173.00 |
| | | | Left / Left | CLUC-36R-SD-WTLL | \$10,173.00 |
| | | | Right / Right | CLUC-36R-SD-WTRR | \$10,173.00 |
| | Glass | 2 | Left / Right | CLUC-36R-GD-WTLR | \$12,410.00 |
| | | | Left / Left | CLUC-36R-GD-WTLL | \$12,410.00 |
| | | | Right / Right | CLUC-36R-GD-WTRR | \$12,410.00 |
| 48.25" W x 31.5" D x 34" H | Solid | 2 | Left / Right | CLUC-48R-SD-WTLR | \$11,091.00 |
| | | | Left / Left | CLUC-48R-SD-WTLL | \$11,091.00 |
| | | | Right / Right | CLUC-48R-SD-WTRR | \$11,091.00 |
| | Glass | 2 | Left / Right | CLUC-48R-GD-WTLR | \$13,406.00 |
| | | | Left / Left | CLUC-48R-GD-WTLL | \$13,406.00 |
| | | | Right / Right | CLUC-48R-GD-WTRR | \$13,406.00 |
| 60.25" W x 31.5" D x 34" H | Solid | 2 | Left / Right | CLUC-60R-SD-WTLR | \$12,312.00 |
| | | | Left / Left | CLUC-60R-SD-WTLL | \$12,312.00 |
| | | | Right / Right | CLUC-60R-SD-WTRR | \$12,312.00 |
| | Glass | 2 | Left / Right | CLUC-60R-GD-WTLR | \$14,200.00 |
| | | | Left / Left | CLUC-60R-GD-WTLL | \$14,200.00 |
| | | | Right / Right | CLUC-60R-GD-WTRR | \$14,200.00 |
| 72.19" W x 31.5" D x 34" H | Solid | 3 | Left / Right / Right | CLUC-72R-SD-WTLRR | \$14,118.00 |
| | | | Left / Left / Left | CLUC-72R-SD-WTLLL | \$14,118.00 |
| | | | Right / Right / Right | CLUC-72R-SD-WTRRR | \$14,118.00 |
| | Glass | 3 | Left / Right / Right | CLUC-72R-GD-WTLRR | \$14,845.00 |
| | | | Left / Left / Left | CLUC-72R-GD-WTLLL | \$14,845.00 |
| | | | Right / Right / Right | CLUC-72R-GD-WTRRR | \$14,845.00 |

COMPACT UNDERCOUNTER WORKTOP REFRIGERATORS WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | NUMBER OF DRAWERS | PANS PER DRAWER | MODEL | LIST PRICE |
|----------------------------|-------------------|---------------------------|----------------|-------------|
| 27.5" W x 31.5" D x 34" H | 2 | (1) Full Size | CLUC-27R-DW-WT | \$10,937.00 |
| 48.25" W x 31.5" D x 34" H | 4 | (1) 1/2 pan & (1) 1/3 pan | CLUC-48R-DW-WT | \$18,180.00 |
| 60.25" W x 31.5" D x 34" H | 4 | (1) Full Size | CLUC-60R-DW-WT | \$19,397.00 |
| 72.25" W x 31.5" D x 34" H | 6 | (1) 1/2 pan & (1) 1/3 pan | CLUC-72R-DW-WT | \$24,355.00 |

ACCESSORIES

For Accessory Kits [See Page 13](#)



STANDARD CONFIGURATION (Height without 4" standard casters)

COMPACT UNDERCOUNTER FREEZERS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING | MODEL | LIST PRICE |
|----------------------------|-----------|---------|-----------------------|-----------------|-------------|
| 27.5" W x 31.5" D x 30" H | Solid | 1 | Left | CLUC-27F-SD-L | \$8,644.00 |
| | | | Right | CLUC-27F-SD-R | \$8,644.00 |
| 36.25" W x 31.5" D x 30" H | Solid | 2 | Left / Right | CLUC-36F-SD-LR | \$11,074.00 |
| | | | Left / Left | CLUC-36F-SD-LL | \$11,074.00 |
| | | | Right / Right | CLUC-36F-SD-RR | \$11,074.00 |
| | | | Left / Right | CLUC-48F-SD-LR | \$12,190.00 |
| 48.25" W x 31.5" D x 30" H | Solid | 2 | Left / Left | CLUC-48F-SD-LL | \$12,190.00 |
| | | | Right / Right | CLUC-48F-SD-RR | \$12,190.00 |
| | | | Left / Right | CLUC-60F-SD-LR | \$15,562.00 |
| | | | Right / Right | CLUC-60F-SD-RR | \$15,562.00 |
| 60.25" W x 31.5" D x 30" H | Solid | 2 | Left / Left | CLUC-60F-SD-LL | \$15,562.00 |
| | | | Right / Right | CLUC-60F-SD-RR | \$15,562.00 |
| | | | Left / Right / Right | CLUC-72F-SD-LRR | \$17,896.00 |
| | | | Right / Right / Right | CLUC-72F-SD-RRR | \$17,896.00 |

COMPACT UNDERCOUNTER FREEZERS WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | NUMBER OF DRAWERS | PANS PER DRAWER | MODEL | LIST PRICE |
|----------------------------|-------------------|---------------------------|-------------|-------------|
| 27.5" W x 31.5" D x 30" H | 2 | (1) Full Size | CLUC-27F-DW | \$12,222.00 |
| 48.25" W x 31.5" D x 30" H | 4 | (1) 1/2 pan & (1) 1/3 pan | CLUC-48F-DW | \$19,697.00 |
| 60.25" W x 31.5" D x 30" H | 4 | (1) Full Size | CLUC-60F-DW | \$19,194.00 |

COMPACT UNDERCOUNTER WORKTOP FREEZERS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING | MODEL | LIST PRICE |
|----------------------------|-----------|---------|-----------------------|-------------------|-------------|
| 27.5" W x 31.5" D x 34" H | Solid | 1 | Left | CLUC-27F-SD-WTL | \$8,680.00 |
| | | | Right | CLUC-27F-SD-WTR | \$8,680.00 |
| 36.25" W x 31.5" D x 34" H | Solid | 2 | Left / Right | CLUC-36F-SD-WTLR | \$11,356.00 |
| | | | Left / Left | CLUC-36F-SD-WTLL | \$11,356.00 |
| | | | Right / Right | CLUC-36F-SD-WTRR | \$11,356.00 |
| | | | Left / Right | CLUC-48F-SD-WTLR | \$12,832.00 |
| 48.25" W x 31.5" D x 34" H | Solid | 2 | Left / Left | CLUC-48F-SD-WTLL | \$12,832.00 |
| | | | Right / Right | CLUC-48F-SD-WTRR | \$12,832.00 |
| | | | Left / Right | CLUC-60F-SD-WTLR | \$15,906.00 |
| | | | Right / Right | CLUC-60F-SD-WTLL | \$15,906.00 |
| 60.25" W x 31.5" D x 34" H | Solid | 2 | Left / Left | CLUC-60F-SD-WTLL | \$15,906.00 |
| | | | Right / Right | CLUC-60F-SD-WTRR | \$15,906.00 |
| | | | Left / Right / Right | CLUC-72F-SD-WTLRR | \$18,292.00 |
| | | | Right / Right / Right | CLUC-72F-SD-WTRRR | \$18,292.00 |

COMPACT UNDERCOUNTER WORKTOP FREEZERS WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | NUMBER OF DRAWERS | PANS PER DRAWER | MODEL | LIST PRICE |
|----------------------------|-------------------|---------------------------|----------------|-------------|
| 27.5" W x 31.5" D x 34" H | 2 | (1) Full Size | CLUC-27F-DW-WT | \$12,504.00 |
| 48.25" W x 31.5" D x 34" H | 4 | (1) 1/2 pan & (1) 1/3 pan | CLUC-48F-DW-WT | \$20,156.00 |
| 60.25" W x 31.5" D x 34" H | 4 | (1) Full Size | CLUC-60F-DW-WT | \$19,635.00 |

ACCESSORIES

For Accessory Kits **See Page 28, 31**

COMPACT PREP TABLES 27", 36", 48", 60", & 72" WIDE MODELS

STANDARD FEATURES

QUALITY & PERFORMANCE

- Superior temperature maintenance and recovery
- Capillary tube metering device

EASE OF USE

- Stay-open / self-closing door(s) for ease of loading and unloading
- Two epoxy-coated shelves per door on pilasters (door models)
- Electronic control with easy to read LED display
- Recessed handle provides easy grip
- Door rehing feature on all sizes for flexibility

SANITATION AND CLEANING

- Stainless steel exterior with corrosion resistant anodized aluminum interior
- Fully removable drawers (on drawer models)

OPERATOR ASSURANCE

- Durable construction for long equipment life
- Environmentally friendly refrigerants
- Worktop models available
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty



STANDARD CONFIGURATION (Height without 4" standard casters)

COMPACT PREP TABLES WITH SOLID DOOR—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|---------|-----------------------|------------|-------------------------|-------------|
| 27.88" W x 32.75" D x 40" H | 1 | Left | 8 | CLPT-2708-SD-L | \$8,260.00 |
| | | Right | | CLPT-2708-SD-R | \$8,260.00 |
| 36.56" W x 32.75" D x 40" H | 2 | Left / Right | 10 | CLPT-3610-SD-LR | \$11,168.00 |
| | | Left / Left | | CLPT-3610-SD-LL | \$11,168.00 |
| | | Right / Right | | CLPT-3610-SD-RR | \$11,168.00 |
| | | Left / Right | | CLPT-4812-SD-LR | \$12,720.00 |
| 48.56" W x 32.75" D x 40" H | 2 | Left / Left | 12 | CLPT-4812-SD-LL | \$12,720.00 |
| | | Right / Right | | CLPT-4812-SD-RR | \$12,720.00 |
| | | Left / Right | | CLPT-6016-SD-LR | \$13,547.00 |
| | | Right / Right | | CLPT-6016-SD-RR | \$13,547.00 |
| 60.56" W x 32.75" D x 40" H | 2 | Left / Left | 16 | CLPT-6016-SD-LL | \$13,547.00 |
| | | Right / Right | | CLPT-6016-SD-RR | \$13,547.00 |
| | | Left / Right / Right | | CLPT-7220-SD-LRR | \$15,344.00 |
| | | Left / Left / Left | | CLPT-7220-SD-LLL | \$15,344.00 |
| 72.5" W x 32.75" D x 40" H | 3 | Right / Right / Right | 20 | CLPT-7220-SD-RRR | \$15,344.00 |

CLPT-4812-SD-LR
Prep Table with Solid Doors



CLPT-6016-SD-LR
Prep Table with Solid Doors



CLPT-6016-DW
Prep Table with 4 Drawers

COMPACT PREP TABLES WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|-----------|------------|---------------------|-------------|
| 27.88" W x 32.75" D x 40" H | 2 | 8 | CLPT-2708-DW | \$11,802.00 |
| 48.56" W x 32.75" D x 40" H | 4 | 12 | CLPT-4812-DW | \$19,807.00 |
| 60.56" W x 32.75" D x 40" H | 4 | 16 | CLPT-6016-DW | \$20,639.00 |
| 72.5" W x 32.75" D x 40" H | 6 | 20 | CLPT-7220-DW | \$23,322.00 |

ACCESSORIES

For Accessory Kits See **Page 13**

COMPACT PREP TABLES 27", 36", 48", 60", & 72" WIDE MODELS



STANDARD CONFIGURATION (Height without 4" standard casters)

COMPACT PREP TABLE MEGATOP WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|---------|-----------------------|------------|-------------------------|-------------|
| 27.88" W x 35.75" D x 40" H | 1 | Left | 12 | CLPT-2712-SD-L | \$9,875.00 |
| | | Right | | CLPT-2712-SD-R | \$9,875.00 |
| 36.56" W x 35.75" D x 40" H | 1 | Left / Right | 15 | CLPT-3615-SD-LR | \$12,590.00 |
| | | Left / Left | | CLPT-3615-SD-LL | \$12,590.00 |
| | | Right / Right | | CLPT-3615-SD-RR | \$12,590.00 |
| 48.56" W x 35.75" D x 40" H | 1 | Left / Right | 18 | CLPT-4818-SD-LR | \$14,118.00 |
| | | Left / Left | | CLPT-4818-SD-LL | \$14,118.00 |
| | | Right / Right | | CLPT-4818-SD-RR | \$14,118.00 |
| 60.56" W x 35.75" D x 40" H | 2 | Left / Right | 24 | CLPT-6024-SD-LR | \$16,975.00 |
| | | Left / Left | | CLPT-6024-SD-LL | \$16,975.00 |
| | | Right / Right | | CLPT-6024-SD-RR | \$16,975.00 |
| 72.5" W x 35.75" D x 40" H | 3 | Left / Right / Right | 30 | CLPT-7230-SD-LRR | \$18,439.00 |
| | | Left / Left / Left | | CLPT-7230-SD-LLL | \$18,439.00 |
| | | Right / Right / Right | | CLPT-7230-SD-RRR | \$18,439.00 |

COMPACT PREP TABLE MEGATOP WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|-----------|------------|---------------------|-------------|
| 27.88" W x 35.75" D x 40" H | 2 | 12 | CLPT-2712-DW | \$13,279.00 |
| 48.56" W x 35.75" D x 40" H | 4 | 18 | CLPT-4818-DW | \$21,569.00 |
| 60.56" W x 35.75" D x 40" H | 4 | 24 | CLPT-6024-DW | \$22,729.00 |
| 72.5" W x 35.75" D x 40" H | 6 | 30 | CLPT-7230-DW | \$26,909.00 |

ACCESSORIES

For Accessory Kits [See Page 13](#)

BLAST CHILLERS UNDERCOUNTER & REACH-IN

STANDARD FEATURES

QUALITY & PERFORMANCE

- High performance refrigeration system
- Thermostatic expansion valve metering device
- Superior temperature maintenance
- Quickly chill hot food to below 41°F in 90 minutes*

EASE OF USE

- Digital control designed for easy operation
- Recessed handle for easy operator grip
- Stay-open/self-closing door

DURABILITY

- Stainless steel front, sides, door & interior
- Easily accessible system for maintenance
- 2 3/8" thick high-density insulation

OPERATOR ASSURANCE

- Food probe for accurate temperature readings
- Soft or hard chill mode options
- Durable construction for long equipment life
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty



STANDARD CONFIGURATION (Height without 4" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REACH-IN BLAST CHILLERS | | |
| Reach-In Blast Chiller (34.8" W x 38.1" D x 61.6" H) | | |
| (7) 18" x 26" Pan capacity, hinge left or (14) 12" x 20" before "pan capacity" | CLBC7-L | \$43,460.00 |
| (7) 18" x 26" Pan capacity, hinge right or (14) 12" x 20" before "pan capacity" | CLBC7-R | \$43,460.00 |
| UNDERCOUNTER BLAST CHILLERS | | |
| Undercounter Blast Chiller (54.1" W x 35.9" D x 28" H) | | |
| (4) 18" x 26" Pan capacity, hinge left or (8) 12" x 20" before "pan capacity" | CLBC4-L | \$38,690.00 |
| (4) 18" x 26" Pan capacity, hinge right or (8) 12" x 20" before "pan capacity" | CLBC4-R | \$38,690.00 |
| Undercounter Blast Chiller With Work Top (54.1" W x 35.9" D x 32" H) | | |
| (4) 18" x 26" Pan capacity, worktop, hinge left or (8) 12" x 20" before "pan capacity" | CLBC4-WT-L | \$39,644.00 |
| (4) 18" x 26" Pan capacity, worktop, hinge right or (8) 12" x 20" before "pan capacity" | CLBC4-WT-R | \$39,644.00 |

* Chill times will vary depending on product type, quantity, and container used.

ACCESSORIES

For Accessory Kits **See Page 13**



CLBC7-L
Reach-In Blast Chillers



CLBC4-R
Undercounter Blast Chillers



CLBC4-WT-R
Undercounter Blast Chillers with Worktop

ACCESSORY KITS REACH-IN, PREP TABLE, BLAST CHILLER, & UNDERCOUNTER

Each kit includes all necessary mounting hardware except where noted. All Centerline accessory kits are pre-packaged for easy installation at the job site.

CLBM REACH-IN ACCESSORY KITS

| DESCRIPTION | MODEL | LIST PRICE |
|--|------------------|------------|
| 1 SECTION | | |
| (4) pairs 1" trayslides | CLBMACC-4TS1 | \$160.00 |
| (1) pair #1 trayslides | CLBMACC-1TS1 | \$50.00 |
| (8) pairs #1 trayslides with supports | CLBMACC-8TS1KT1 | \$964.00 |
| Pilaster kit For #1 trayslides | CLBMACC-PLSTR11 | \$886.00 |
| (1) pair universal trayslides | CLBMACC-1TSU | \$120.00 |
| (7) pairs universal trayslides | CLBMACC-7TSU | \$669.00 |
| (7) pairs universal trayslides with supports | CLBMACC-7TSUKT1 | \$1,168.00 |
| Pilaster kit for universal trayslides | CLBMACC-PLSTRU1 | \$490.00 |
| (1) epoxy coated shelf on pins | CLBMACC-1SHLF1 | \$98.00 |
| (3) epoxy coated shelves on pins | CLBMACC-3SHLF1 | \$294.00 |
| 2 SECTION | | |
| (4) pairs 1" trayslides | CLBMACC-4TS1 | \$160.00 |
| (1) pair #1 trayslides | CLBMACC-1TS1 | \$50.00 |
| (8) pairs #1 trayslides with supports | CLBMACC-8TS1KT2 | \$1,445.00 |
| Pilaster kit for #1 trayslides | CLBMACC-PLSTR12 | \$1,367.00 |
| (1) pair universal trayslides | CLBMACC-1TSU | \$120.00 |
| (7) pairs universal trayslides | CLBMACC-7TSU | \$669.00 |
| (7) pairs universal trayslides with supports | CLBMACC-7TSUKT2 | \$1,168.00 |
| (3) Pilaster kit for universal trayslides | CLBMACC-PLSTRU2 | \$190.00 |
| (1) epoxy coated shelf on pins | CLBMACC-1SHLF2 | \$81.00 |
| (3) epoxy coated shelves on pins | CLBMACC-3SHLF2 | \$244.00 |
| SUPPORTS | | |
| 4" stem casters, set of 4 | CLBMACC-44CASTER | \$127.00 |
| 6" stem caster, set of 4 | CLBMACC-46CASTER | \$161.00 |
| 6" legs, adjustable, set of 4 | CLBMACC-46LEGS | \$129.00 |

CLUC UNDERCOUNTER & CLPT PREP TABLE ACCESSORY KITS

| DESCRIPTION | MODEL | LIST PRICE |
|--------------------------------|-------------------|------------|
| Set of (4) 2-3/4" stem casters | CLUCACC-42CASTER | \$281.00 |
| Set of (6) 2-3/4" stem casters | CLUCACC-62CASTER | \$422.00 |
| Set of (4) 4" stem casters | CLUCACC-44CASTER | \$127.00 |
| Set of (6) 4" stem casters | CLUCACC-64CASTER | \$190.00 |
| Set of (4) 6" stem casters | CLUCACC-46CASTER | \$161.00 |
| Set of (6) 6" stem casters | CLUCACC-66CASTER | \$241.00 |
| Set of (4) 6" adjustable legs | CLUCACC-46LEGS | \$99.00 |
| Set of (6) 6" adjustable legs | CLUCACC-66LEGS | \$145.00 |
| 27" backsplash kit | CLUCACC-27BCKSP | \$59.00 |
| 36" backsplash kit | CLUCACC-36BCKSP | \$81.00 |
| 48" backsplash kit | CLUCACC-48BCKSP | \$123.00 |
| 60" backsplash kit | CLUCACC-60BCKSP | \$129.00 |
| 72" backsplash kit | CLUCACC-72BCKSP | \$162.00 |
| Set of (2) 27" shelves | CLUCACC-27SHELF | \$219.00 |
| Set of (2) 36" shelves LH | CLUCACC-36SHLFLH | \$195.00 |
| Set of (2) 36" shelves RH | CLUCACC-36SHLFRH | \$195.00 |
| Set of (2) 48"/72" shelves LH | CLUCACC-47SHLFLH | \$214.00 |
| Set of (2) 48"/72" shelves RH | CLUCACC-47SHLFRH | \$214.00 |
| Set of (2) 60" shelves LH | CLUCACC-60SHLFLH | \$225.00 |
| Set of (2) 60" shelves RH | CLUCACC-60SHLFRH | \$225.00 |
| Set of (2) 72" shelves center | CLUCACC-72SHLFACT | \$232.00 |

CLBC BLAST CHILLER ACCESSORY KITS

| DESCRIPTION | MODEL | LIST PRICE |
|---|------------------|------------|
| Set of (4) 6" adjustable channel caster set for CLBC4 | CLBCACC-46CASTER | \$245.00 |
| Set of (4) 6" stem caster set for CLBC7 | CLBMACC-46CASTER | \$161.00 |
| Set of (4) 6" adjustable legs | CLBCACC-4LEGS | \$626.00 |

CENTERLINE™ REACH-INS

| CL | BM- | 23 | R- | FS- | L |
|---------------------|----------------------------------|--|-----------------------------|--|--|
| SERIES | SYSTEM LOCATION/TYPE | CABINET WIDTH (SECTIONS) | TYPE OF CABINET | TYPE OF DOOR(S) | HINGING |
| Position (1) | Position (2) | Position (3) | Position (4) | Position (5) | Position (6) |
| CL Centerline™ | BM Bottom Mounted Self-Contained | 23 23" (1-section) 49 49" (2-section) | R Refrigerator F Freezer | FS Full-Height Solid HS Half-Height Solid FG Full-Height Glass HG Half-Height Glass | L Left R Right LR Left/Right LL Left/Left RR Right/Right |

CENTERLINE™ COMPACTS

| CL | UC- | 27 | R- | SD- | L |
|---------------------|----------------------|--|-----------------------------|--|---|
| SERIES | SYSTEM LOCATION/TYPE | CABINET WIDTH (SECTIONS) | TYPE OF CABINET | TYPE OF DOOR(S) | HINGING |
| Position (1) | Position (2) | Position (3) | Position (4) | Position (5) | Position (6) |
| CL Centerline™ | UC Undercounter | 27 27" 36 36" 48 48" 60 60" 72 72" | R Refrigerator F Freezer | SD Solid Door(s) GD Glass Door(s) DW Drawers | L Left R Right LR Left/Right LL Left/Left RR Right/Right LRR Left/Right/Right RRR Right/Right/Right LLL Left/Left/Left WT If WT is present, the UC is a Worktop |

CENTERLINE™ PREP TABLES

| CL | PT- | 27 | 12- | SD- | L |
|---------------------|----------------------|--|--|--------------------------------|---|
| SERIES | SYSTEM LOCATION/TYPE | CABINET WIDTH (SECTIONS) | NUMBER OF PANS | TYPE OF DOOR(S) | HINGING |
| Position (1) | Position (2) | Position (3) | Position (4) | Position (5) | Position (6) |
| CL Centerline™ | PT Prep Table | 27 27" 36 36" 48 48" 60 60" 72 72" | 8 8 Pans 10 10 Pans 12 12 Pans 15 15 Pans 16 16 Pans 18 18 Pans 20 20 Pans 24 24 Pans 30 30 Pans | SD Solid Door(s) DW Drawers | L Left R Right LR Left/Right LL Left/Left RR Right/Right LRR Left/Right/Right RRR Right/Right/Right LLL Left/Left/Left |

CENTERLINE™ BLAST CHILLERS

| CL | BC | 7- | L |
|---------------------|---------------------|--|---|
| SERIES | CABINET TYPE | REACH-IN/UNDERCOUNTER & NO. OF SHEET PANS | HINGING |
| Position (1) | Position (2) | Position (3) | Position (4) |
| SERIES | BC Blast Chiller | 7 Reach-In, (7) 18" x 26" Sheet Pans 4 Undercounter, (4) 18" x 26" Sheet Pans | L Left R Right WT If WT is present, the Undercounter is a Worktop |
| CL Centerline™ | | | |



**G-SERIES REFRIGERATORS, FREEZERS,
HEATED AND GLASS DOOR MODELS**



**COMPACT UNDERCOUNTERS
REFRIGERATORS AND FREEZERS**



**COMPACT
PREP TABLES**

To help boost your sales, Traulsen has created a **“Dealer’s Choice”** product offering. This will simplify your refrigeration ordering and inventory process. This consists of all the models you are most likely to keep on your showroom floor, and/or in your warehouse, for immediate sale. They are positioned to move in quantity and, to best support this, Traulsen maintains high quantities of finished goods inventory on many of these models, as well as insuring short lead-times for all others.

The **“Dealer’s Choice”** product offering includes every model from our extremely popular **G-Series** line of reach-in refrigerators, freezers, heated and glass door cabinets, in addition to Traulsen’s rugged, high performance **Compact Undercounters** and **Prep Tables**.

These high quality products provide real ownership value for your customers and are complimented by a wide variety of after sales accessory kits for your convenience. Ask your representative about how Traulsen’s **“Dealer’s Choice”** products can help improve both your top and bottom line profits!

Continue on to **pages 18** thru **52** in order to view all the models available as part of our **Dealer’s Choice** offering.

REFRIGERATOR & FREEZER REACH-IN (1 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature & Lock(s)
- Three (3) Epoxy Coated Shelves On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F.
- Standard operating temperature for freezer models is 0°F to -5°F, -10° capable
- Guaranteed For Life Door Handles (solid door models)
- Guaranteed For Life Door Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|--|---------------|-------------|
| REFRIGERATOR MODELS – ONE SECTION, SOLID DOOR (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Right | G10000 | \$17,040.00 |
| G-Series – Half-Height Doors, Hinged Left | G10001 | \$17,040.00 |
| G-Series – Full-Height Door, Hinged Right | G10010 | \$16,302.00 |
| G-Series – Full-Height Door, Hinged Left | G10011 | \$16,302.00 |
| REFRIGERATOR MODELS – ONE SECTION, GLASS DOOR (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Right | G11000 | \$18,727.00 |
| G-Series – Half-Height Doors, Hinged Left | G11001 | \$18,727.00 |
| G-Series – Full-Height Door, Hinged Right | G11010 | \$18,093.00 |
| G-Series – Full-Height Door, Hinged Left | G11011 | \$18,093.00 |
| FREEZER MODELS – ONE SECTION, SOLID DOOR (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Right | G12000 | \$19,171.00 |
| G-Series – Half-Height Doors, Hinged Left | G12001 | \$19,171.00 |
| G-Series – Full-Height Door and Hinged Right | G12010 | \$18,429.00 |
| G-Series – Full-Height Door, Hinged Left | G12011 | \$18,429.00 |



G10010



G12000



G11010

ACCESSORIES

For Accessory Kits **See Page 28, 31**

REFRIGERATOR & FREEZER REACH-IN (2 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Micro-processor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket ■ Self-Closing Doors with Stay Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10° capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



G20010



G20000



G21010



G21000

STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|--|--------|-------------|
| REFRIGERATOR MODELS – TWO SECTION, SOLID DOOR (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right | G20000 | \$20,931.00 |
| G-Series – Half-Height Doors, Hinged Right/Left | G20001 | \$20,931.00 |
| G-Series – Half-Height Doors, Hinged Right/Right | G20002 | \$20,931.00 |
| G-Series – Half-Height Doors, Hinged Left/Left | G20003 | \$20,931.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G20010 | \$19,993.00 |
| G-Series – Full-Height Doors, Hinged Right/Left | G20011 | \$19,993.00 |
| G-Series – Full-Height Doors, Hinged Right/Right | G20012 | \$19,993.00 |
| G-Series – Full-Height Doors, Hinged Left/Left | G20013 | \$19,993.00 |
| REFRIGERATOR MODELS – TWO SECTION, GLASS DOOR (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right | G21000 | \$24,284.00 |
| G-Series – Half-Height Doors, Hinged Right/Left | G21001 | \$24,284.00 |
| G-Series – Half-Height Doors, Hinged Right/Right | G21002 | \$24,284.00 |
| G-Series – Half-Height Doors, Hinged Left/Left | G21003 | \$24,284.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G21010 | \$23,591.00 |
| G-Series – Full-Height Doors, Hinged Right/Left | G21011 | \$23,591.00 |
| G-Series – Full-Height Doors, Hinged Right/Right | G21012 | \$23,591.00 |
| G-Series – Full-Height Doors, Hinged Left/Left | G21013 | \$23,591.00 |
| FREEZER MODELS – TWO SECTION, SOLID DOOR (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right | G22000 | \$25,511.00 |
| G-Series – Half-Height Doors, Hinged Right/Left | G22001 | \$25,511.00 |
| G-Series – Half-Height Doors, Hinged Right/Right | G22002 | \$25,511.00 |
| G-Series – Half-Height Doors, Hinged Left/Left | G22003 | \$25,511.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G22010 | \$24,574.00 |
| G-Series – Full-Height Doors, Hinged Right/Left | G22011 | \$24,574.00 |
| G-Series – Full-Height Doors, Hinged Right/Right | G22012 | \$24,574.00 |
| G-Series – Full-Height Doors, Hinged Left/Left | G22013 | \$24,574.00 |

ACCESSORIES

For Accessory Kits See Pages 28-29, 31

REFRIGERATOR & FREEZER REACH-IN (3 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Doors with Stay Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed for Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|---------------|-------------|
| REFRIGERATOR MODELS – THREE SECTION, SOLID DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G30000 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G30001 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G30002 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G30003 | \$28,208.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G30010 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G30011 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G30012 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G30013 | \$27,017.00 |
| REFRIGERATOR MODELS – THREE SECTION, GLASS DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G32000 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G32001 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G32002 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G32003 | \$32,880.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G32010 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G32011 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G32012 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G32013 | \$31,745.00 |
| FREEZER MODELS – THREE SECTION, SOLID DOOR (208-230/115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G31300 | \$35,228.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G31301 | \$35,228.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G31302 | \$35,228.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G31303 | \$35,228.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G31310 | \$34,042.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G31311 | \$34,042.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G31312 | \$34,042.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G31313 | \$34,042.00 |
| FREEZER MODELS – THREE SECTION, SOLID DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G31000 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G31001 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G31002 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G31003 | \$35,502.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G31010 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G31011 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G31012 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G31013 | \$34,313.00 |



G30010



G30002



G32010

ACCESSORIES

For Accessory Kits See Pages 28, 30-31

REFRIGERATOR & FREEZER REACH-IN (1, 2 & 3 SECTION) FULL HEIGHT GLASS DOOR MERCHANDISERS

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- LED Display Lights - Patented In-Door Design
- Self-Closing Door(s) with Stay Open Feature & Lock(s)
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- EZ-Clean Gasket
- Three (3) Epoxy Coated Shelves On Pins per section
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10° capable
- Guaranteed For Life Door Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



G11011-043



G23010-043



G32010-043

STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REACH-IN REFRIGERATOR MODELS - ONE SECTION, GLASS DOOR (115V) (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Door, Hinged Right | G11010-043 | \$22,031.00 |
| G-Series - Full-Height Door, Hinged Left | G11011-043 | \$22,031.00 |
| REACH-IN REFRIGERATOR MODELS - TWO SECTION, GLASS DOOR (115V) (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Doors, Hinged Left/Right | G21010-043 | \$34,976.00 |
| REACH-IN REFRIGERATOR MODELS - THREE SECTION, GLASS DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Doors, Hinged Left/Right/Right | G32010-043 | \$46,792.00 |
| G-Series - Full-Height Doors, Hinged Left/Left/Right | G32011-043 | \$46,792.00 |
| REACH-IN FREEZER MODELS - ONE SECTION, GLASS DOOR (115V) (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Door, Hinged Right | G13010-053 | \$23,940.00 |
| G-Series - Full-Height Door, Hinged Left | G13011-053 | \$23,940.00 |
| REACH-IN FREEZER MODELS - TWO SECTION, GLASS DOOR (115V) (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Doors, Hinged Left/Right | G23010-053 | \$37,353.00 |
| REACH-IN FREEZER MODELS - THREE SECTION, GLASS DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series - Full-Height Doors, Hinged Left/Right/Right | G33010-053 | \$50,851.00 |
| G-Series - Full-Height Doors, Hinged Left/Left/Right | G33011-053 | \$50,851.00 |

ACCESSORIES

For Accessory Kits **See Page 28-31**

STANDARD FEATURES

- Stainless steel exterior front finish
- Stainless steel exterior door finish
- Anodized aluminum sides (including returns) and interior
- Plug & play microprocessor control with 3-digit LED Temperature display
- Automatically activated LED light with concealed switch (solid door models)
- EZ-Clean Gasket
- Self-closing doors with stay-open feature & locks
- Three (3) epoxy coated shelves per section on Pins
- Four (4) 6" high casters with brakes
- Automatic, non-electric condensate evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- One-Year Parts and Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



G10110



G22110



G30110

STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|---------------|-------------|
| REACH-IN REFRIGERATOR MODELS – ONE SECTION, SOLID DOOR, 220/50/1, (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Right | G10100 | \$18,913.00 |
| G-Series – Half-Height Doors, Hinged Left | G10101 | \$18,913.00 |
| G-Series – Full-Height Door, Hinged Right | G10110 | \$18,171.00 |
| G-Series – Full-Height Door, Hinged Left | G10111 | \$18,171.00 |
| REACH-IN REFRIGERATOR MODELS – TWO SECTION, SOLID DOOR, 220/50/1, (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right | G20100 | \$22,806.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G20110 | \$21,864.00 |
| REACH-IN REFRIGERATOR MODELS – THREE SECTION, SOLID DOOR, 220/50/1, (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G30100 | \$30,079.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G30110 | \$28,891.00 |
| REACH-IN FREEZER MODELS – ONE SECTION, SOLID DOOR, 220/50/1, (29-7/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Right | G12100 | \$21,041.00 |
| G-Series – Half-Height Doors, Hinged Left | G12101 | \$21,041.00 |
| G-Series – Full-Height Door, Hinged Right | G12110 | \$20,298.00 |
| G-Series – Full-Height Door, Hinged Left | G12111 | \$20,298.00 |
| REACH-IN FREEZER MODELS – TWO SECTION, SOLID DOOR, 220/50/1, (52-1/8" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right | G22100 | \$27,379.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G22110 | \$26,444.00 |
| REACH-IN FREEZER MODELS – THREE SECTION, SOLID DOOR, 220/50/1, (76-5/16" W X 83-7/16" H X 35" D): | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G31100 | \$37,367.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G31110 | \$36,181.00 |

ACCESSORIES

For Accessory Kits **See Pages 28-31**

REFRIGERATOR PASS-THRU (1 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature & Lock(s)
- Three (3) Epoxy Coated Shelves on Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



G16012P



G16002P

STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|----------------|-------------|
| REFRIGERATOR MODELS – 1 SECTION, SOLID DOOR CONTROL SIDE, SOLID DOOR OTHER SIDE (29-7/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G10002P | \$22,921.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G10003P | \$22,921.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G10004P | \$22,921.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G10005P | \$22,921.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G10012P | \$21,433.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G10013P | \$21,433.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G10014P | \$21,433.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G10015P | \$21,433.00 |

REFRIGERATOR MODELS – 1 SECTION, SOLID DOOR CONTROL SIDE, GLASS DOOR OTHER SIDE (29-7/8" W X 83-7/16" H X 37-15/16" D)

| | | |
|--|----------------|-------------|
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G16002P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G16003P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G16004P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G16005P | \$26,275.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G16012P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G16013P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G16014P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G16015P | \$25,024.00 |

REFRIGERATOR MODELS – 1 SECTION, GLASS DOOR CONTROL SIDE, SOLID DOOR OTHER SIDE (29-7/8" W X 83-7/16" H X 37-15/16" D)

| | | |
|--|----------------|-------------|
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G17002P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G17003P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G17004P | \$26,275.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G17005P | \$26,275.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G17012P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G17013P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G17014P | \$25,024.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G17015P | \$25,024.00 |

* Door hinging when viewed from that side.

ACCESSORIES

For Door Hinging Drawings & Accessory Kits **See Pages 27-28**

REFRIGERATOR PASS-THRU (2 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Doors with Stay Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section on Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles (solid door models)
- Guaranteed For Life Door Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

NOTE:
Contact your local Hobart/Traulsen representative for pricing and availability of alternate hinging (2 section models).

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|--|----------------|-------------|
| REFRIGERATOR MODELS - TWO SECTION, SOLID DOOR (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G20004P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G20005P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G20006P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G20007P | \$32,075.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Left * | G20012P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Right/Right * | G20013P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G20014P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G20015P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G20016P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G20017P | \$29,102.00 |



G20013P



G20004P

| | | |
|--|----------------|-------------|
| REFRIGERATOR MODELS - TWO SECTION, GLASS DOOR (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G21004P | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G21005P | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G21006P | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G21007P | \$38,793.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G21014P | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G21015P | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G21016P | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G21017P | \$36,287.00 |

| | | |
|---|----------------|-------------|
| REFRIGERATOR MODELS - 2 SECTION, SOLID DOOR CONTROL SIDE, GLASS DOOR OTHER SIDE (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G26004P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G26005P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G26006P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G26007P | \$32,075.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G26014P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G26015P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G26016P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G26017P | \$29,102.00 |



G21014P

| | | |
|---|----------------|-------------|
| REFRIGERATOR MODELS - 2 SECTION, GLASS DOOR CONTROL SIDE, SOLID DOOR OTHER SIDE (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G27004P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G27005P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G27006P | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G27007P | \$32,075.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G27014P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G27015P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G27016P | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G27017P | \$29,102.00 |



G26014P

* Door hinging when viewed from that side.

ACCESSORIES

For Door Hinging Drawings & Accessory Kits **See Pages 27-29**

HEATED CABINETS REACH-IN (1 & 2 SECTION)

STANDARD FEATURES

- Stainless steel exterior front finish
- Stainless steel exterior door finish
- Anodized aluminum sides (including returns) and interior
- Plug & play microprocessor control with 3-digit LED Temperature display
- LED Interior lights
- EZ-Clean Gasket
- Self-closing doors with stay-open feature & locks
- Load-Sure Guard prevents issues from improper loading
- Three (3) shelves per section on pilasters
- Four (4) 6" high casters with brakes
- Heating system operates at 140°F to 180°F
- Guaranteed for life door hinges.
- Guaranteed for life door handles (solid door models)
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



G14310



G24310

STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|---------------|-------------|
| REACH-IN HEATED CABINETS MODELS – ONE SECTION, 208-230/115V, CORD & PLUG ATTACHED, SOLID DOOR (29-7/8" W X 83-7/16" H X 35" D) | | |
| G-Series – Half-Height Doors, Hinged Right | G14300 | \$17,847.00 |
| G-Series – Half-Height Doors, Hinged Left | G14301 | \$17,847.00 |
| G-Series – Full-Height Door, Hinged Right | G14310 | \$17,035.00 |
| G-Series – Full-Height Door, Hinged Left | G14311 | \$17,035.00 |

REACH-IN HEATED CABINETS MODELS – TWO SECTION, 208-230/115V, JUNCTION BOX FOR HARD WIRE CONNECTION, NO CORD & PLUG, SOLID DOOR (52-1/8" W X 83-7/16" H X 35" D)

| | | |
|--|---------------|-------------|
| G-Series – Half-Height Doors, Hinged Left/Right | G24300 | \$24,836.00 |
| G-Series – Half-Height Doors, Hinged Right/Right | G24302 | \$24,836.00 |
| G-Series – Half-Height Doors, Hinged Left/Left | G24303 | \$24,836.00 |
| G-Series – Full-Height Doors, Hinged Left/Right | G24310 | \$23,712.00 |
| G-Series – Full-Height Doors, Hinged Right/Right | G24312 | \$23,712.00 |
| G-Series – Full-Height Doors, Hinged Left/Left | G24313 | \$23,712.00 |

ACCESSORIES

For Accessory Kits *See Pages 28-29*

HEATED CABINETS PASS-THRU (1 & 2 SECTION)

STANDARD FEATURES

- Stainless steel exterior front finish
- Stainless steel exterior door finish
- Anodized aluminum sides (including returns) and interior
- Plug & play microprocessor control with 3-digit LED Temperature display
- LED Interior lights
- EZ-Clean Gasket
- Self-closing doors with stay-open feature & locks
- Load-Sure Guard prevents issues from improper loading
- Three (3) shelves per section on pilasters
- Four (4) 6" high casters with brakes
- Heating system operates at 140°F to 180°F
- Guaranteed for life door hinges.
- Guaranteed for life door handles (solid door models)
- Six-Year Parts and Labor Warranty

NOTE:

- Contact your local Hobart/Traulsen representative for pricing and availability of alternate hinging (2 section models).

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATION (Height with 6" standard casters)



| DESCRIPTION | MODEL | LIST PRICE |
|--|----------------|-------------|
| PASS-THRU HEATED CABINETS MODELS – ONE SECTION, 208-230/115V, CORD & PLUG ATTACHED, SOLID DOOR (29-7/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G14302P | \$24,462.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G14303P | \$24,462.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G14304P | \$24,462.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G14305P | \$24,462.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G14312P | \$22,901.00 |
| G-Series – Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G14313P | \$22,901.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G14314P | \$22,901.00 |
| G-Series – Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G14315P | \$22,901.00 |



G14312P



G24304P

| | | |
|---|----------------|-------------|
| PASS-THRU HEATED CABINETS MODELS – TWO SECTION, 208-230/115V, JUNCTION BOX FOR HARD WIRE CONNECTION, NO CORD & PLUG, SOLID DOOR (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series – Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G24304P | \$34,760.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G24305P | \$34,760.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G24307P | \$34,760.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Left * | G24312P | \$31,573.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G24314P | \$31,573.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G24315P | \$31,573.00 |
| G-Series – Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G24317P | \$31,573.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Right/Right * | G24318P | \$31,573.00 |



G2A353P





| | | |
|---|----------------|-------------|
| PASS-THRU HEATED CABINETS MODELS - TWO SECTION, 208-230/115V, JUNCTION BOX FOR HARD WIRE CONNECTION, NO CORD & PLU, ,GLASS DOOR (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series - Half Height Glass Doors, Control Side Hinged Left/Right, Half Height Glass Doors, Other Side Hinged Left/Right | G25344P | \$36,212.00 |
| G-Series - Half Height Glass Doors, Control Side Hinged Left/Left, Half Height Glass Doors, Other Side Hinged Left/Left | G25345P | \$36,212.00 |
| G-Series - Half Height Glass Doors, Control Side Hinged Right/Right, Half Height Glass Doors, Other Side Hinged Right/Right | G25347P | \$36,212.00 |
| G-Series - Full Height Glass Doors, Control Side Hinged Left/Right, Full Height Glass Doors, Other Side Hinged Left/Right | G25354P | \$32,590.00 |
| G-Series - Full Height Glass Doors, Control Side Hinged Left/Left, Full Height Glass Doors, Other Side Hinged Left/Left | G25355P | \$32,590.00 |
| G-Series - Full Height Glass Doors, Control Side Hinged Right/Right, Full Height Glass Doors, Other Side Hinged Right/Right | G25357P | \$32,590.00 |
| G-Series - Full Height Glass Doors, Control Side Hinged Left/Right, Full Height Glass Doors, Other Side Hinged Right/Right * | G2A353P | \$32,590.00 |

* Door hinging when viewed from that side.





ACCESSORIES

For Door Hinging Drawings & Accessory Kits [See Pages 27-29](#)

PASS-THRU DOOR HINGING OPTION — SINGLE SECTION (WHEN VIEWED FROM THAT SIDE)


| | | | | | | | |
|---|--|---|--|--|--|---|--|
|  | |  | |  | |  | |
| CONTROL SIDE | | NON CONTROL SIDE | | CONTROL SIDE | | NON CONTROL SIDE | |
| Hinged Right | | Hinged Right | | Hinged Left | | Hinged Left | |

PASS-THRU DOOR HINGING OPTION — TWO SECTION (WHEN VIEWED FROM THAT SIDE)

| | | | | | | | |
|---|-------------------------|-------------------------|-------------------------|--|-------------------------|-------------------------|-------------------------|
|  | | | |  | | | |
| CONTROL SIDE | | NON CONTROL SIDE | | CONTROL SIDE | | NON CONTROL SIDE | |
| Left Door Hinged Left | Right Door Hinged Right | Left Door Hinged Left | Right Door Hinged Right | Left Door Hinged Left | Right Door Hinged Left | Left Door Hinged Left | Right Door Hinged Left |
|  | | | |  | | | |
| CONTROL SIDE | | NON CONTROL SIDE | | CONTROL SIDE | | NON CONTROL SIDE | |
| Left Door Hinged Right | Right Door Hinged Left | Left Door Hinged Right | Right Door Hinged Left | Left Door Hinged Right | Right Door Hinged Right | Left Door Hinged Right | Right Door Hinged Right |

G-SERIES ACCESSORY KIT LOCATION GUIDE

Each kit includes all necessary mounting hardware except where noted. All G-Series accessory kits are pre-packaged for easy installation at the job site.



One Section Models

A

TRAYSLIDES

- G1ACC-TK1
- G1ACC-TK2
- G1ACC-TK4
- G13ACC-1EZ
- G13ACC-UEZ
- G13ACC-HDUEZ

SHELVES

- G1ACC-SHLF1
- G1ACC-SHLF2
- G1ACC-SHLF3
- G1ACC-SHLF4
- G1ACC-SHLF5
- G1ACC-SHLF6
- G1ACC-BTL5
- G12ACC-BTL1

| DESCRIPTION | MODEL | HEATED CABINET | REFRIG. / FREEZER |
|--|---------------------|----------------|-------------------|
| EZ-CHANGE KITS | | | |
| (4) pairs #1 trayslides with pilasters per ½ section (top or bottom) | G13ACC-1EZ | \$797.00 | \$797.00 |
| (3) pairs universal with pilasters per ½ section (top or bottom) | G13ACC-UEZ | \$894.00 | \$894.00 |
| (3) pairs heavy duty universal with pilasters per ½ section (top or bottom) | G13ACC-HDUEZ | \$1,204.00 | \$1,204.00 |
| TRAYSLIDES | | | |
| (8) pairs #1 trayslides includes pilasters per full section | G1ACC-TK1 | \$1,130.00 | \$1,130.00 |
| (2) pairs #4 trayslides includes pilasters per full section | G1ACC-TK2 | \$1,441.00 | \$1,441.00 |
| (7) pairs universal trayslides includes pilasters per full section | G1ACC-TK4 | \$1,516.00 | \$1,516.00 |
| SHELVES | | | |
| (1) clear coated shelf with pins & clips | G1ACC-SHLF6 | Not Available | \$226.00 |
| (3) clear coated shelves with pins | G1ACC-SHLF3 | Not Available | \$665.00 |
| (3) clear coated shelves with pilasters | G1ACC-SHLF4 | Not Available | \$665.00 |
| (3) epoxy coated shelves on pins | G1ACC-SHLF1 | Not Available | \$568.00 |
| (3) epoxy coated shelves on pilasters | G1ACC-SHLF2 | Not Available | \$576.00 |
| (1) epoxy coated shelf with pins & clips | G1ACC-SHLF5 | Not Available | \$226.00 |
| (5) bottle shelves with mounting hardware (glass door models only) | G1ACC-BTL5 | Not Available | Consult Factory |
| (1) bottle shelf with clips without mounting hardware (glass door models only) | G12ACC-BTL1 | Not Available | Consult Factory |

OPTIONS

| DESCRIPTION | PRICE |
|----------------|------------|
| Export Crating | \$1,289.00 |

OTHER ACCESSORY KITS – FOR ALL G-SERIES REFRIGERATOR, FREEZER & HEATED MODELS


| DESCRIPTION | MODEL | PRICE |
|---|--------------------|------------|
| Set of (4) 6" high stainless steel legs | LK2 | \$359.00 |
| Set of (4) 6" high casters | CK1 | \$847.00 |
| Set of (4) 4-1/8" high casters | CK3 | \$1,125.00 |
| Set of (4) 2-3/4" high casters | CK14 | \$568.00 |
| Set of (4) 6" stainless steel flanged legs | LK3 | \$1,162.00 |
| (1) pair #1 type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.)* | GSACC-#1TS | \$148.00 |
| (1) pair #4 type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.) | GSACC-#4TS | \$782.00 |
| (1) pair universal type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.) (excludes 2 section heated cabinets only) | GSACC-UVTS | \$244.00 |
| (1) pair EZ-Change #1 type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.)* | GSACC-1EZ | \$201.00 |
| (1) pair EZ-Change universal type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.)* | GSACC-UEZ | \$299.00 |
| (1) pair EZ-Change heavy duty universal type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.)* | GSACC-HDUEZ | \$403.00 |
| (1) set pilasters and clips for shelves (Not applicable for trayslides) | GSACC-PLSTS | \$100.00 |

* Not for 2 section heated cabinet models

For trayslides and shelf versatility chart [see page 31](#)

G-SERIES ACCESSORY KIT LOCATION GUIDE

Each kit includes all necessary mounting hardware except where noted. All G-Series accessory kits are pre-packaged for easy installation at the job site.



Two Section Models

- | | |
|---|--|
| A | B |
| <p>TRAYSLIDES</p> <ul style="list-style-type: none"> ■ G23ACC-TK1LR ■ G23ACC-TK2LR ■ G23ACC-TK4LR ■ G23ACC-1EZ ■ G23ACC-UEZ ■ G23ACC-HDUEZ | <p>SHELVES</p> <ul style="list-style-type: none"> ■ G23ACC-SHLF1 ■ G23ACC-SHLF2 ■ G23ACC-SHLF3 ■ G23ACC-SHLF4 ■ G23ACC-SHLF9 ■ G23ACC-SHLF10 ■ G2ACC-BTL5 |
| <p>TRAYSLIDES</p> <ul style="list-style-type: none"> ■ G23ACC-TK1LR ■ G23ACC-TK2LR ■ G23ACC-TK4LR ■ G23ACC-1EZ ■ G23ACC-UEZ ■ G23ACC-HDUEZ | <p>SHELVES</p> <ul style="list-style-type: none"> ■ G23ACC-SHLF5 ■ G23ACC-SHLF6 ■ G23ACC-SHLF7 ■ G23ACC-SHLF8 ■ G23ACC-SHLF11 ■ G23ACC-SHLF12 ■ G2ACC-BTL5 |

| DESCRIPTION | MODEL | HEATED CABINET | REFRIG. / FREEZER |
|-------------|-------|----------------|-------------------|
|-------------|-------|----------------|-------------------|

EZ-CHANGE KITS

LEFT AND RIGHT SECTION:

| | | | |
|--|--------------|---------------|------------|
| (4) pairs #1 trayslides with pilasters per 1/2 section (top and bottom) | G23ACC-1EZ | Not Available | \$803.00 |
| (3) pairs universal with pilasters per 1/2 section (top and bottom) | G23ACC-UEZ | Not Available | \$900.00 |
| (3) pairs heavy duty universal with pilasters per 1/2 section (top and bottom) | G23ACC-HDUEZ | Not Available | \$1,212.00 |

TRAYSLIDES

LEFT AND RIGHT SECTION:

| | | | |
|--|--------------|---------------|------------|
| (8) pairs #1 trayslides (with pilasters) per full section | G23ACC-TK1LR | Not Available | \$1,130.00 |
| (2) pairs #4 trayslides (with pilasters) per full section | G23ACC-TK2LR | Not Available | \$1,441.00 |
| (7) pairs universal trayslides (with pilasters) per full section | G23ACC-TK4LR | \$1,516.00 | \$1,516.00 |

SHELVES

LEFT SECTION:

| | | | |
|--|---------------|---------------|----------|
| (3) clear coated shelves with pins | G23ACC-SHLF3 | Not Available | \$665.00 |
| (3) clear coated shelves with pilasters | G23ACC-SHLF4 | Not Available | \$665.00 |
| (1) clear coated shelf with pins & clips | G23ACC-SHLF10 | Not Available | \$226.00 |
| (3) epoxy coated shelves on pins | G23ACC-SHLF1 | Not Available | \$568.00 |
| (3) epoxy coated shelves on pilasters | G23ACC-SHLF2 | Not Available | \$576.00 |
| (1) epoxy coated shelf with pins & clips | G23ACC-SHLF9 | Not Available | \$226.00 |

RIGHT SECTION:

| | | | |
|--|---------------|---------------|----------|
| (3) clear coated shelves with pins | G23ACC-SHLF7 | Not Available | \$665.00 |
| (3) clear coated shelves with pilasters | G23ACC-SHLF8 | Not Available | \$665.00 |
| (1) clear coated shelf with pins & clips | G23ACC-SHLF12 | Not Available | \$226.00 |
| (3) epoxy coated shelves on pins | G23ACC-SHLF5 | Not Available | \$568.00 |
| (3) epoxy coated shelves on pilasters | G23ACC-SHLF6 | Not Available | \$576.00 |
| (1) epoxy coated shelf with pins & clips | G23ACC-SHLF11 | Not Available | \$226.00 |

LEFT OR RIGHT SECTION:

| | | | |
|--|---------------|---------------|-----------------|
| (1) plated shelf with pins & clips (hot food cabinets only) | G23ACC-SHLF13 | \$226.00 | Not Available |
| (5) bottle shelves with mounting hardware (Glass door models only. Fits 1 section of a 2 section unit. Requires 2 kits to outfit both sections.) | G2ACC-BTL5 | Not Available | Consult Factory |

OPTIONS

| DESCRIPTION | PRICE |
|----------------|------------|
| Export Crating | \$2,573.00 |


OTHER ACCESSORY KITS

For other accessory kits, options, trayslides and shelf versatility chart [see pages 28 and 31](#)

FIELD INSTALLED ACCESSORY KITS 3 SECTION MODELS

G-SERIES ACCESSORY KIT LOCATION GUIDE

Each kit includes all necessary mounting hardware except where noted. All G-Series accessory kits are pre-packaged for easy installation at the job site.



Three Section Models

- A**
- | | |
|-------------------|-----------------|
| TRAYSLIDES | SHELVES |
| ■ G23ACC-TK1LR | ■ G23ACC-SHLF1 |
| ■ G23ACC-TK2LR | ■ G23ACC-SHLF2 |
| ■ G23ACC-TK4LR | ■ G23ACC-SHLF3 |
| ■ G23ACC-1EZ | ■ G23ACC-SHLF4 |
| ■ G23ACC-UEZ | ■ G23ACC-SHLF9 |
| ■ G23ACC-HDUEZ | ■ G23ACC-SHLF10 |
| | ■ G3ACC-BTL5-LR |

- B**
- | | |
|-------------------|-----------------|
| TRAYSLIDES | SHELVES |
| ■ G3ACC-TK1C | ■ G23ACC-SHLF3 |
| ■ G3ACC-TK2C | ■ G23ACC-SHLF4 |
| ■ G3ACC-TK4C | ■ G3ACC-SHLF5 |
| ■ G13ACC-1EZ | ■ G3ACC-SHLF6 |
| ■ G13ACC-UEZ | ■ G23ACC-SHLF10 |
| ■ G13ACC-HDUEZ | ■ G3ACC-SHLF15 |
| | ■ G3ACC-BTL5-C |

- C**
- | | |
|-------------------|-----------------|
| TRAYSLIDES | SHELVES |
| ■ G23ACC-TK1LR | ■ G23ACC-SHLF5 |
| ■ G23ACC-TK2LR | ■ G23ACC-SHLF6 |
| ■ G23ACC-TK4LR | ■ G23ACC-SHLF7 |
| ■ G23ACC-1EZ | ■ G23ACC-SHLF8 |
| ■ G23ACC-UEZ | ■ G23ACC-SHLF11 |
| ■ G23ACC-HDUEZ | ■ G23ACC-SHLF12 |
| | ■ G3ACC-BTL5-LR |

| DESCRIPTIONS | MODEL | REFRIG. / FREEZER |
|--------------|-------|-------------------|
|--------------|-------|-------------------|

EZ-CHANGE KITS: (DOES NOT APPLY TO G-SERIES HEATED CABINETS)

| LEFT AND RIGHT SECTIONS: | | |
|--|---------------------|------------|
| (4) pairs #1 trayslides with pilasters per ½ section (top and bottom) | G23ACC-1EZ | \$803.00 |
| (3) pairs universal with pilasters per ½ section (top and bottom) | G23ACC-UEZ | \$900.00 |
| (3) pairs heavy duty universal with pilasters per ½ section (top and bottom) | G23ACC-HDUEZ | \$1,212.00 |
| CENTER SECTION: | | |
| (4) pairs #1 trayslides with pilasters per ½ section (top and bottom) | G13ACC-1EZ | \$797.00 |
| (3) pairs universal with pilasters per ½ section (top and bottom) | G13ACC-UEZ | \$894.00 |
| (3) pairs heavy duty universal with pilasters per ½ section (top and bottom) | G13ACC-HDUEZ | \$1,204.00 |

TRAYSLIDES: (DOES NOT APPLY TO G-SERIES HEATED CABINETS)

| LEFT AND RIGHT SECTIONS: | | |
|--|---------------------|------------|
| (8) pairs #1 trayslides (with pilasters) per full section | G23ACC-TK1LR | \$1,130.00 |
| (2) pairs #4 trayslides (with pilasters) per full section | G23ACC-TK2LR | \$1,441.00 |
| (7) pairs universal trayslides (with pilasters) per full section | G23ACC-TK4LR | \$1,516.00 |
| CENTER SECTION: | | |
| (8) pairs #1 trayslides (with pilasters) per full section | G3ACC-TK1C | \$1,130.00 |
| (2) pairs #4 trayslides (with pilasters) per full section | G3ACC-TK2C | \$1,441.00 |
| (7) pairs universal trayslides (with pilasters) per full section | G3ACC-TK4C | \$1,516.00 |

| DESCRIPTIONS | MODEL | REFRIG. / FREEZER |
|--------------|-------|-------------------|
|--------------|-------|-------------------|

SHELVES: (DOES NOT APPLY TO G-SERIES HEATED CABINETS)

| LEFT SECTION: | | |
|---|----------------------|-----------------|
| (3) clear coated shelves with pins | G23ACC-SHLF3 | \$665.00 |
| (3) clear coated shelves with pilasters | G23ACC-SHLF4 | \$665.00 |
| (1) clear coated shelf with pins & clips | G23ACC-SHLF10 | \$226.00 |
| (3) epoxy coated shelves on pins | G23ACC-SHLF1 | \$568.00 |
| (3) epoxy coated shelves on pilasters | G23ACC-SHLF2 | \$576.00 |
| (1) epoxy coated shelf with pins & clips (for Left Section) | G23ACC-SHLF9 | \$226.00 |
| CENTER SECTION: | | |
| (3) clear coated shelves with pins | G23ACC-SHLF3 | \$665.00 |
| (3) clear coated shelves with pilasters | G23ACC-SHLF4 | \$665.00 |
| (1) clear coated shelf with pins & clips | G23ACC-SHLF10 | \$226.00 |
| (3) epoxy coated shelves on pins | G3ACC-SHLF5 | \$568.00 |
| (3) epoxy coated shelves on pilasters | G3ACC-SHLF6 | \$576.00 |
| (1) epoxy coated shelf with pins & clips (for Center Section) | G3ACC-SHLF15 | \$226.00 |
| (5) bottle shelves with mounting hardware (glass door models only) | G3ACC-BTL5-C | Consult Factory |
| RIGHT SECTION: | | |
| (3) clear coated shelves with pins | G23ACC-SHLF7 | \$665.00 |
| (3) clear coated shelves with pilasters | G23ACC-SHLF8 | \$665.00 |
| (1) clear coated shelf with pins & clips | G23ACC-SHLF12 | \$226.00 |
| (3) epoxy coated shelves on pins | G23ACC-SHLF5 | \$568.00 |
| (3) epoxy coated shelves on pilasters | G23ACC-SHLF6 | \$576.00 |
| (1) epoxy coated shelf with pins & clips (for Right Section) | G23ACC-SHLF11 | \$226.00 |
| LEFT OR RIGHT SECTION: | | |
| (5) bottle shelves with mounting hardware (Glass door models only. Fits Left or Right section of a 3 section unit. Requires 2 kits to outfit both Left and Right sections.) | G3ACC-BTL5-LR | Consult Factory |


OPTIONS

| DESCRIPTIONS | PRICE |
|----------------|------------|
| Export Crating | \$3,861.00 |


OTHER ACCESSORY KITS & OPTIONS

For other accessory kits, options, trayslides and shelf versatility chart [see pages 28 and 31](#)


TRAYSLIDES



#1 Trayslides Standard



#4 Trayslides Standard



Universal Tray Slides Standard

EZ-CHANGE TRAYSLIDES



#1 Trayslides EZ-Change



Universal Trayslides EZ-Change



Heavy-Duty Universal Trayslides EZ-Change

NOTES:

- For all after market parts call Traulsen parts department 800-825-8220.
- The above quantities represent the maximum amount of trayslides recommended by Traulsen to achieve best air circulation and refrigeration performance.
- Optional trayslides are not available for Compact Undercounter, and Prep Tables models
- EZ-Change Interior Universal Trayslides max weight 75 lbs. EZ-Change Heavy Duty Universal Trayslides max weight 125 lbs.
- #1, #4, universal and HD universal EZ change trayslides are not available for 2 section G Series heated cabinets.*
- All G-Series accessory kits are pre-packaged for easy installation at the job site.

TRAYSLIDES

| DESCRIPTION | SPACING | | | |
|--|---------------|-----------|---------------|-----------|
| #1 TRAYSLIDES (NOT AVAILABLE FOR 2 SECTION G HEATED)* | | | | |
| 16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 14" x 18" Pans | 2" | 3" | 4" | 5" |
| Behind full height door – all models | 28 | 19 | 14 | 11 |
| Behind upper half height door – all models | 13 | 9 | 7 | 5 |
| Behind lower half height door – all models | 13 | 9 | 7 | 5 |
| #1 Trayslides – EZ-Change Interior (Not available for 2 section G Heated)* | 2" | | 4" | |
| Behind full height door – all models | 26 | | 13 | |
| Behind upper half height door | 12 | | 6 | |
| Behind lower half height door | 12 | | 6 | |
| #4 TRAYSLIDES – STANDARD (NOT AVAILABLE FOR 2 SECTION G HEATED)* | | | | |
| Plated steel rod type for rim support of: (1) 18" x 26" Pan (One pair of #4 trayslides accommodates one half section) | 1-1/2" | | | |
| Behind full height door – all models | 38 | | | |
| Behind upper half height door – all models | 18 | | | |
| Behind lower half height door – all models | 18 | | | |
| UNIVERSAL TRAYSLIDES – STANDARD | | | | |
| 16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 14" x 18" Pans or (2) 12" x 20" Pans. For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 4" | 5" | 6" | |
| Behind full height door – all models | 14 | 11 | 9 | |
| Behind upper half height door – all models | 6 | 5 | 4 | |
| Behind lower half height door – all models | 7 | 5 | 4 | |
| Universal Trayslides – EZ-Change Interior (Not available for 2 Section G Heated)*. For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 2-1/4" | | 4-1/2" | |
| Behind full height door – all models | 22 | | 11 | |
| Behind upper half height door | 11 | | 5 | |
| Behind lower half height door | 11 | | 5 | |
| Heavy-Duty Universal Trayslides – EZ-Change Interior (Not available for 2 Section G Heated)*. For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 4-1/2" | | 9" | |
| Behind full height door – all models | 10 | | 5 | |
| Behind upper half height door | 5 | | 2 | |
| Behind lower half height door | 5 | | 2 | |

SHELVES (SOME SHELVES ARE NOT AVAILABLE FOR G HEATED)

| CAPACITY | STD. | MAX. |
|--|------|--------------------|
| Behind full height door mounted on standard shelf pins | 3 | 9 |
| Behind half height door mounted on standard shelf pins | 3 | 8 |
| Behind full height door mounted on optional pilasters | 3 | 13 (4" spacing) |
| Behind half height door mounted on optional pilasters | 3 | 12 (4" spacing) |

G-SERIES REACH-IN MODEL NUMBERS

| SERIES (1) | SECTIONS (2) | REFRIGERATOR/FREEZER/HEATED (3) | VOLTAGE (4) | DOOR HEIGHT (5) | HINGING (6) | PASS THRU (7) | REFRIGERATION SYSTEM (8) | REFRIGERANT TYPE (9) | LIGHTS (10) |
|------------|--------------|--|--|----------------------|-----------------------------------|---------------|--------------------------|------------------------|-------------|
| G | 1 | 0 = Solid Door Ref 1 = Glass Door Ref 2 = Solid Door Freezer 3 = Glass Door Freezer 4 = Hot Food 6 = Solid Front Door / Glass Rear Door Ref 7 = Glass Front Door / Solid Rear Door Ref | 0 = 115/60/1 1 = 220/50/1 3 = 208-230/115/60/1 | 1 = Full 0 = Half | Refer to Price Book or AutoQuotes | Pass Thru (P) | 0 = Self Contained | 4 = R450A 5 = R448A | 3 = LED |
| G | 2 | 0 = Solid Door Ref 1 = Glass Door Ref 2 = Solid Door Freezer 3 = Glass Door Freezer 4 = Hot Food 6 = Solid Front Door / Glass Rear Door Ref 7 = Glass Front Door / Solid Rear Door Ref | 0 = 115/60/1 1 = 220/50/1 3 = 208-230/115/60/1 | 1 = Full 0 = Half | Refer to Price Book or AutoQuotes | Pass Thru (P) | 0 = Self Contained | 4 = R450A 5 = R448A | 3 = LED |
| G | 3 | 0 = Solid Door Ref 1 = Freezer 2 = Glass Door Ref | 0 = 115/60/1 1 = 220/50/1 3 = 208-230/115/60/1 | 1 = Full 0 = Half | Refer to Price Book or AutoQuotes | Pass Thru (P) | 0 = Self Contained | 4 = R450A 5 = R448A | 3 = LED |

R290 G-SERIES REACH-IN MODEL NUMBERS

| SERIES (1) | SECTIONS (2) | REFRIGERATOR/FREEZER/HEATED (3) | VOLTAGE (4) | DOOR HEIGHT (5) | HINGING (6) | R290 REFRIGERATION SYSTEM (7) | REFRIGERANT TYPE (8) | LIGHTS (9) |
|------------|--------------|---|--------------------------------------|--|-----------------------------------|-------------------------------|----------------------|------------|
| G | 1 | 0 = Solid Door Ref 1 = Glass Door Ref 2 = Freezer 6 = Solid Front Door / Glass Rear Door Ref 7 = Glass Front Door / Solid Rear Door Ref | 0 - 115/60/1 | 0 = Half Reach-In 1 = Full Reach-In 4 = Half Pass-Thru 5 = Full Pass-Thru | Refer to Price Book or AutoQuotes | 0 = Self Contained | 3 = R290 | 2 = LED |
| G | 2 | 0 = Solid Door Ref 1 = Glass Door Ref 2 = Freezer 6 = Solid Front Door / Glass Rear Door Ref 7 = Glass Front Door / Solid Rear Door Ref | 0 = 115/60/1 | 0 = Half Reach-In 1 = Full Reach-In 4 = Half Pass-Thru 5 = Full Pass-Thru | Refer to Price Book or AutoQuotes | 0 = Self Contained | 3 = R290 | 2 = LED |
| G | 3 | 0 = Solid Door Ref 1 = Freezer 2 = Glass Door Ref | 0 = 115/60/1 3 = 208-230/115/60/1 | 0 = Half Reach-In 1 = Full Reach-In | Refer to Price Book or AutoQuotes | 0 = Self Contained | 3 = R290 | 2 = LED |

STANDARD FEATURES

- Stainless Steel Exterior Front, Top, Sides & Door(s)
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature
- Two (2) Powder-Coated Shelves Per Door on Pilasters
- Four (4) or six (6) 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATION (Height with 4" standard casters)

COMPACT UNDERCOUNTER REFRIGERATORS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------|---------|---|--------------------|-------------|
| 27" W x 30.875" D x 33.5" H | Solid | 1 | Right | UHT27-R | \$9,606.00 |
| | | | Left | UHT27-L | \$9,606.00 |
| | | | Right with Stainless Steel Back | UHT27-R-SB | \$10,526.00 |
| | | | Left with Stainless Steel Back | UHT27-L-SB | \$10,526.00 |
| | | | Right | UHT32-R | \$12,537.00 |
| 32" W x 30.875" D x 33.5" H | Solid | 1 | Left | UHT32-L | \$12,537.00 |
| | | | Right with Stainless Steel Back | UHT32-R-SB | \$13,634.00 |
| | | | Left with Stainless Steel Back | UHT32-L-SB | \$13,634.00 |
| | | | Left / Right | UHT48-LR | \$13,781.00 |
| | | | Left / Left | UHT48-LL | \$13,781.00 |
| 48" W x 30.875" D x 33.5" H | Solid | 2 | Right / Right | UHT48-RR | \$13,781.00 |
| | | | Left / Right with Stainless Steel Back | UHT48-LR-SB | \$15,332.00 |
| | | | Left / Left with Stainless Steel Back | UHT48-LL-SB | \$15,332.00 |
| | | | Right / Right with Stainless Steel Back | UHT48-RR-SB | \$15,332.00 |
| | | | Left / Right | UHT60-LR | \$15,072.00 |
| 60" W x 30.875" D x 33.5" H | Solid | 2 | Left / Left | UHT60-LL | \$15,072.00 |
| | | | Right / Right | UHT60-RR | \$15,072.00 |
| | | | Left / Right with Stainless Steel Back | UHT60-LR-SB | \$17,013.00 |
| | | | Left / Left with Stainless Steel Back | UHT60-LL-SB | \$17,013.00 |
| | | | Right / Right with Stainless Steel Back | UHT60-RR-SB | \$17,013.00 |
| 72" W x 30.875" D x 33.5" H | Solid | 2 | Left / Right | UHT72-LR | \$17,703.00 |
| | | | Left / Left | UHT72-LL | \$17,703.00 |
| | | | Right / Right | UHT72-RR | \$17,703.00 |
| | | | Left / Right with Stainless Steel Back | UHT72-LR-SB | \$20,032.00 |
| | | | Left / Left with Stainless Steel Back | UHT72-LL-SB | \$20,032.00 |
| | | | Right / Right with Stainless Steel Back | UHT72-RR-SB | \$20,032.00 |



ACCESSORIES AND/OR OPTIONS

For Accessory Kits see page 40

STANDARD CONFIGURATION – CONTINUED (Height with 4" standard casters)

COMPACT UNDERCOUNTER REFRIGERATORS WITH DRAWERS—SELF-CONTAINED (CONTINUED)

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------------------------|--------------------|-------------|
| 27" W x 31.125" D x 33.5" H | 2 | UHT27-D | \$13,370.00 |
| | 2 with Stainless Steel Back | UHT27-D-SB | \$14,296.00 |
| 32" W x 31.125" D x 33.5" H | 2 | UHT32-D | \$16,305.00 |
| | 2 with Stainless Steel Back | UHT32-D-SB | \$17,405.00 |
| 60" W x 31.125" D x 33.5" H | 4 | UHT60-DD | \$22,610.00 |
| | 4 with Stainless Steel Back | UHT60-DD-SB | \$24,550.00 |
| 72" W x 31.125" D x 33.5" H | 4 | UHT72-DD | \$27,317.00 |
| | 4 with Stainless Steel Back | UHT72-DD-SB | \$29,649.00 |

COMPACT UNDERCOUNTER FREEZERS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------|---------|---|--------------------|-------------|
| 27" W x 30.875" D x 33.5" H | Solid | 1 | Right | ULT27-R | \$11,199.00 |
| | | | Left | ULT27-L | \$11,199.00 |
| | | | Right with Stainless Steel Back | ULT27-R-SB | \$12,119.00 |
| | | | Left with Stainless Steel Back | ULT27-L-SB | \$12,119.00 |
| 48" W x 30.875" D x 33.5" H | Solid | 2 | Left / Right | ULT48-LR | \$15,200.00 |
| | | | Left / Left | ULT48-LL | \$15,200.00 |
| | | | Right / Right | ULT48-RR | \$15,200.00 |
| | | | Left / Right with Stainless Steel Back | ULT48-LR-SB | \$16,752.00 |
| | | | Left / Left with Stainless Steel Back | ULT48-LL-SB | \$16,752.00 |
| | | | Right / Right with Stainless Steel Back | ULT48-RR-SB | \$16,752.00 |
| 60" W x 30.875" D x 33.5" H | Solid | 2 | Left / Right | ULT60-LR | \$19,576.00 |
| | | | Left / Left | ULT60-LL | \$19,576.00 |
| | | | Right / Right | ULT60-RR | \$19,576.00 |
| | | | Left / Right with Stainless Steel Back | ULT60-LR-SB | \$21,517.00 |
| | | | Left / Left with Stainless Steel Back | ULT60-LL-SB | \$21,517.00 |
| | | | Right / Right with Stainless Steel Back | ULT60-RR-SB | \$21,517.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

REFRIGERATOR 48" WIDE MODELS – GLASS DOOR

STANDARD FEATURES

- Stainless Steel Exterior Front, Top, Sides & Glass Door(s)
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature
- Two (2) Powder-Coated Shelves Per Door on Pilasters
- Four (4) 4" High Casters
- Standard interior Light With Exterior Mounted Switch
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATION (Height with 4" standard casters)

COMPACT UNDERCOUNTER REFRIGERATORS WITH GLASS DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING | MODEL | LIST PRICE |
|-----------------------------|-----------|---------|---------------|---------------------|-------------|
| 48" W x 30.875" D x 33.5" H | Glass | 2 | Left / Right | UHG48LR-0420 | \$16,566.00 |
| | | | Left / Left | UHG48LL-0420 | \$16,566.00 |
| | | | Right / Right | UHG48RR-0420 | \$16,566.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*



UHG48LR-0420

COMPACT PREP TABLES WITH HINGED FLAT TOP 27", 32", 48", 60" & 72" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides & Door(s)
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature
- Reversible, Full-Length Nylon Cutting Board
- Full Compliment of Sixth Size 4" Deep Plastic Pans
- Two (2) Powder Coated Shelves Per Door on Pilasters
- Four (4) or six (6) 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Guaranteed For Life Door Handles
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATION (Height with 4" standard casters)

COMPACT PREP TABLES WITH SOLID DOOR AND HINGED FLAT TOP—SELF-CONTAINED



| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE | |
|-------------------------------|---------|---------------------------------------|------------|---------------|---------------|-------------|
| 27" W x 33.375" D x 37.875" H | 1 | Left | 6 | UST276-L | \$10,618.00 | |
| | | Right | | UST276-R | \$10,618.00 | |
| | | Left with Stainless Steel Back | | UST276-L-SB | \$11,544.00 | |
| | | Right with Stainless Steel Back | | UST276-R-SB | \$11,544.00 | |
| | | Left | | UST279-L | \$10,798.00 | |
| | | Right | | UST279-R | \$10,798.00 | |
| 32" W x 33.75" D x 37.875" H | 1 | Left with Stainless Steel Back | 9 | UST279-L-SB | \$11,719.00 | |
| | | Right with Stainless Steel Back | | UST279-R-SB | \$11,719.00 | |
| | | Left | | UST3212-L | \$14,151.00 | |
| | | Right | | UST3212-R | \$14,151.00 | |
| | | Left with Stainless Steel Back | | UST3212-L-SB | \$15,248.00 | |
| | | Right with Stainless Steel Back | | UST3212-R-SB | \$15,248.00 | |
| 48" W x 33.375" D x 37.875" H | 2 | Left/Right | 8 | UST488-LR | \$14,406.00 | |
| | | Left/Left | | UST488-LL | \$14,406.00 | |
| | | Right/Right | | UST488-RR | \$14,406.00 | |
| | | Left/Right with Stainless Steel Back | | UST488-LR-SB | \$15,961.00 | |
| | | Left/Left with Stainless Steel Back | | UST488-LL-SB | \$15,961.00 | |
| | | Right/Right with Stainless Steel Back | | UST488-RR-SB | \$15,961.00 | |
| | | Left/Right | | 12 | UST4812-LR | \$15,558.00 |
| | | Left/Left | | | UST4812-LL | \$15,558.00 |
| | | Right/Right | | | UST4812-RR | \$15,558.00 |
| | | Left/Right with Stainless Steel Back | | | UST4812-LR-SB | \$17,109.00 |
| | | Left/Left with Stainless Steel Back | | | UST4812-LL-SB | \$17,109.00 |
| | | Right/Right with Stainless Steel Back | | | UST4812-RR-SB | \$17,109.00 |
| 48" W x 33.375" D x 37.875" H | 2 | Left/Right | 18 | UST4818-LR | \$16,873.00 | |
| | | Left/Left | | UST4818-LL | \$16,873.00 | |
| | | Right/Right | | UST4818-RR | \$16,873.00 | |
| | | Left/Right with Stainless Steel Back | | UST4818-LR-SB | \$18,425.00 | |
| | | Left/Left with Stainless Steel Back | | UST4818-LL-SB | \$18,425.00 | |
| | | Right/Right with Stainless Steel Back | | UST4818-RR-SB | \$18,425.00 | |
| | | Left/Right | 12 | UST6012-LR | \$17,116.00 | |
| | | Left/Left | | UST6012-LL | \$17,116.00 | |
| | | Right/Right | | UST6012-RR | \$17,116.00 | |
| | | Left/Right with Stainless Steel Back | | UST6012-LR-SB | \$19,058.00 | |
| | | Left/Left with Stainless Steel Back | | UST6012-LL-SB | \$19,058.00 | |
| | | Right/Right with Stainless Steel Back | | UST6012-RR-SB | \$19,058.00 | |
| 60" W x 33.375" D x 37.875" H | 2 | Left/Right | 24 | UST6024-LR | \$18,907.00 | |
| | | Left/Left | | UST6024-LL | \$18,907.00 | |
| | | Right/Right | | UST6024-RR | \$18,907.00 | |
| | | Left/Right with Stainless Steel Back | | UST6024-LR-SB | \$20,848.00 | |
| | | Left/Left with Stainless Steel Back | | UST6024-LL-SB | \$20,848.00 | |
| | | Right/Right with Stainless Steel Back | | UST6024-RR-SB | \$20,848.00 | |



UST276-L



UST488-LR

ACCESSORIES AND/OR OPTIONS

For Accessory Kits [see page 40](#)



UST7224-LR



UST276-D

STANDARD CONFIGURATION – CONTINUED (Height with 4" standard casters)

COMPACT PREP TABLES WITH SOLID DOOR AND HINGED FLAT TOP—SELF-CONTAINED (CONTINUED)

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|---------|---------------------------------------|------------|---------------|-------------|
| 72" W x 34.5" D x 37.875" H | 2 | Left/Right | 12 | UST7212-LR | \$19,889.00 |
| | | Left/Left | | UST7212-LL | \$19,889.00 |
| | | Right/Right | | UST7212-RR | \$19,889.00 |
| | | Left/Right with Stainless Steel Back | | UST7212-LR-SB | \$22,222.00 |
| | | Left/Left with Stainless Steel Back | | UST7212-LL-SB | \$22,222.00 |
| | | Right/Right with Stainless Steel Back | | UST7212-RR-SB | \$22,222.00 |
| | | Left/Right | 18 | UST7218-LR | \$20,335.00 |
| | | Left/Left | | UST7218-LL | \$20,335.00 |
| | | Right/Right | | UST7218-RR | \$20,335.00 |
| | | Left/Right with Stainless Steel Back | | UST7218-LR-SB | \$22,664.00 |
| | | Left/Left with Stainless Steel Back | | UST7218-LL-SB | \$22,664.00 |
| | | Right/Right with Stainless Steel Back | | UST7218-RR-SB | \$22,664.00 |
| | | Left/Right | 24 | UST7224-LR | \$21,581.00 |
| | | Left/Left | | UST7224-LL | \$21,581.00 |
| | | Right/Right | | UST7224-RR | \$21,581.00 |
| | | Left/Right with Stainless Steel Back | | UST7224-LR-SB | \$23,909.00 |
| | | Left/Left with Stainless Steel Back | | UST7224-LL-SB | \$23,909.00 |
| | | Right/Right with Stainless Steel Back | | UST7224-RR-SB | \$23,909.00 |
| | | Left/Right | 30 | UST7230-LR | \$22,049.00 |
| | | Left/Left | | UST7230-LL | \$22,049.00 |
| | | Right/Right | | UST7230-RR | \$22,049.00 |
| | | Left/Right with Stainless Steel Back | | UST7230-LR-SB | \$24,379.00 |
| | | Left/Left with Stainless Steel Back | | UST7230-LL-SB | \$24,379.00 |
| | | Right/Right with Stainless Steel Back | | UST7230-RR-SB | \$24,379.00 |

COMPACT PREP TABLES WITH DRAWERS AND HINGED FLAT TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|-----------------------------|---------------|---------------|-------------|
| 27" W x 34.5" D x 37.875" H | 2 | 6 | UST276-D | \$14,390.00 |
| | 2 with Stainless Steel Back | | UST276-D-SB | \$15,314.00 |
| | 32" W x 34.5" D x 37.875" H | 2 | 9 | UST279-D |
| 2 with Stainless Steel Back | | UST279-D-SB | | \$15,490.00 |
| 60" W x 34.5" D x 37.875" H | | 2 | 12 | UST3212-D |
| | 2 with Stainless Steel Back | UST3212-D-SB | | \$19,021.00 |
| | 72" W x 34.5" D x 37.875" H | 4 | 12 | UST6012-DD |
| 4 with Stainless Steel Back | | UST6012-DD-SB | | \$26,598.00 |
| 4 | | 24 | UST6024-DD | \$26,445.00 |
| 4 with Stainless Steel Back | | | UST6024-DD-SB | \$28,387.00 |
| 4 | | 12 | UST7212-DD | \$28,877.00 |
| 4 with Stainless Steel Back | | | UST7212-DD-SB | \$31,206.00 |
| 72" W x 34.5" D x 37.875" H | 4 | 18 | UST7218-DD | \$29,705.00 |
| | 4 with Stainless Steel Back | | UST7218-DD-SB | \$32,037.00 |
| | 4 | 24 | UST7224-DD | \$30,969.00 |
| 4 with Stainless Steel Back | UST7224-DD-SB | | \$33,301.00 | |
| 72" W x 34.5" D x 37.875" H | 4 | 30 | UST7230-DD | \$31,414.00 |
| | 4 with Stainless Steel Back | | UST7230-DD-SB | \$33,745.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

COMPACT PREP TABLES WITH ROLL TOP 27", 32", 48", 60" & 72" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides & Door(s)
- Stainless Steel Pan Cover with Pivoting Front Insulated Lid
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay Open Feature
- Removable insulated pan cover & pivoting lid
- Reinforced pan ledge
- Reversible, Full-Length Nylon Cutting Board
- Full Compliment of Sixth Size 4" Deep Plastic Pans
- Two (2) Powder Coated Shelves Per Door
- Four (4) or six (6) drawer(s) with 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Guaranteed For Life Door Handles
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



UPT4812-LR

STANDARD CONFIGURATION (Height with 4" standard casters)

COMPACT PREP TABLES WITH SOLID DOOR AND ROLLED TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|------------------------------|---------|---------------------------------------|------------|---------------|-------------|
| 27" W x 33.625" D x 42.75" H | 1 | Left | 6 | UPT276-L | \$11,239.00 |
| | | Right | | UPT276-R | \$11,239.00 |
| | | Left with Stainless Steel Back | | UPT276-L-SB | \$12,155.00 |
| | | Right with Stainless Steel Back | | UPT276-R-SB | \$12,155.00 |
| | | Left | | UPT279-L | \$11,414.00 |
| | | Right | | UPT279-R | \$11,414.00 |
| 27" W x 33.75" D x 44" H | 1 | Left with Stainless Steel Back | 9 | UPT279-L-SB | \$12,334.00 |
| | | Right with Stainless Steel Back | | UPT279-R-SB | \$12,334.00 |
| | | Left | | UPT3212-L | \$14,951.00 |
| | | Right | | UPT3212-R | \$14,951.00 |
| | | Left with Stainless Steel Back | | UPT3212-L-SB | \$16,045.00 |
| | | Right with Stainless Steel Back | | UPT3212-R-SB | \$16,045.00 |
| 32" W x 33.75" D x 44" H | 1 | Left/Right | 12 | UPT488-LR | \$15,514.00 |
| | | Left/Left | | UPT488-LL | \$15,514.00 |
| | | Right/Right | | UPT488-RR | \$15,514.00 |
| | | Left/Right with Stainless Steel Back | | UPT488-LR-SB | \$17,068.00 |
| | | Left/Left with Stainless Steel Back | | UPT488-LL-SB | \$17,068.00 |
| | | Right/Right with Stainless Steel Back | | UPT488-RR-SB | \$17,068.00 |
| | | Left/Right | | UPT4812-LR | \$16,663.00 |
| | | Left/Left | | UPT4812-LL | \$16,663.00 |
| | | Right/Right | | UPT4812-RR | \$16,663.00 |
| | | Left/Right with Stainless Steel Back | | UPT4812-LR-SB | \$18,214.00 |
| | | Left/Left with Stainless Steel Back | | UPT4812-LL-SB | \$18,214.00 |
| | | Right/Right with Stainless Steel Back | | UPT4812-RR-SB | \$18,214.00 |
| 48" W x 33.75" D x 42.75" H | 2 | Left/Right | 12 | UPT4818-LR | \$17,973.00 |
| | | Left/Left | | UPT4818-LL | \$17,973.00 |
| | | Right/Right | | UPT4818-RR | \$17,973.00 |
| | | Left/Right with Stainless Steel Back | | UPT4818-LR-SB | \$19,531.00 |
| | | Left/Left with Stainless Steel Back | | UPT4818-LL-SB | \$19,531.00 |
| | | Right/Right with Stainless Steel Back | | UPT4818-RR-SB | \$19,531.00 |
| | | Left/Right | | UPT6012-LR | \$18,711.00 |
| | | Left/Left | | UPT6012-LL | \$18,711.00 |
| | | Right/Right | | UPT6012-RR | \$18,711.00 |
| | | Left/Right with Stainless Steel Back | | UPT6012-LR-SB | \$20,652.00 |
| | | Left/Left with Stainless Steel Back | | UPT6012-LL-SB | \$20,652.00 |
| | | Right/Right with Stainless Steel Back | | UPT6012-RR-SB | \$20,652.00 |
| 48" W x 33.75" D x 44" H | 2 | Left/Right | 18 | UPT6024-LR | \$20,508.00 |
| | | Left/Left | | UPT6024-LL | \$20,508.00 |
| | | Right/Right | | UPT6024-RR | \$20,508.00 |
| | | Left/Right with Stainless Steel Back | | UPT6024-LR-SB | \$22,450.00 |
| | | Left/Left with Stainless Steel Back | | UPT6024-LL-SB | \$22,450.00 |
| | | Right/Right with Stainless Steel Back | | UPT6024-RR-SB | \$22,450.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*



UPT6012DD-0300



UPT6024DD-0300

STANDARD CONFIGURATION – CONTINUED (Height with 4" standard casters)

COMPACT PREP TABLES WITH SOLID DOOR AND ROLLED TOP—SELF-CONTAINED (CONTINUED)

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|----------------------------|---------|---------------------------------------|------------|---------------|-------------|
| 72" W x 34.5" D x 42.75" H | 2 | Left/Right | 12 | UPT7212-LR | \$21,831.00 |
| | | Left/Left | | UPT7212-LL | \$21,831.00 |
| | | Right/Right | | UPT7212-RR | \$21,831.00 |
| | | Left/Right with Stainless Steel Back | | UPT7212-LR-SB | \$24,157.00 |
| | | Left/Left with Stainless Steel Back | | UPT7212-LL-SB | \$24,157.00 |
| | | Right/Right with Stainless Steel Back | | UPT7212-RR-SB | \$24,157.00 |
| 72" W x 34.5" D x 44" H | 2 | Left/Right | 24 | UPT7224-LR | \$23,207.00 |
| | | Left/Left | | UPT7224-LL | \$23,207.00 |
| | | Right/Right | | UPT7224-RR | \$23,207.00 |
| | | Left/Right with Stainless Steel Back | | UPT7224-LR-SB | \$25,533.00 |
| | | Left/Left with Stainless Steel Back | | UPT7224-LL-SB | \$25,533.00 |
| | | Right/Right with Stainless Steel Back | | UPT7224-RR-SB | \$25,533.00 |
| 72" W x 34.5" D x 44" H | 2 | Left/Right | 30 | UPT7230-LR | \$23,707.00 |
| | | Left/Left | | UPT7230-LL | \$23,707.00 |
| | | Right/Right | | UPT7230-RR | \$23,707.00 |
| | | Left/Right with Stainless Steel Back | | UPT7230-LR-SB | \$26,035.00 |
| | | Left/Left with Stainless Steel Back | | UPT7230-LL-SB | \$26,035.00 |
| | | Right/Right with Stainless Steel Back | | UPT7230-RR-SB | \$26,035.00 |

COMPACT PREP TABLES WITH DRAWERS AND HINGED ROLLED TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | PANS (1/6) | MODEL | LIST PRICE |
|----------------------------|-----------------------------|------------|---------------|-------------|
| 27" W x 34.5" D x 42.75" H | 2 | 6 | UPT276-D | \$15,003.00 |
| | 2 with Stainless Steel Back | | UPT276-D-SB | \$15,928.00 |
| 27" W x 34.5" D x 44" H | 2 | 9 | UPT279-D | \$15,181.00 |
| | 2 with Stainless Steel Back | | UPT279-D-SB | \$16,102.00 |
| 32" W x 34.5" D x 44" H | 2 | 12 | UPT3212-D | \$18,717.00 |
| | 2 with Stainless Steel Back | | UPT3212-D-SB | \$19,817.00 |
| 60" W x 34.5" D x 42.75" H | 4 | 12 | UPT6012-DD | \$26,255.00 |
| | 4 with Stainless Steel Back | | UPT6012-DD-SB | \$28,191.00 |
| 60" W x 34.5" D x 44" H | 4 | 24 | UPT6024-DD | \$28,049.00 |
| | 4 with Stainless Steel Back | | UPT6024-DD-SB | \$29,985.00 |
| 72" W x 34.5" D x 42.75" H | 4 | 12 | UPT7212-DD | \$31,052.00 |
| | 4 with Stainless Steel Back | | UPT7212-DD-SB | \$33,383.00 |
| 72" W x 34.5" D x 44" H | 4 | 24 | UPT7224-DD | \$33,301.00 |
| | 4 with Stainless Steel Back | | UPT7224-DD-SB | \$35,633.00 |
| 72" W x 34.5" D x 44" H | 4 | 30 | UPT7230-DD | \$33,783.00 |
| | 4 with Stainless Steel Back | | UPT7230-DD-SB | \$36,112.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

ACCESSORIES

Casters & additional shelves shipped separately for easy installation at the job site

| DESCRIPTION | MODEL | LIST PRICE |
|---|---------------|------------|
| Set of Four (4) 6" High legs (Installed Height) for 27", 32" & 48" Wide Models | LK4 | \$183.00 |
| Set of Six (6) 6" High legs (Installed Height) for 60" & 72" Wide Models | LK6 | \$273.00 |
| Set of Four (4) 6" High Casters (Installed Height) for 27", 32" & 48" Wide Models | CK20 | \$568.00 |
| Set of Six (6) 6" High Casters (Installed Height) for 60" & 72" Wide Models | CK21 | \$846.00 |
| Set of Four (4) 4" High Casters (Installed Height) for 27", 32" & 48" Wide Models | CK31 | \$568.00 |
| Set of Six (6) 4" High Casters (Installed Height) for 60" & 72" Wide Models | CK32 | \$846.00 |
| Set of Four (4) 3-½" High Casters (Installed Height) for 27", 32" & 48" Wide Models | CK24 | \$568.00 |
| Set of Six (6) 3-½" High Casters (Installed Height) for 60" & 72" Wide Models | CK25 | \$846.00 |
| Set of Four (4) 2-¾" High Casters (Installed Height) for 27", 32" & 48" Wide Models | CK26 | \$568.00 |
| Set of Six (6) 2-¾" High Casters (Installed Height) for 60" & 72" Wide Models | CK27 | \$846.00 |
| Set of Four (4) 2-½" High Casters (Installed Height) for 27" & 32" Wide Models | CK28 | \$568.00 |
| Additional Powder-Coated Shelf for 27" Wide Models | SHELF-CPW1 | \$181.00 |
| Additional Powder-Coated Shelf for 32" Wide Models | SHELF-CPW2 | \$181.00 |
| Additional Powder-Coated Upper Shelf for 48" Wide Models | SHELF48-UPPER | \$223.00 |
| Additional Powder-Coated Lower Shelf for 48" Wide Models | SHELF48-LOWER | \$223.00 |
| Additional Powder-Coated Upper Shelf for 60" Wide Models | SHELF60-UPPER | \$223.00 |
| Additional Powder-Coated Lower Shelf for 60" Wide Models | SHELF60-LOWER | \$223.00 |
| Additional Powder-Coated Upper Shelf for 72" Wide Models | SHELF72-UPPER | \$223.00 |
| Additional Powder-Coated Lower Shelf for 72" Wide Models | SHELF72-LOWER | \$223.00 |
| Heavy Gauge Stainless Steel Work Top with 4" High Backsplash for 27" Wide Models (undercounter models only) | CU27TOP-BSW0 | \$2,216.00 |
| Heavy Gauge Stainless Steel Work Top with 4" High Backsplash for 32" Wide Models (undercounter models only) | CU32TOP-BSW0 | \$2,629.00 |
| Heavy Gauge Stainless Steel Work Top with 4" High Backsplash for 48" Wide Models (undercounter models only) | CU48TOP-BSW0 | \$3,108.00 |
| Heavy Gauge Stainless Steel Work Top with 4" High Backsplash for 60" Wide Models (undercounter models only) | CU60TOP-BSW0 | \$4,017.00 |
| Heavy Gauge Stainless Steel Work Top with 4" High Backsplash for 72" Wide Models (undercounter models only) | CU72TOP-BSW0 | \$4,822.00 |

REFRIGERATOR & FREEZER REACH-IN (1 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Three (3) Epoxy Coated Shelves On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

R290 STANDARD CONFIGURATION (Height with 6" standard casters)



G10010-032



G10000-032



G11010-032

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REFRIGERATOR MODELS - ONE SECTION, SOLID DOOR (29-7/8"W X 83-7/16"H X 35"D): | | |
| G-Series - Half-Height Doors, Hinged Right | G10000-032 | \$17,040.00 |
| G-Series - Half-Height Doors, Hinged Left | G10001-032 | \$17,040.00 |
| G-Series - Full-Height Door, Hinged Right | G10010-032 | \$16,302.00 |
| G-Series - Full-Height Door, Hinged Left | G10011-032 | \$16,302.00 |
| REFRIGERATOR MODELS - ONE SECTION, GLASS DOOR (29-7/8"W X 83-7/16"H X 35"D): | | |
| G-Series - Half-Height Doors, Hinged Right | G11000-032 | \$18,727.00 |
| G-Series - Half-Height Doors, Hinged Left | G11001-032 | \$18,727.00 |
| G-Series - Full-Height Door, Hinged Right | G11010-032 | \$18,093.00 |
| G-Series - Full-Height Door, Hinged Left | G11011-032 | \$18,093.00 |
| FREEZER MODELS - ONE SECTION, SOLID DOOR (29-7/8"W X 83-7/16"H X 35"D): | | |
| G-Series - Half-Height Doors, Hinged Right | G12000-032 | \$19,171.00 |
| G-Series - Half-Height Doors, Hinged Left | G12001-032 | \$19,171.00 |
| G-Series - Full-Height Door, Hinged Right | G12010-032 | \$18,429.00 |
| G-Series - Full-Height Door, Hinged Left | G12011-032 | \$18,429.00 |

ACCESSORIES

For Accessory Kits **See Page 28**

REFRIGERATOR & FREEZER REACH-IN (2 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Micro-processor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



R290 STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|--|-------------------|-------------|
| REFRIGERATOR MODELS – TWO SECTION, SOLID DOOR (52 1/8"W X 83 7/16"H X 35"D) | | |
| G-Series - Half-Height Doors, Hinged Left/Right | G20000-032 | \$20,931.00 |
| G-Series - Half-Height Doors, Hinged Right/Left | G20001-032 | \$20,931.00 |
| G-Series - Half-Height Doors, Hinged Right/Right | G20002-032 | \$20,931.00 |
| G-Series - Half-Height Doors, Hinged Left/Left | G20003-032 | \$20,931.00 |
| G-Series - Full-Height Doors, Hinged Left/Right | G20010-032 | \$19,993.00 |
| G-Series - Full-Height Doors, Hinged Right/Left | G20011-032 | \$19,993.00 |
| G-Series - Full-Height Doors, Hinged Right/Right | G20012-032 | \$19,993.00 |
| G-Series - Full-Height Doors, Hinged Left/Left | G20013-032 | \$19,993.00 |
| REFRIGERATOR MODELS – TWO SECTION, GLASS DOOR (52 1/8"W X 83 7/16"H X 35"D) | | |
| G-Series - Half-Height Doors, Hinged Left/Right | G21000-032 | \$24,284.00 |
| G-Series - Half-Height Doors, Hinged Right/Left | G21001-032 | \$24,284.00 |
| G-Series - Half-Height Doors, Hinged Right/Right | G21002-032 | \$24,284.00 |
| G-Series - Half-Height Doors, Hinged Left/Left | G21003-032 | \$24,284.00 |
| G-Series - Full-Height Doors, Hinged Left/Right | G21010-032 | \$23,591.00 |
| G-Series - Full-Height Doors, Hinged Right/Left | G21011-032 | \$23,591.00 |
| G-Series - Full-Height Doors, Hinged Right/Right | G21012-032 | \$23,591.00 |
| G-Series - Full-Height Doors, Hinged Left/Left | G21013-032 | \$23,591.00 |
| FREEZER MODELS – TWO SECTION, SOLID DOOR (52 1/8"W X 83 7/16"H X 35"D) | | |
| G-Series - Half-Height Doors, Hinged Left/Right | G22000-032 | \$25,511.00 |
| G-Series - Half-Height Doors, Hinged Right/Left | G22001-032 | \$25,511.00 |
| G-Series - Half-Height Doors, Hinged Right/Right | G22002-032 | \$25,511.00 |
| G-Series - Half-Height Doors, Hinged Left/Left | G22003-032 | \$25,511.00 |
| G-Series - Full-Height Doors, Hinged Left/Right | G22010-032 | \$24,574.00 |
| G-Series - Full-Height Doors, Hinged Right/Left | G22011-032 | \$24,574.00 |
| G-Series - Full-Height Doors, Hinged Right/Right | G22012-032 | \$24,574.00 |
| G-Series - Full-Height Doors, Hinged Left/Left | G22013-032 | \$24,574.00 |

G20010-032

G20000-032

G21010-032

G21000-032

ACCESSORIES

For Accessory Kits **See Pages 28-29**

REFRIGERATOR & FREEZER REACH-IN (3 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section On Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed for Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



R290 STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REFRIGERATOR MODELS – THREE SECTION, SOLID DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D) | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G30000-032 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G30001-032 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G30002-032 | \$28,208.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G30003-032 | \$28,208.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G30010-032 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G30011-032 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G30012-032 | \$27,017.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G30013-032 | \$27,017.00 |
| REFRIGERATOR MODELS – THREE SECTION, GLASS DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D) | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G32000-032 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G32001-032 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G32002-032 | \$32,880.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G32003-032 | \$32,880.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G32010-032 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G32011-032 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G32012-032 | \$31,745.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G32013-032 | \$31,745.00 |
| FREEZER MODELS – THREE SECTION, SOLID DOOR (115V) (76-5/16" W X 83-7/16" H X 35" D) | | |
| G-Series – Half-Height Doors, Hinged Left/Right/Right | G31000-032 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Right | G31001-032 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Right/Right/Right | G31002-032 | \$35,502.00 |
| G-Series – Half-Height Doors, Hinged Left/Left/Left | G31003-032 | \$35,502.00 |
| G-Series – Full-Height Doors, Hinged Left/Right/Right | G31010-032 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Right | G31011-032 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Right/Right/Right | G31012-032 | \$34,313.00 |
| G-Series – Full-Height Doors, Hinged Left/Left/Left | G31013-032 | \$34,313.00 |



G30010-032



G30002-032



G30210-032

ACCESSORIES

For Accessory Kits **See Pages 28, 30**

REFRIGERATOR PASS-THRU (1 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Three (3) Epoxy Coated Shelves on Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



R290 STANDARD CONFIGURATION (Height with 6" standard casters)

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REFRIGERATOR MODELS – ONE SECTION, SOLID DOOR (29 7/8"W X 83 7/16"H X 37 15/16"D): | | |
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G10042-032 | \$22,921.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G10043-032 | \$22,921.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G10044-032 | \$22,921.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G10045-032 | \$22,921.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G10052-032 | \$21,433.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G10053-032 | \$21,433.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G10054-032 | \$21,433.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G10055-032 | \$21,433.00 |



G10053-032



G16042-032

REFRIGERATOR MODELS – ONE SECTION, SOLID DOOR CONTROL SIDE, GLASS DOOR OTHER SIDE (29-7/8" W X 83-7/16" H X 37-15/16" D):

| | | |
|--|-------------------|-------------|
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G16042-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G16043-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G16044-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G16045-032 | \$26,275.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G16052-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G16053-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G16054-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G16055-032 | \$25,024.00 |

REFRIGERATOR MODELS – ONE SECTION, GLASS DOOR CONTROL SIDE, SOLID DOOR OTHER SIDE (29-7/8" W X 83-7/16" H X 37-15/16" D):

| | | |
|--|-------------------|-------------|
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Right * | G17042-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right, Other Side Hinged Left * | G17043-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Left * | G17044-032 | \$26,275.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left, Other Side Hinged Right * | G17045-032 | \$26,275.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Right * | G17052-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Right, Other Side Hinged Left * | G17053-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Left * | G17054-032 | \$25,024.00 |
| G-Series - Full-Height Door, Control Side Hinged Left, Other Side Hinged Right * | G17055-032 | \$25,024.00 |

* Door hinging when viewed from that side.

ACCESSORIES AND/OR OPTIONS

For Door Hinging Drawings & Accessory Kits **See Pages 27-28**

REFRIGERATOR PASS-THRU (2 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior Front Finish
- Stainless Steel Exterior Door Finish (solid door models)
- Anodized Aluminum Sides (including returns) and Interior
- Plug & Play Microprocessor Control with 3-Digit LED Temperature Display
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Automatically Activated LED Light with Concealed Switch (solid door models)
- LED Light with Exterior Switch (glass door models)
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Epoxy Coated Shelves Per Section on Pins
- Four (4) 6" High Casters with Brakes
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Hinges
- Guaranteed For Life Door Handles (solid door models)
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

R290 STANDARD CONFIGURATION (Height with 6" standard casters)



G20054-032



G20044-032



G21054-032

| DESCRIPTION | MODEL | LIST PRICE |
|--|------------|-------------|
| REFRIGERATOR MODELS – TWO SECTION, SOLID DOOR (52 1/8"W X 83 7/16"H X 37 15/16"D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G20044-032 | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G20045-032 | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G20046-032 | \$32,075.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G20047-032 | \$32,075.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G20054-032 | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G20055-032 | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G20056-032 | \$29,102.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G20057-032 | \$29,102.00 |
| REFRIGERATOR MODELS – TWO SECTION, GLASS DOOR (52 1/8"W X 83 7/16"H X 37 15/16"D) | | |
| G-Series - Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G21044-032 | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G21045-032 | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/ Left * | G21046-032 | \$38,793.00 |
| G-Series - Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G21047-032 | \$38,793.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G21054-032 | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G21055-032 | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/ Left * | G21056-032 | \$36,287.00 |
| G-Series - Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G21057-032 | \$36,287.00 |

* Door hinging when viewed from that side.

ACCESSORIES

For Door Hinging Drawings & Accessory Kits [See Pages 27-29](#)

R290 STANDARD CONFIGURATION – CONTINUED

| DESCRIPTION | MODEL | LIST PRICE |
|---|-------------------|-------------|
| REFRIGERATOR MODELS – TWO SECTION, SOLID DOOR CONTROL SIDE, GLASS DOOR OTHER SIDE (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series – Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G26044-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G26045-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G26046-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G26047-032 | \$32,075.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G26054-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G26055-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G26056-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G26057-032 | \$29,102.00 |
| REFRIGERATOR MODELS – TWO SECTION, GLASS DOOR CONTROL SIDE, SOLID DOOR OTHER SIDE (52-1/8" W X 83-7/16" H X 37-15/16" D) | | |
| G-Series – Half-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G27044-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G27045-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G27046-032 | \$32,075.00 |
| G-Series – Half-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G27047-032 | \$32,075.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Right, Other Side Hinged Left/Right * | G27054-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Left/Left, Other Side Hinged Left/Left * | G27055-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Right/Left, Other Side Hinged Right/Left * | G27056-032 | \$29,102.00 |
| G-Series – Full-Height Doors, Control Side Hinged Right/Right, Other Side Hinged Right/Right * | G27057-032 | \$29,102.00 |

* Door hinging when viewed from that side

ACCESSORIES

For Door Hinging Drawings & Accessory Kits **See Pages 27-29**

STANDARD FEATURES

- Stainless Steel Exterior Front, Top, Sides & Door(s)
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature
- Two (2) Powder-Coated Shelves Per Door on Pilasters
- Four (4) or six (6) 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F.
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

R290 STANDARD CONFIGURATION (Height with 4" standard casters)

R290 COMPACT UNDERCOUNTER REFRIGERATORS WITH DOORS—SELF-CONTAINED



UHT27R0-0300



UHT48LR-0300



UHT72LR-0300

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------|---------|---|-----------------|-------------|
| 27" W x 30.875" D x 33.5" H | Solid | 1 | Right | UHT27R0-0300 | \$9,606.00 |
| | | | Left | UHT27L0-0300 | \$9,606.00 |
| | | | Right with Stainless Steel Back | UHT27R0-0300-SB | \$10,526.00 |
| | | | Left with Stainless Steel Back | UHT27L0-0300-SB | \$10,526.00 |
| 32" W x 30.875" D x 33.5" H | Solid | 1 | Right | UHT32R0-0300 | \$12,537.00 |
| | | | Left | UHT32L0-0300 | \$12,537.00 |
| | | | Right with Stainless Steel Back | UHT32R0-0300-SB | \$13,634.00 |
| | | | Left with Stainless Steel Back | UHT32L0-0300-SB | \$13,634.00 |
| 48" W x 30.875" D x 33.5" H | Solid | 2 | Left / Right | UHT48LR-0300 | \$13,781.00 |
| | | | Left / Left | UHT48LL-0300 | \$13,781.00 |
| | | | Right / Right | UHT48RR-0300 | \$13,781.00 |
| | | | Left / Right with Stainless Steel Back | UHT48LR-0300-SB | \$15,332.00 |
| | | | Left / Left with Stainless Steel Back | UHT48LL-0300-SB | \$15,332.00 |
| | | | Right / Right with Stainless Steel Back | UHT48RR-0300-SB | \$15,332.00 |
| | | | Left / Right | UHT60LR-0300 | \$15,072.00 |
| | | | Left / Left | UHT60LL-0300 | \$15,072.00 |
| 60" W x 30.875" D x 33.5" H | Solid | 2 | Right / Right | UHT60RR-0300 | \$15,072.00 |
| | | | Left / Right with Stainless Steel Back | UHT60LR-0300-SB | \$17,013.00 |
| | | | Left / Left with Stainless Steel Back | UHT60LL-0300-SB | \$17,013.00 |
| | | | Right / Right with Stainless Steel Back | UHT60RR-0300-SB | \$17,013.00 |
| | | | Left / Right | UHT72LR-0300 | \$17,703.00 |
| | | | Left / Left | UHT72LL-0300 | \$17,703.00 |
| | | | Right / Right | UHT72RR-0300 | \$17,703.00 |
| | | | Left / Right with Stainless Steel Back | UHT72LR-0300-SB | \$20,032.00 |
| 72" W x 30.875" D x 33.5" H | Solid | 2 | Left / Left with Stainless Steel Back | UHT72LL-0300-SB | \$20,032.00 |
| | | | Right / Right with Stainless Steel Back | UHT72RR-0300-SB | \$20,032.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits See Page 40

R290 STANDARD CONFIGURATION – CONTINUED

COMPACT UNDERCOUNTER REFRIGERATORS WITH DRAWERS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------------------------|------------------------|-------------|
| 27" W x 30.875" D x 33.5" H | 2 | UHD27D0-0300 | \$13,370.00 |
| | 2 with Stainless Steel Back | UHD27D0-0300-SB | \$14,296.00 |
| 32" W x 31.125" D x 33.5" H | 2 | UHD32D0-0300 | \$16,305.00 |
| | 2 with Stainless Steel Back | UHD32D0-0300-SB | \$17,405.00 |
| 60" W x 31.125" D x 33.5" H | 4 | UHD60DD-0300 | \$22,610.00 |
| | 4 with Stainless Steel Back | UHD60DD-0300-SB | \$24,550.00 |
| 72.25" W x 31.5" D x 30" H | 4 | UHD72DD-0300 | \$27,317.00 |
| | 4 with Stainless Steel Back | UHD72DD-0300-SB | \$29,649.00 |

COMPACT UNDERCOUNTER FREEZERS WITH DOORS—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR TYPE | DOOR(S) | HINGING & BACK | MODEL | LIST PRICE |
|-----------------------------|-----------|---------|---|------------------------|-------------|
| 27" W x 31.125" D x 33.5" H | Solid | 1 | Right | ULT27R0-0300 | \$11,199.00 |
| | | | Left | ULT27L0-0300 | \$11,199.00 |
| | | | Right with Stainless Steel Back | ULT27R0-0300-SB | \$12,119.00 |
| | | | Left with Stainless Steel Back | ULT27L0-0300-SB | \$12,119.00 |
| 48" W x 30.875" D x 33.5" H | Solid | 2 | Left / Right | ULT48LR-0300 | \$15,200.00 |
| | | | Left / Left | ULT48LL-0300 | \$15,200.00 |
| | | | Right / Right | ULT48RR-0300 | \$15,200.00 |
| | | | Left / Right with Stainless Steel Back | ULT48LR-0300-SB | \$16,752.00 |
| | | | Left / Left with Stainless Steel Back | ULT48LL-0300-SB | \$16,752.00 |
| | | | Right / Right with Stainless Steel Back | ULT48RR-0300-SB | \$16,752.00 |
| 60" W x 31.125" D x 33.5" H | Solid | 2 | Left / Right | ULT60LR-0300 | \$19,576.00 |
| | | | Left / Left | ULT60LL-0300 | \$19,576.00 |
| | | | Right / Right | ULT60RR-0300 | \$19,576.00 |
| | | | Left / Right with Stainless Steel Back | ULT60LR-0300-SB | \$21,517.00 |
| | | | Left / Left with Stainless Steel Back | ULT60LL-0300-SB | \$21,517.00 |
| | | | Right / Right with Stainless Steel Back | ULT60RR-0300-SB | \$21,517.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

COMPACT PREP TABLES WITH HINGED FLAT TOP 27", 32", 48", 60" & 72" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides & Door(s)
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature
- Reversible, Full-Length Nylon Cutting Board
- Full Compliment of Sixth Size 4" Deep Plastic Pans
- Two (2) Powder Coated Shelves Per Door on Pilasters
- Four (4) or six (6) 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

R290 STANDARD CONFIGURATION (Height with 4" standard casters)

R290 COMPACT PREP TABLES WITH SOLID DOOR AND HINGED FLAT TOP—SELF-CONTAINED



UST2706L0-0300



UST4808LR-0300

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-------------------------|---------|---------------------------------------|------------|-------------------|-------------|
| 27" W x 34.5" D x 36" H | 1 | Right | 6 | UST2706R0-0300 | \$10,618.00 |
| | | Left | | UST2706L0-0300 | \$10,618.00 |
| | | Right with Stainless Steel Back | | UST2706R0-0300-SB | \$11,544.00 |
| | | Left with Stainless Steel Back | | UST2706L0-0300-SB | \$11,544.00 |
| | | Right | | UST2709R0-0300 | \$10,798.00 |
| | | Left | | UST2709L0-0300 | \$10,798.00 |
| 32" W x 34.5" D x 36" H | 1 | Right with Stainless Steel Back | 9 | UST2709R0-0300-SB | \$11,719.00 |
| | | Left with Stainless Steel Back | | UST2709L0-0300-SB | \$11,719.00 |
| | | Right | | UST3212R0-0300 | \$14,151.00 |
| | | Left | | UST3212L0-0300 | \$14,151.00 |
| | | Right with Stainless Steel Back | | UST3212R0-0300-SB | \$15,248.00 |
| | | Left with Stainless Steel Back | | UST3212L0-0300-SB | \$15,248.00 |
| 48" W x 34.5" D x 36" H | 2 | Left/Right | 8 | UST4808LR-0300 | \$14,406.00 |
| | | Left/Left | | UST4808LL-0300 | \$14,406.00 |
| | | Right/Right | | UST4808RR-0300 | \$14,406.00 |
| | | Left/Right with Stainless Steel Back | | UST4808LR-0300-SB | \$15,961.00 |
| | | Left/Left with Stainless Steel Back | | UST4808LL-0300-SB | \$15,961.00 |
| | | Right/Right with Stainless Steel Back | | UST4808RR-0300-SB | \$15,961.00 |
| | | Left/Right | | UST4812LR-0300 | \$15,558.00 |
| | | Left/Left | | UST4812LL-0300 | \$15,558.00 |
| | | Right/Right | | UST4812RR-0300 | \$15,558.00 |
| | | Left/Right with Stainless Steel Back | | UST4812LR-0300-SB | \$17,109.00 |
| | | Left/Left with Stainless Steel Back | | UST4812LL-0300-SB | \$17,109.00 |
| | | Right/Right with Stainless Steel Back | | UST4812RR-0300-SB | \$17,109.00 |
| 60" W x 34.5" D x 36" H | 2 | Left/Right | 12 | UST4818LR-0300 | \$16,873.00 |
| | | Left/Left | | UST4818LL-0300 | \$16,873.00 |
| | | Right/Right | | UST4818RR-0300 | \$16,873.00 |
| | | Left/Right with Stainless Steel Back | | UST4818LR-0300-SB | \$18,425.00 |
| | | Left/Left with Stainless Steel Back | | UST4818LL-0300-SB | \$18,425.00 |
| | | Right/Right with Stainless Steel Back | | UST4818RR-0300-SB | \$18,425.00 |
| | | Left/Right | | UST6012LR-0300 | \$17,116.00 |
| | | Left/Left | | UST6012LL-0300 | \$17,116.00 |
| | | Right/Right | | UST6012RR-0300 | \$17,116.00 |
| | | Left/Right with Stainless Steel Back | | UST6012LR-0300-SB | \$19,058.00 |
| | | Left/Left with Stainless Steel Back | | UST6012LL-0300-SB | \$19,058.00 |
| | | Right/Right with Stainless Steel Back | | UST6012RR-0300-SB | \$19,058.00 |
| 60" W x 34.5" D x 36" H | 2 | Left/Right | 24 | UST6024LR-0300 | \$18,907.00 |
| | | Left/Left | | UST6024LL-0300 | \$18,907.00 |
| | | Right/Right | | UST6024RR-0300 | \$18,907.00 |
| | | Left/Right with Stainless Steel Back | | UST6024LR-0300-SB | \$20,848.00 |
| | | Left/Left with Stainless Steel Back | | UST6024LL-0300-SB | \$20,848.00 |
| | | Right/Right with Stainless Steel Back | | UST6024RR-0300-SB | \$20,848.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits see page 40



UST7224LR-0300-SB



USD2706D0-0300

R290 STANDARD CONFIGURATION – CONTINUED (Height with 4" standard casters)

R290 COMPACT PREP TABLES WITH SOLID DOOR AND HINGED FLAT TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-------------------------|---------|---------------------------------------|------------|-------------------|-------------|
| 72" W x 34.5" D x 36" H | 2 | Left/Right | 12 | UST7212LR-0300 | \$19,889.00 |
| | | Left/Left | | UST7212LL-0300 | \$19,889.00 |
| | | Right/Right | | UST7212RR-0300 | \$19,889.00 |
| | | Left/Right with Stainless Steel Back | | UST7212LR-0300-SB | \$22,222.00 |
| | | Left/Left with Stainless Steel Back | | UST7212LL-0300-SB | \$22,222.00 |
| | | Right/Right with Stainless Steel Back | | UST7212RR-0300-SB | \$22,222.00 |
| | | Left/Right | 18 | UST7218LR-0300 | \$20,335.00 |
| | | Left/Left | | UST7218LL-0300 | \$20,335.00 |
| | | Right/Right | | UST7218RR-0300 | \$20,335.00 |
| | | Left/Right with Stainless Steel Back | | UST7218LR-0300-SB | \$22,664.00 |
| | | Left/Left with Stainless Steel Back | | UST7218LL-0300-SB | \$22,664.00 |
| | | Right/Right with Stainless Steel Back | | UST7218RR-0300-SB | \$22,664.00 |
| | | Left/Right | 24 | UST7224LR-0300 | \$21,581.00 |
| | | Left/Left | | UST7224LL-0300 | \$21,581.00 |
| | | Right/Right | | UST7224RR-0300 | \$21,581.00 |
| | | Left/Right with Stainless Steel Back | | UST7224LR-0300-SB | \$23,909.00 |
| | | Left/Left with Stainless Steel Back | | UST7224LL-0300-SB | \$23,909.00 |
| | | Right/Right with Stainless Steel Back | | UST7224RR-0300-SB | \$23,909.00 |
| | | Left/Right | 30 | UST7230LR-0300 | \$22,049.00 |
| | | Left/Left | | UST7230LL-0300 | \$22,049.00 |
| | | Right/Right | | UST7230RR-0300 | \$22,049.00 |
| | | Left/Right with Stainless Steel Back | | UST7230LR-0300-SB | \$24,379.00 |
| | | Left/Left with Stainless Steel Back | | UST7230LL-0300-SB | \$24,379.00 |
| | | Right/Right with Stainless Steel Back | | UST7230RR-0300-SB | \$24,379.00 |

R290 COMPACT PREP TABLES WITH DRAWERS AND HINGED FLAT TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-------------------------|-----------------------------|------------|-------------------|-------------|
| 27" W x 34.5" D x 36" H | 2 | 6 | USD2706D0-0300 | \$14,390.00 |
| | 2 with Stainless Steel Back | | USD2706DD-0300-SB | \$15,314.00 |
| 32" W x 34.5" D x 36" H | 2 | 9 | USD2709D0-0300 | \$14,568.00 |
| | 2 with Stainless Steel Back | | USD2709DD-0300-SB | \$15,490.00 |
| 32" W x 34.5" D x 36" H | 2 | 12 | USD3212D0-0300 | \$17,926.00 |
| | 2 with Stainless Steel Back | | USD3212DD-0300-SB | \$19,021.00 |
| 60" W x 34.5" D x 36" H | 4 | 12 | USD6012DD-0300 | \$24,657.00 |
| | 4 with Stainless Steel Back | | USD6012DD-0300-SB | \$26,598.00 |
| 60" W x 34.5" D x 36" H | 4 | 24 | USD6024DD-0300 | \$26,445.00 |
| | 4 with Stainless Steel Back | | USD6024DD-0300-SB | \$28,387.00 |
| 72" W x 34.5" D x 36" H | 4 | 12 | USD7212DD-0300 | \$28,877.00 |
| | 4 with Stainless Steel Back | | USD7212DD-0300-SB | \$31,206.00 |
| 72" W x 34.5" D x 36" H | 4 | 18 | USD7218DD-0300 | \$29,705.00 |
| | 4 with Stainless Steel Back | | USD7218DD-0300-SB | \$32,037.00 |
| 72" W x 34.5" D x 36" H | 4 | 24 | USD7224DD-0300 | \$30,969.00 |
| | 4 with Stainless Steel Back | | USD7224DD-0300-SB | \$33,301.00 |
| 72" W x 34.5" D x 36" H | 4 | 30 | USD7230DD-0300 | \$31,414.00 |
| | 4 with Stainless Steel Back | | USD7230DD-0300-SB | \$33,745.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

COMPACT PREP TABLES WITH ROLL TOP 27", 32", 48", 60" & 72" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides & Door(s)
- Stainless Steel Pan Cover with Pivoting Front Insulated Lid
- Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Electronic Control
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature
- Removable insulated pan cover & pivoting lid
- Reinforced pan ledge
- Reversible, Full-Length Nylon Cutting Board
- Full Compliment of Sixth Size 4" Deep Plastic Pans
- Two (2) Powder Coated Shelves Per Door
- Four (4) or six (6) drawer(s) with 4" High Casters
- Automatic, Non-Electric Condensate Evaporator
- Standard operating refrigeration temperature 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

R290 STANDARD CONFIGURATION (Height with 4" standard casters)

R290 COMPACT PREP TABLES WITH SOLID DOOR AND HINGED FLAT TOP—SELF-CONTAINED



UPT4812LR-0300

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|-----------------------------|---------|---------------------------------------|------------|-------------------|-------------|
| 27" W x 33.75" D x 42.75" H | | Right | 6 | UPT2706R0-0300 | \$11,239.00 |
| | | Left | | UPT2706L0-0300 | \$11,239.00 |
| | | Right with Stainless Steel Back | | UPT2706R0-0300-SB | \$12,155.00 |
| | | Left with Stainless Steel Back | | UPT2706L0-0300-SB | \$12,155.00 |
| 27" W x 33.75" D x 44" H | 1 | Right | 9 | UPT2709R0-0300 | \$11,414.00 |
| | | Left | | UPT2709L0-0300 | \$11,414.00 |
| | | Right with Stainless Steel Back | | UPT2709R0-0300-SB | \$12,334.00 |
| | | Left with Stainless Steel Back | | UPT2709L0-0300-SB | \$12,334.00 |
| 32" W x 33.75" D x 44" H | | Right | 12 | UPT3212R0-0300 | \$14,951.00 |
| | | Left | | UPT3212L0-0300 | \$14,951.00 |
| | | Right with Stainless Steel Back | | UPT3212R0-0300-SB | \$16,045.00 |
| | | Left with Stainless Steel Back | | UPT3212L0-0300-SB | \$16,045.00 |
| 48" W x 33.75" D x 42.75" H | | Left/Right | 8 | UPT4808LR-0300 | \$15,514.00 |
| | | Left/Left | | UPT4808LL-0300 | \$15,514.00 |
| | | Right/Right | | UPT4808RR-0300 | \$15,514.00 |
| | | Left/Right with Stainless Steel Back | | UPT4808LR-0300-SB | \$17,068.00 |
| | | Left/Left with Stainless Steel Back | | UPT4808LL-0300-SB | \$17,068.00 |
| | | Right/Right with Stainless Steel Back | | UPT4808RR-0300-SB | \$17,068.00 |
| | | Left/Right | | UPT4812LR-0300 | \$16,663.00 |
| | | Left/Left | | UPT4812LL-0300 | \$16,663.00 |
| 48" W x 33.75" D x 44" H | 2 | Right/Right | 12 | UPT4812RR-0300 | \$16,663.00 |
| | | Left/Right with Stainless Steel Back | | UPT4812LR-0300-SB | \$18,214.00 |
| | | Left/Left with Stainless Steel Back | | UPT4812LL-0300-SB | \$18,214.00 |
| | | Right/Right with Stainless Steel Back | | UPT4812RR-0300-SB | \$18,214.00 |
| | | Left/Right | | UPT4818LR-0300 | \$17,973.00 |
| | | Left/Left | | UPT4818LL-0300 | \$17,973.00 |
| | | Right/Right | | UPT4818RR-0300 | \$17,973.00 |
| | | Left/Right with Stainless Steel Back | | UPT4818LR-0300-SB | \$19,531.00 |
| 60" W x 33.75" D x 42.75" H | | Left/Left with Stainless Steel Back | 18 | UPT4818LL-0300-SB | \$19,531.00 |
| | | Right/Right with Stainless Steel Back | | UPT4818RR-0300-SB | \$19,531.00 |
| | | Left/Right | | UPT6012LR-0300 | \$18,711.00 |
| | | Left/Left | | UPT6012LL-0300 | \$18,711.00 |
| | | Right/Right | | UPT6012RR-0300 | \$18,711.00 |
| | | Left/Right with Stainless Steel Back | | UPT6012LR-0300-SB | \$20,652.00 |
| | | Left/Left with Stainless Steel Back | | UPT6012LL-0300-SB | \$20,652.00 |
| | | Right/Right with Stainless Steel Back | | UPT6012RR-0300-SB | \$20,652.00 |
| 60" W x 33.75" D x 44" H | 2 | Left/Right | 24 | UPT6024LR-0300 | \$20,508.00 |
| | | Left/Left | | UPT6024LL-0300 | \$20,508.00 |
| | | Right/Right | | UPT6024RR-0300 | \$20,508.00 |
| | | Left/Right with Stainless Steel Back | | UPT6024LR-0300-SB | \$22,450.00 |
| | | Left/Left with Stainless Steel Back | | UPT6024LL-0300-SB | \$22,450.00 |
| | | Right/Right with Stainless Steel Back | | UPT6024RR-0300-SB | \$22,450.00 |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits see page 40



UPD6012DD-0300



UPD6024DD-0300

R290 STANDARD CONFIGURATION – CONTINUED (Height with 4" standard casters)

R290 COMPACT PREP TABLES WITH SOLID DOOR AND ROLL TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DOOR(S) | HINGING & BACK | PANS (1/6) | MODEL | LIST PRICE |
|----------------------------|---------|---------------------------------------|------------|-------------------|-------------|
| 72" W x 34.5" D x 42.75" H | 2 | Left/Right | 12 | UPT7212LR-0300 | \$21,831.00 |
| | | Left/Left | | UPT7212LL-0300 | \$21,831.00 |
| | | Right/Right | | UPT7212RR-0300 | \$21,831.00 |
| | | Left/Right with Stainless Steel Back | | UPT7212LR-0300-SB | \$24,157.00 |
| | | Left/Left with Stainless Steel Back | | UPT7212LL-0300-SB | \$24,157.00 |
| | | Right/Right with Stainless Steel Back | | UPT7212RR-0300-SB | \$24,157.00 |
| | 2 | Left/Right | 24 | UPT7224LR-0300 | \$23,207.00 |
| | | Left/Left | | UPT7224LL-0300 | \$23,207.00 |
| | | Right/Right | | UPT7224RR-0300 | \$23,207.00 |
| | | Left/Right with Stainless Steel Back | | UPT7224LR-0300-SB | \$25,533.00 |
| | | Left/Left with Stainless Steel Back | | UPT7224LL-0300-SB | \$25,533.00 |
| | | Right/Right with Stainless Steel Back | | UPT7224RR-0300-SB | \$25,533.00 |
| 72" W x 34.5" D x 44" H | 2 | Left/Right | 30 | UPT7230LR-0300 | \$23,707.00 |
| | | Left/Left | | UPT7230LL-0300 | \$23,707.00 |
| | | Right/Right | | UPT7230RR-0300 | \$23,707.00 |
| | | Left/Right with Stainless Steel Back | | UPT7230LR-0300-SB | \$26,035.00 |
| | | Left/Left with Stainless Steel Back | | UPT7230LL-0300-SB | \$26,035.00 |
| | | Right/Right with Stainless Steel Back | | UPT7230RR-0300-SB | \$26,035.00 |

R290 COMPACT PREP TABLES WITH DRAWERS AND ROLL TOP—SELF-CONTAINED

| WIDTH x DEPTH x HEIGHT | DRAWER(S) & BACK | PANS (1/6) | MODEL | LIST PRICE | |
|----------------------------|------------------|------------|-------------------|-------------------|-------------|
| 27" W x 34.5" D x 42.75" H | 2 | 6 | UPD2706D0-0300 | \$15,003.00 | |
| | | | UPD2706D0-0300-SB | \$15,928.00 | |
| 27" W x 34.5" D x 44" H | 2 | 9 | UPD2709D0-0300 | \$15,181.00 | |
| | | | | UPD2709D0-0300-SB | \$16,102.00 |
| 32" W x 34.5" D x 44" H | 2 | 12 | UPD3212D0-0300 | \$18,717.00 | |
| | | | | UPD3212D0-0300-SB | \$19,817.00 |
| 60" W x 34.5" D x 42.75" H | 4 | 12 | UPD6012DD-0300 | \$26,255.00 | |
| | | | | UPD6012DD-0300-SB | \$28,191.00 |
| 60" W x 34.5" D x 44" H | 4 | 24 | UPD6024DD-0300 | \$28,049.00 | |
| | | | | UPD6024DD-0300-SB | \$29,985.00 |
| 72" W x 34.5" D x 42.75" H | 4 | 12 | UPD7212DD-0300 | \$31,052.00 | |
| | | | | UPD7212DD-0300-SB | \$33,383.00 |
| 72" W x 34.5" D x 44" H | 4 | 24 | UPD7224DD-0300 | \$33,301.00 | |
| | | | | UPD7224DD-0300-SB | \$35,633.00 |
| | | 30 | UPD7230DD-0300 | \$33,783.00 | |
| | | | UPD7230DD-0300-SB | \$36,112.00 | |

ACCESSORIES AND/OR OPTIONS

For Accessory Kits *see page 40*

REFRIGERATOR REACH-IN/PASS-THRU (1 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Smart Control With Critical Alarms
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- LED Lights
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves On Pins
- Four(4) 6" High Stainless Steel Adjustable Legs
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Automatic, Non-Electric Condensate Evaporator
- TXV Metering Device
- StayClear™ Condenser Standard on most Reach-In and Pass-Thru Models
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



RHT132WUT-FHS



RHT132WPUT-HHS



RHT132WPUT-FHG

Models shown with optional casters

OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOOR(S) | HHG HALF-HEIGHT HINGED GLASS DOORS |
|--|------------|-------------------------------|-----------------------------|--------------------------------------|------------------------------------|
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RHT132WUT- | \$32,310.00 | \$32,916.00 | \$34,277.00 | \$33,910.00 |
| R-Series – 26-3/8" W x 83-1/4" H x 35" D | RHT132NUT- | \$32,070.00 | \$32,676.00 | \$34,037.00 | \$33,670.00 |
| R-Series – 24" W x 83-1/4" H x 35" D | RHT132DUT- | \$32,925.00 | \$33,531.00 | \$34,892.00 | \$34,525.00 |
| R-Series – 29-7/8" W x 83-1/4" H x 29" D | RHT126WUT- | \$33,711.00 | \$34,317.00 | \$35,678.00 | \$35,311.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 35" D | AHT132WUT- | \$28,730.00 | \$29,336.00 | \$30,697.00 | \$30,330.00 |
| A-Series – 26-3/8" W x 83-1/4" H x 35" D | AHT132NUT- | \$28,480.00 | \$29,086.00 | \$30,447.00 | \$30,080.00 |
| A-Series – 24" W x 83-1/4" H x 35" D | AHT132DUT- | \$29,284.00 | \$29,890.00 | \$31,251.00 | \$30,884.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 29" D | AHT126WUT- | \$29,978.00 | \$30,584.00 | \$31,945.00 | \$31,578.00 |

R & A SERIES REACH-IN REFRIGERATOR MODELS – ONE SECTION

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOOR(S) | HHG HALF-HEIGHT HINGED GLASS DOORS |
|-------------|-------|-------------------------------|-----------------------------|--------------------------------------|------------------------------------|
|-------------|-------|-------------------------------|-----------------------------|--------------------------------------|------------------------------------|

R & A SERIES PASS-THRU REFRIGERATOR MODELS – ONE SECTION

| | | | | | |
|--|--------------|-------------|-------------|-------------|-------------|
| R-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | RHT132WPUT*- | \$37,584.00 | \$38,796.00 | \$41,518.00 | \$40,784.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | AHT132WPUT*- | \$33,444.00 | \$34,656.00 | \$37,378.00 | \$36,644.00 |

NOTE: Glass doors on both sides only applicable to standard depth/wide models.

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS | FHG/FHG FULL-HEIGHT HINGED DOORS (1 GLASS, 1 SOLID) | HHG/HHS HALF-HEIGHT HINGED DOORS (2 GLASS, 2 SOLID) |
|-------------|-------|-------------------------------|-----------------------------|---|---|
|-------------|-------|-------------------------------|-----------------------------|---|---|

R & A SERIES PASS-THRU REFRIGERATOR MODELS – ONE SECTION

| | | | | | |
|--|-------------|-------------|-------------|-------------|-------------|
| R-Series – 26-3/8" W x 83-1/4" H x 37-15/16" D | RHT132NPUT- | \$42,140.00 | \$43,352.00 | \$44,107.00 | \$44,346.00 |
| R-Series – 29-7/8" W x 83-1/4" H x 31-15/16" D | RHT126WPUT- | \$39,219.00 | \$40,431.00 | \$41,186.00 | \$41,425.00 |
| A-Series – 26 3/8" W x 83-1/4" H x 37-15/16" D | AHT132NPUT- | \$37,499.00 | \$38,711.00 | \$39,466.00 | \$39,705.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 31-15/16" D | AHT126WPUT- | \$34,895.00 | \$36,107.00 | \$36,862.00 | \$37,101.00 |

NOTE: For remote models see page 54

OPTIONS

For options see page 61

REFRIGERATOR REACH-IN/PASS-THRU (1 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves On Pins
- Four (4) 6" High Stainless Steel Adjustable Legs
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Automatic, Non-Electric Condensate Evaporator
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order.
- Remote Glycol Applications Available (Consult Factory)
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR | HHS HALF-HEIGHT SOLID DOOR | FHG FULL-HEIGHT HINGED GLASS DOOR | HHG HALF-HEIGHT HINGED GLASS DOOR |
|--|----------------|----------------------------|----------------------------|-----------------------------------|-----------------------------------|
| R & A SERIES REACH-IN REFRIGERATOR MODELS – ONE SECTION | | | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RHT132W | \$31,224.00 | \$31,830.00 | \$33,191.00 | \$32,824.00 |
| R-Series – 26-3/8" W x 83-1/4" H x 35" D | RHT132N | \$30,985.00 | \$31,591.00 | \$32,952.00 | \$32,585.00 |
| R-Series – 24" W x 83-1/4" H x 35" D | RHT132D | \$31,839.00 | \$32,445.00 | \$33,806.00 | \$33,439.00 |
| R-Series – 29-7/8" W x 83-1/4" H x 29" D | RHT126W | \$32,625.00 | \$33,231.00 | \$34,592.00 | \$34,225.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 35" D | AHT132W | \$27,643.00 | \$28,249.00 | \$29,243.00 | \$29,610.00 |
| A-Series – 26-3/8" W x 83-1/4" H x 35" D | AHT132N | \$27,396.00 | \$28,002.00 | \$29,363.00 | \$28,996.00 |
| A-Series – 24" W x 83-1/4" H x 35" D | AHT132D | \$28,199.00 | \$28,805.00 | \$30,166.00 | \$29,799.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 29" D | AHT126W | \$28,893.00 | \$29,499.00 | \$30,860.00 | \$30,493.00 |
| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR | HHS HALF-HEIGHT SOLID DOOR | FHG FULL-HEIGHT HINGED GLASS DOOR | HHG HALF-HEIGHT HINGED GLASS DOOR |

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR | HHS HALF-HEIGHT SOLID DOOR | FHG FULL-HEIGHT HINGED GLASS DOOR | HHG HALF-HEIGHT HINGED GLASS DOOR |
|---|------------------|----------------------------|----------------------------|-----------------------------------|-----------------------------------|
| R & A SERIES PASS-THRU REFRIGERATOR MODELS – ONE SECTION | | | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | *RHT132WP | \$36,496.00 | \$37,708.00 | \$40,430.00 | \$39,696.00 |
| R-Series – 26-3/8" W x 83-1/4" H x 37-15/16" D | *RHT132NP | \$41,053.00 | \$42,265.00 | \$44,987.00 | \$44,253.00 |
| R-Series – 29-7/8" W x 83-1/4" H x 31-15/16" D | *RHT126WP | \$38,132.00 | \$39,344.00 | \$42,066.00 | \$41,332.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | *AHT132WP | \$32,358.00 | \$33,570.00 | \$36,292.00 | \$35,558.00 |
| A-Series – 26-3/8" W x 83-1/4" H x 37-15/16" D | *AHT132NP | \$36,413.00 | \$37,625.00 | \$40,347.00 | \$39,613.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 31-15/16" D | *AHT126WP | \$33,807.00 | \$35,019.00 | \$37,741.00 | \$37,007.00 |

* For remote pass-thru models, door type must be the same on both sides of unit.

OPTIONS

For options see page 61



RHT132W-FHS



RHT132WP-FHS



RHT132WP-HHS

Models shown with optional casters

REFRIGERATOR REACH-IN/PASS-THRU (2 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves Per Section On Pins
- Four (4) 6" High Stainless Steel Adjustable Legs
- Automatic, Non-Electric Condensate Evaporator
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct
- Anti-Condensate Door Perimeter Heater
- TXV Metering Device
- StayClear™ Condenser Standard
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOORS | HHG HALF-HEIGHT HINGED GLASS DOORS |
|-------------|-------|-----------------------------|-----------------------------|------------------------------------|------------------------------------|
|-------------|-------|-----------------------------|-----------------------------|------------------------------------|------------------------------------|

R & A SERIES REACH-IN REFRIGERATOR MODELS – TWO SECTION

| | | | | | |
|--|-------------------|-------------|-------------|-------------|-------------|
| R-Series – 58" W x 83-1/4" H x 35" D | RHT232WUT- | \$43,642.00 | \$44,854.00 | \$47,576.00 | \$46,842.00 |
| R-Series – 52-1/8" W x 83-1/4" H x 35" D | RHT232NUT- | \$41,134.00 | \$42,346.00 | \$45,068.00 | \$44,334.00 |
| R-Series – 48" W x 83-1/4" H x 35" D | RHT232DUT- | \$41,919.00 | \$43,131.00 | \$45,853.00 | \$45,119.00 |
| R-Series – 58" W x 83-1/4" H x 29" D | RHT226WUT- | \$42,919.00 | \$44,131.00 | \$46,853.00 | \$46,119.00 |
| A-Series – 58" W x 83-1/4" H x 35" D | AHT232WUT- | \$38,861.00 | \$40,073.00 | \$42,795.00 | \$42,061.00 |
| A-Series – 52-1/8" W x 83-1/4" H x 35" D | AHT232NUT- | \$36,946.00 | \$38,158.00 | \$40,880.00 | \$40,146.00 |
| A-Series – 48" W x 83-1/4" H x 35" D | AHT232DUT- | \$37,290.00 | \$38,502.00 | \$41,224.00 | \$40,490.00 |
| A-Series – 58" W x 83-1/4" H x 29" D | AHT226WUT- | \$38,172.00 | \$39,384.00 | \$42,106.00 | \$41,372.00 |

R & A SERIES PASS-THRU REFRIGERATOR MODELS – TWO SECTION

| | | | | | |
|--|--------------------|-------------|-------------|-------------|-------------|
| R-Series – 58" W x 83-1/4" H x 37-15/16" D | RHT232WPUT- | \$55,538.00 | \$57,962.00 | \$63,406.00 | \$61,938.00 |
| R-Series – 52-1/8" W x 83-1/4" H x 37-15/16" D | RHT232NPUT- | \$54,340.00 | \$56,764.00 | \$62,208.00 | \$60,740.00 |
| R-Series – 58" W x 83-1/4" H x 31-15/16" D | RHT226WPUT- | \$56,691.00 | \$59,115.00 | \$64,559.00 | \$63,091.00 |
| A-Series – 58" W x 83-1/4" H x 37-15/16" D | AHT232WPUT- | \$49,413.00 | \$51,837.00 | \$57,281.00 | \$55,813.00 |
| A-Series – 52-1/8" W x 83-1/4" H x 37-15/16" D | AHT232NPUT- | \$48,411.00 | \$50,835.00 | \$56,279.00 | \$54,811.00 |
| A-Series – 58" W x 83-1/4" H x 31-15/16" D | AHT226WPUT- | \$50,501.00 | \$52,925.00 | \$58,369.00 | \$56,901.00 |

NOTE: For remote models *see page 56*

OPTIONS

For options *see page 61*



RHT232WUT-FHS



RHT232WPUT-FHS



RHT232WPUT-HHS



RHT232WPUT-FHG



RHT232WPUT-HHG

Models shown with optional casters

REFRIGERATOR REACH-IN/PASS-THRU (2 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves On Pins Per Section
- Four (4) 6" High Stainless Steel Adjustable Legs
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct
- Anti-Condensate Door Perimeter Heater
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order
- Remote Glycol Applications Available (Consult Factory)
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOORS | HHG HALF-HEIGHT HINGED GLASS DOORS |
|---|------------------|-----------------------------------|-----------------------------------|---|---|
| R & A SERIES REACH-IN REFRIGERATOR MODELS – TWO SECTION | | | | | |
| R-Series – 58" W x 83-1/4" H x 35" D | RHT232W | \$42,192.00 | \$43,404.00 | \$46,126.00 | \$45,392.00 |
| R-Series – 52-1/8" W x 83-1/4" H x 35" D | RHT232N | \$39,687.00 | \$40,899.00 | \$43,621.00 | \$42,887.00 |
| R-Series – 48" W x 83-1/4" H x 35" D | RHT232D | \$40,468.00 | \$41,680.00 | \$44,402.00 | \$43,668.00 |
| R-Series – 58" W x 83-1/4" H x 29" D | RHT226W | \$41,470.00 | \$42,682.00 | \$45,404.00 | \$44,670.00 |
| A-Series – 58" W x 83-1/4" H x 35" D | AHT232W | \$37,413.00 | \$38,625.00 | \$41,347.00 | \$40,613.00 |
| A-Series – 52-1/8" W x 83-1/4" H x 35" D | AHT232N | \$35,498.00 | \$36,710.00 | \$39,432.00 | \$38,698.00 |
| A-Series – 48" W x 83-1/4" H x 35" D | AHT232D | \$35,839.00 | \$37,051.00 | \$39,773.00 | \$39,039.00 |
| A-Series – 58" W x 83-1/4" H x 29" D | AHT226W | \$36,725.00 | \$37,937.00 | \$40,659.00 | \$39,925.00 |
| R & A SERIES PASS-THRU REFRIGERATOR MODELS – TWO SECTION | | | | | |
| R-Series – 58" W x 83-1/4" H x 37-15/16" D | *RHT232WP | \$54,086.00 | \$56,510.00 | \$61,954.00 | \$60,486.00 |
| R-Series – 52-1/8" W x 83-1/4" H x 37-15/16" D | *RHT232NP | \$52,893.00 | \$55,317.00 | \$60,761.00 | \$59,293.00 |
| R-Series – 58" W x 83-1/4" H x 31-15/16" D | *RHT226WP | \$55,242.00 | \$57,666.00 | \$63,110.00 | \$61,642.00 |
| A-Series – 58" W x 83-1/4" H x 37-15/16" D | *AHT232WP | \$47,964.00 | \$50,388.00 | \$55,832.00 | \$54,364.00 |
| A-Series – 52-1/8" W x 83-1/4" H x 37-15/16" D | *AHT232NP | \$61,240.00 | \$64,876.00 | \$73,042.00 | \$70,840.00 |
| A-Series – 58" W x 83-1/4" H x 31-15/16" D | *AHT226WP | \$49,050.00 | \$51,474.00 | \$56,918.00 | \$55,450.00 |

* For remote pass-thru models, door type must be the same on both sides of unit.

OPTIONS

For options [see page 61](#)



RHT232W-FHS



RHT232W-FHG



RHT232WP-HHS



RHT232WP-HHG

Models shown with optional casters

REFRIGERATOR REACH-IN/PASS-THRU (3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Smart Control with Critical Alarms
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Coated Shelves Per Section On Pins
- Four (4) 6" High Stainless Steel Adjustable Legs
- Automatic, Non-Electric Condensate Evaporator
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct
- Anti-Condensate Door Perimeter Heater
- StayClear™ Condenser Standard on most Reach-In and Pass-Thru Models
- TXV Metering Device
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required



| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOORS | HHG HALF-HEIGHT HINGED GLASS DOORS |
|-------------|-------|-----------------------------|-----------------------------|------------------------------------|------------------------------------|
|-------------|-------|-----------------------------|-----------------------------|------------------------------------|------------------------------------|

R & A SERIES REACH-IN REFRIGERATOR MODELS – THREE SECTION:

| | | | | | |
|---|-------------------|-------------|-------------|-------------|-------------|
| R-Series – 86-1/8" W x 83-1/4" H x 35" D | RHT332WUT- | \$61,174.00 | \$62,992.00 | \$67,075.00 | \$65,974.00 |
| R-Series – 76-5/16" W x 83-1/4" H x 35" D | RHT332NUT- | \$52,997.00 | \$54,815.00 | \$58,898.00 | \$57,797.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 35" D | AHT332WUT- | \$54,397.00 | \$56,215.00 | \$60,298.00 | \$59,197.00 |
| A-Series – 76-5/16" W x 83-1/4" H x 35" D | AHT332NUT- | \$47,190.00 | \$49,008.00 | \$53,091.00 | \$51,990.00 |



AHT332NUT-FHS

R & A SERIES PASS-THRU REFRIGERATOR MODELS – THREE SECTION:

| | | | | | |
|---|--------------------|-------------|-------------|-------------|-------------|
| R-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | RHT332WPUT- | \$77,258.00 | \$80,894.00 | \$89,060.00 | \$86,858.00 |
| R-Series – 76-5/16" W x 83-1/4" H x 37-15/16" D | RHT332NPUT- | \$70,811.00 | \$74,447.00 | \$82,613.00 | \$80,411.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | AHT332WPUT- | \$68,743.00 | \$72,379.00 | \$80,545.00 | \$78,343.00 |
| A-Series – 76-5/16" W x 83-1/4" H x 37-15/16" D | AHT332NPUT- | \$63,052.00 | \$66,688.00 | \$74,854.00 | \$72,652.00 |



AHT332WPUT-FHS

NOTE: For remote models *see page 58*

OPTIONS

For options *see page 61*



AHT332WPUT-FHG

Models shown with optional casters

REFRIGERATOR REACH-IN/PASS-THRU (3 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Coated Shelves On Pins Per Section
- Four (4) 6" High Stainless Steel Adjustable Legs
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct
- Anti-Condensate Door Perimeter Heater
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order
- Remote Glycol Applications Available (Consult Factory)
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOORS | HHG HALF-HEIGHT HINGED GLASS DOORS |
|--|------------------|-----------------------------------|-----------------------------------|---|---|
| R & A SERIES REACH-IN REFRIGERATOR MODELS – THREE SECTION: | | | | | |
| R-Series – 86-1/8" W x 83-1/4" H x 35" D | RHT332W | \$59,364.00 | \$61,182.00 | \$65,265.00 | \$64,164.00 |
| R-Series – 76-5/16" W x 83-1/4" H x 35" D | RHT332N | \$51,184.00 | \$53,002.00 | \$57,085.00 | \$55,984.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 35" D | AHT332W | \$52,589.00 | \$54,407.00 | \$58,490.00 | \$57,389.00 |
| A-Series – 76-5/16" W x 83-1/4" H x 35" D | AHT332N | \$45,378.00 | \$47,196.00 | \$51,279.00 | \$50,178.00 |
| R & A SERIES PASS-THRU REFRIGERATOR MODELS – THREE SECTION: | | | | | |
| R-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | *RHT332WP | \$75,448.00 | \$79,084.00 | \$87,250.00 | \$85,048.00 |
| R-Series – 76-5/16" W x 83-1/4" H x 37-15/16" D | *RHT332NP | \$69,002.00 | \$72,638.00 | \$80,804.00 | \$78,602.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | *AHT332WP | \$66,930.00 | \$70,566.00 | \$78,732.00 | \$76,530.00 |
| A-Series – 76-5/16" W x 83-1/4" H x 37-15/16" D | *AHT332NP | \$61,240.00 | \$64,876.00 | \$73,042.00 | \$70,840.00 |

* For remote pass-thru models, door type must be the same on both sides of unit.

OPTIONS

For options *see page 61*



AHT332N-HHS



AHT332WP-FHS

Models shown with optional casters

FREEZER REACH-IN (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- One and Two Section: 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Three Section: 208/115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves On Pins Per Section
- Four (4) 6" High Stainless Steel Adjustable Legs
- Automatic, Non-Electric Condensate Evaporator
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct (2 & 3 Sections Only)
- Anti-Condensate Door Perimeter Heater
- TXV Metering Device
- StayClear™ Condenser Standard On Most Reach-In and Pass-Thru Models
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required



RLT132WUT-FHS



RLT232WUT-FHS



RLT232WUT-HHS



RLT332NUT-FHS

Models shown with optional casters

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS |
|---|------------|-------------------------------|-----------------------------|
| R & A SERIES REACH-IN FREEZER MODELS – ONE SECTION | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RLT132WUT- | \$36,808.00 | \$37,414.00 |
| R-Series – 26-3/8"W x 83-1/4" H x 35" D | RLT132NUT- | \$35,637.00 | \$36,243.00 |
| R-Series – 24"W x 83-1/4" H x 35" D | RLT132DUT- | \$37,513.00 | \$38,119.00 |
| R-Series – 29-7/8"W x 83-1/4" H x 29" D | RLT126WUT- | \$38,405.00 | \$39,011.00 |
| A-Series – 29-7/8"W x 83-1/4" H x 35" D | ALT132WUT- | \$32,706.00 | \$33,312.00 |
| A-Series – 26-3/8"W x 83-1/4" H x 35" D | ALT132NUT- | \$31,668.00 | \$32,274.00 |
| A-Series – 24"W x 83-1/4" H x 35" D | ALT132DUT- | \$33,334.00 | \$33,940.00 |
| A-Series – 29-7/8"W x 83-1/4" H x 29" D | ALT126WUT- | \$34,123.00 | \$34,729.00 |
| R & A SERIES REACH-IN FREEZER MODELS – TWO SECTION | | | |
| R-Series – 58"W x 83-1/4" H x 35" D | RLT232WUT- | \$48,885.00 | \$50,097.00 |
| R-Series – 52-1/8"W x 83-1/4" H x 35" D | RLT232NUT- | \$47,725.00 | \$48,937.00 |
| R-Series – 48"W x 83-1/4" H x 35" D | RLT232DUT- | \$48,632.00 | \$49,844.00 |
| R-Series – 58"W x 83-1/4" H x 29" D | RLT226WUT- | \$49,787.00 | \$50,999.00 |
| A-Series – 58"W x 83-1/4" H x 35" D | ALT232WUT- | \$43,505.00 | \$44,717.00 |
| A-Series – 52-1/8"W x 83-1/4" H x 35" D | ALT232NUT- | \$42,454.00 | \$43,666.00 |
| A-Series – 48"W x 83-1/4" H x 35" D | ALT232DUT- | \$43,258.00 | \$44,470.00 |
| A-Series – 58"W x 83-1/4" H x 29" D | ALT226WUT- | \$44,285.00 | \$45,497.00 |
| R & A SERIES REACH-IN FREEZER MODELS – THREE SECTION | | | |
| R-Series – 86-1/8"W x 83-1/4" H x 35" D | RLT332WUT- | \$71,126.00 | \$72,944.00 |
| R-Series – 76-5/16"W x 83-1/4" H x 35" D | RLT332NUT- | \$64,347.00 | \$66,165.00 |
| A-Series – 86-1/8"W x 83-1/4" H x 35" D | ALT332WUT- | \$63,316.00 | \$65,134.00 |
| A-Series – 76-5/16"W x 83-1/4" H x 35" D | ALT332NUT- | \$57,238.00 | \$59,056.00 |

NOTE: For remote models *see page 60*

OPTIONS

For options *see page 61*

FREEZER REACH-IN (1, 2 & 3 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Lock(s)
- Three (3) Coated Shelves Per Section On Pins
- Four (4) 6" High Stainless Steel Adjustable Legs
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Rear Biased Return Air Duct (Two and three section only)
- Anti-Condensate Door Perimeter Heater
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order.
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles (solid door models only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS (Height with 6" Standard Legs) — Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS |
|---|----------------|-------------------------------|-----------------------------|
| R & A SERIES REACH-IN FREEZER MODELS – ONE SECTION | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RLT132W | \$35,721.00 | \$36,327.00 |
| R-Series – 26-3/8"W x 83-1/4" H x 35" D | RLT132N | \$34,552.00 | \$35,158.00 |
| R-Series – 24"W x 83-1/4" H x 35" D | RLT132D | \$36,426.00 | \$37,032.00 |
| R-Series – 29-7/8"W x 83-1/4" H x 29" D | RLT126W | \$37,316.00 | \$37,922.00 |
| A-Series – 29-7/8"W x 83-1/4" H x 35" D | ALT132W | \$31,618.00 | \$32,224.00 |
| A-Series – 26-3/8"W x 83-1/4" H x 35" D | ALT132N | \$30,582.00 | \$31,188.00 |
| A-Series – 24"W x 83-1/4" H x 35" D | ALT132D | \$32,246.00 | \$32,852.00 |
| A-Series – 29-7/8"W x 83-1/4" H x 29" D | ALT126W | \$33,036.00 | \$33,642.00 |
| R & A SERIES REACH-IN FREEZER MODELS – TWO SECTION | | | |
| R-Series – 58"W x 83-1/4" H x 35" D | RLT232W | \$47,436.00 | \$48,648.00 |
| R-Series – 52-1/8"W x 83-1/4" H x 35" D | RLT232N | \$46,276.00 | \$47,488.00 |
| R-Series – 48"W x 83-1/4" H x 35" D | RLT232D | \$47,184.00 | \$48,396.00 |
| R-Series – 58"W x 83-1/4" H x 29" D | RLT226W | \$48,340.00 | \$49,552.00 |
| A-Series – 58"W x 83-1/4" H x 35" D | ALT232W | \$42,057.00 | \$43,269.00 |
| A-Series – 52-1/8"W x 83-1/4" H x 35" D | ALT232N | \$41,004.00 | \$42,216.00 |
| A-Series – 48"W x 83-1/4" H x 35" D | ALT232D | \$41,810.00 | \$43,022.00 |
| A-Series – 58"W x 83-1/4" H x 29" D | ALT226W | \$42,835.00 | \$44,047.00 |
| R & A SERIES REACH-IN FREEZER MODELS – THREE SECTION | | | |
| R-Series – 86-1/8"W x 83-1/4" H x 35" D | RLT332W | \$69,314.00 | \$71,132.00 |
| R-Series – 76-5/16"W x 83-1/4" H x 35" D | RLT332N | \$62,539.00 | \$64,357.00 |
| A-Series – 86-1/8"W x 83-1/4" H x 35" D | ALT332W | \$61,503.00 | \$63,321.00 |
| A-Series – 76-5/16"W x 83-1/4" H x 35" D | ALT332N | \$55,428.00 | \$57,246.00 |



Models shown with optional casters

OPTIONS

For options [see page 61](#)

REFRIGERATOR & FREEZER REACH-IN/PASS-THRU (1, 2 & 3 SECTION)

OPTIONS

| DESCRIPTION | PRICE |
|--|-----------------|
| Stainless Steel Back With Rear Louvers (reach-in models only) – Per Section | \$2,340.00 |
| One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan (excludes "D" width models) | \$157.00 |
| One (1) Pair #4 Type Trayslides Provides 18 to 19 Levels for 18" x 26" Pans (excludes "D" width models) | \$833.00 |
| One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans (excludes "D" width models) | \$263.00 |
| One (1) Additional Coated Shelf or One Shelf Credit | \$237.00 |
| EZ-Change Interior - #1 Trayslides | \$207.00 |
| EZ-Change Interior - Universal Trayslides | \$308.00 |
| EZ-Change Interior - Heavy Duty Universal Trayslides | \$412.00 |
| Stainless Steel Shelf | \$911.00 |
| Coated Shelf to Fit Trayslide (for standard & EZ interiors) | \$421.00 |
| Floor Dunnage Rack | Consult Factory |
| Set of Four (4) Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Locking Casters | \$1,246.00 |
| Set of Four (4) 4-1/8" High Locking Casters | \$1,976.00 |
| 4-1/2" High Stainless Steel Base – Per Section | \$1,411.00 |
| One (1) Stainless Steel Kickplate, 6" High (two may be used on pass-thru models, if desired) (models with legs only) – Per Section | \$1,213.00 |
| Add One (1) Full-Height Glass Door In Lieu of Full-Height Solid Door (refrigerators only - one section glass door pass-thru models must pick solid for other side) (Excludes RHT132WPUT and AHT132WPUT models) (for remote pass-thru models, door type must be the same on both sides of unit) | \$1,967.00 |
| Add One (1) Half-Height Glass Door In Lieu of Half-Height Solid Door (refrigerators only - one section glass door pass-thru models must pick solid for other side) (Excludes RHT132WPUT and AHT132WPUT models) (for remote pass-thru models, door type must be the same on both sides of unit) | \$800.00 |
| Door Rehinging Features – Per Door (Not available on LED display glass door or 3-Section "N" width models) | \$680.00 |
| EZ-Open Pedal (full height doors only) – Per Door (Only available with 6" supports) | \$570.00 |
| Optional Door Hinging (other than standard) | N/C |
| Positive Action Latch – Per Door | Consult Factory |
| Locking Hasp – Per Door ("D" width model, standard hinging only) (Padlock supplied by others) | \$846.00 |
| Glycol Applications – Remote Glycol Refrigeration Application | Consult Factory |
| Glycol Applications – Self Contained with Water Cooled Condenser Suitable for Connection to Glycol | Consult Factory |
| Substitute R-404A TXV for Standard R-407A or R-134A TXV (for use with remote applications only - refrigerator models only) | Consult Factory |
| R290 Refrigerant – 115/60/1 Voltage Only (132W, 232W, 332W, 232N & 332N Refrigerator/Freezer reach-in & pass-thru only) | \$868.00 |
| Optional Voltages: 220/50/1 or 208-230/115V (consult factory for pricing & availability for 26" deep and "D" width models) | \$1,292.00 |
| Relocate Electrical Outlet Box To Bottom | \$1,511.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Correctional Facilities Options | See Page 89 |
| Temperature Control Change (refrigerator models only) | Consult Factory |
| Heat Shield - Per Side (adds 1" to width per side) | \$2,497.00 |
| Kool Klad Exterior Laminate Décor | Consult Factory |
| Export Crating - 1 Section: FEEACC-1EXPRT | \$1,289.00 |
| Export Crating - 2 Section: FEEACC-2EXPRT | \$2,573.00 |
| Export Crating - 3 Section: FEEACC-3EXPRT | \$3,861.00 |
| (2) Vertically Mounted LED Tube Display Lights (1-Section Glass Door Refrigerators Only) (Not Available For R/AHT132WPUT Models With Glass Doors On Both Sides) | \$2,157.00 |
| (3) Vertically Mounted LED Tube Display Lights (2-Section Glass Door Refrigerators Only) | \$3,139.00 |
| (4) Vertically Mounted LED Tube Display Lights (3-Section Glass Door Refrigerators Only) | \$4,168.00 |

REFRIGERATOR ROLL-IN/ROLL-THRU (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Accomodates 66" H or 72" H Racks
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Stainless Steel Ramp
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Raised Door Metal Pan
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Automatic, Non-Electric Condensate Evaporator
- StayClear™ Condenser Standard
- TXV Metering Device
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (Solid Door Models Only) & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS – Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|--|-----------------------|-------------|
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Rack | RRI132LUT-FHS | \$33,341.00 |
| R-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Rack | RRI132HUT-FHS | \$34,310.00 |
| A-Series – 35-1/2" x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Rack | ARI132LUT-FHS | \$29,685.00 |
| A-Series – 35-1/2" x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Rack | ARI132HUT-FHS | \$30,543.00 |
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RRI232LUT-FHS | \$45,437.00 |
| R-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RRI232HUT-FHS | \$49,145.00 |
| A-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | ARI232LUT-FHS | \$40,434.00 |
| A-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | ARI232HUT-FHS | \$43,768.00 |
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RRI332LUT-FHS | \$61,496.00 |
| R-Series – 100-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RRI332HUT-FHS | \$72,995.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | ARI332LUT-FHS | \$54,699.00 |
| A-Series – 100-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | ARI332HUT-FHS | \$65,038.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Rack | RRI132LPUT-FHS | \$43,900.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Rack | ARI132LPUT-FHS | \$39,056.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | RRI232LPUT-FHS | \$62,753.00 |
| A-Series – 68" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | ARI232LPUT-FHS | \$55,848.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | RRI332LPUT-FHS | \$82,104.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | ARI332LPUT-FHS | \$73,052.00 |

NOTE: For remote models *see page 63*

OPTIONS

For options *see page 66*



(shown with optional left/left/right hinging)

REFRIGERATOR ROLL-IN/ROLL-THRU (1, 2 & 3 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Accommodates 66" H or 72" H Racks
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Stainless Steel Ramp
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Raised Door Metal Pan
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order.
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Guaranteed For Life Door Handles (Solid Door Models Only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



OPTIONAL CONFIGURATIONS – Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | PRICE |
|--|---------------------|-------------|
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Rack | RRI132L-FHS | \$32,254.00 |
| R-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Rack | RRI132H-FHS | \$33,224.00 |
| A-Series – 35-1/2" x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Rack | ARI132L-FHS | \$28,598.00 |
| A-Series – 35-1/2" x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Rack | ARI132H-FHS | \$29,458.00 |
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RRI232L-FHS | \$43,990.00 |
| R-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RRI232H-FHS | \$47,696.00 |
| A-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | ARI232L-FHS | \$38,986.00 |
| A-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | ARI232H-FHS | \$42,319.00 |
| R & A SERIES ROLL-IN REFRIGERATOR MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RRI332L-FHS | \$59,685.00 |
| R-Series – 100-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RRI332H-FHS | \$71,185.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | ARI332L-FHS | \$52,888.00 |
| A-Series – 100-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | ARI332H-FHS | \$63,228.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Rack | RRI132LP-FHS | \$42,811.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Rack | ARI132LP-FHS | \$37,967.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | RRI232LP-FHS | \$61,303.00 |
| A-Series – 68" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | ARI232LP-FHS | \$54,397.00 |
| R & A SERIES ROLL-THRU REFRIGERATOR MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | RRI332LP-FHS | \$80,293.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | ARI332LP-FHS | \$71,242.00 |

* For remote pass-thru models, door type must be the same on both sides of unit.

OPTIONS

For options *see page 66*



RRI132L-FHS



RRI232L-FHS



RRI332L-FHS
(shown with optional left/left/right hinging)

FREEZER ROLL-IN (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Accommodates 66" H or 72" H Racks
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached (2 & 3 section models 208/115V)
- LED Lights
- Smart Control with Critical Alarms
- EZ-Clean Gasket
- Stainless Steel Ramp
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Raised Door Metal Pan
- Stainless Steel Breaker Caps
- Automatic, Non-Electric Condensate Evaporator
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- StayClear™ Condenser Standard
- TXV Metering Device
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



RIF132LUT-FHS



RIF232LUT-FHS



RIF332LUT-FHS
(shown with opt. left/right hinging)

OPTIONAL CONFIGURATIONS – Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|--|---------------|-------------|
| R & A SERIES ROLL-IN FREEZER MODELS – ONE SECTION: | | |
| R-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF132LUT-FHS | \$42,800.00 |
| R-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIF132HUT-FHS | \$44,512.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF132LUT-FHS | \$38,045.00 |
| A-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIF132HUT-FHS | \$39,682.00 |
| R & A SERIES ROLL-IN FREEZER MODELS – TWO SECTION: | | |
| R-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF232LUT-FHS | \$62,489.00 |
| R-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIF232HUT-FHS | \$71,200.00 |
| A-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF232LUT-FHS | \$55,630.00 |
| A-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIF232HUT-FHS | \$63,356.00 |
| R & A SERIES ROLL-IN FREEZER MODELS – THREE SECTION: | | |
| R-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF332LUT-FHS | \$82,633.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF332LUT-FHS | \$73,529.00 |

NOTE: For remote models *see page 65*

OPTIONS

For options *see page 66*

FREEZER ROLL-IN (1, 2 & 3 SECTION) FOR REMOTE APPLICATIONS

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Accomodates 66" H or 72" H Racks
- 115/60/1 Voltage
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Stainless Steel Ramp
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Raised Door Metal Pan
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Automatic, Non-Electric Condensate Evaporator
- Includes TXV and Solenoid Valve Only. Refrigerant To Be Selected at Time of Order.
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles (Solid Door Models Only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



RIF132L-FHS



RIF232L-FHS



RIF332L-FHS
(shown with opt. left/left/right hinging)

OPTIONAL CONFIGURATIONS – Some Feature Selections May Be Required

NOTE: Operator must supply your own remote cooling system for remote units

| DESCRIPTION | MODEL | PRICE |
|--|-------------|-------------|
| R & A SERIES ROLL-IN FREEZER MODELS – ONE SECTION: | | |
| R-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF132L-FHS | \$41,716.00 |
| R-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIF132H-FHS | \$43,428.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF132L-FHS | \$36,957.00 |
| A-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIF132H-FHS | \$38,597.00 |
| R & A SERIES ROLL-IN FREEZER MODELS – TWO SECTION: | | |
| R-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF232L-FHS | \$61,039.00 |
| R-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIF232H-FHS | \$69,752.00 |
| A-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF232L-FHS | \$54,181.00 |
| A-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIF232H-FHS | \$61,908.00 |
| R & A SERIES ROLL-IN FREEZER MODELS – THREE SECTION: | | |
| R-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIF332L-FHS | \$80,821.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIF332L-FHS | \$71,717.00 |

OPTIONS

For options *see page 66*

REFRIGERATOR & FREEZER ROLL-IN/ROLL-THRU (1, 2 & 3 SECTION)

OPTIONS FOR "L" & "H" HEIGHT MODELS

| DESCRIPTION | PRICE |
|--|-----------------|
| Stainless Steel Back With Rear Louvers (roll-in models only) – Per Section | \$2,340.00 |
| Add One (1) Full-Height Glass Door In Lieu of Full-Height Solid Door (refrigerator models only on one side of a roll-thru) | \$1,967.00 |
| Optional Door Hinging (other than standard) | N/C |
| Positive Action Latch – Per Door | Consult Factory |
| Locking Hasp – Per Door (Padlock supplied by others) | \$846.00 |
| Glycol Applications – Remote Glycol Refrigeration Application | Consult Factory |
| Glycol Applications – Self Contained Glycol or Water Cooled Freezer App | Consult Factory |
| Substitute R-404a TXV for Standard R-407a or R-134a TXV (for use with remote applications only) | N/C |
| R290 Refrigerant - 115/60/1 Voltage Only (132L, 232L Refrigerator/Freezer models and 332L Refrigeration roll-in solid door models) | \$868.00 |
| Optional Voltages: 220/50/1, 208-230, or 208-230/115V (excludes 2 & 3 section freezer models) | \$1,292.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Coated Shelf Package For Roll-In/Roll-Thru Models (includes three coated shelves & pilasters) – Per Section | \$4,344.00 |
| Additional Coated Shelves for Above | \$908.00 |
| Stainless Steel Shelf Package For Roll-In/Roll-Thru Models (includes three stainless steel shelves & pilasters) – Per Section | \$5,224.00 |
| Additional Stainless Steel Shelves for Above | \$1,213.00 |
| Heat Shield - Per Side (adds 1" to width per side) | \$2,497.00 |
| Full-Height Reach-In Solid Door on Rear of Roll-Thru Model (refrigerator models only) – Per Section | Consult Factory |
| Half-Height Reach-In Solid Doors on Rear of Roll-Thru Model (refrigerator models only) – Per Section | Consult Factory |
| Full-Height Reach-In Glass Doors on Roll-Thru Model (available on rear only. per section) | Consult Factory |
| Kool Klad Exterior Laminate Décor | Consult Factory |
| Export Crating - 1 Section : FEEACC-1EXPRT | \$1,289.00 |
| Export Crating - 2 Section : FEEACC-2EXPRT | \$2,573.00 |
| Export Crating - 3 Section : FEEACC-3EXPRT | \$3,861.00 |
| (2) Vertically Mounted LED Tube Display Lights (1-Section Glass Door Refrigerators Only) | \$2,157.00 |
| (3) Vertically Mounted LED Tube Display Lights (2-Section Glass Door Refrigerators Only) | \$3,139.00 |
| (4) Vertically Mounted LED Tube Display Lights (3-Section Glass Door Refrigerators Only) | \$4,168.00 |
| Transition Strip for Recessed Floor Installation | N/C |

DUAL TEMP REACH-IN (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Refrigerator/Freezer Models: 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
 - 1 Section Only - Freezer on Bottom
- 2 Section Only - Freezer Right Section
- 3 Section Only - Freezer Right Section & No Plug
- Refrigerated/Heated Models: 208-230/115V, Self Contained, with Cord & Plug Attached; Refrigerator in Bottom or Right Section
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- One (1) Coated Shelf Per Cavity - One Section Models
- Three (3) Coated Shelves (per section) - Two & Three Section Models
- Four (4) 6" High Stainless Steel Adjustable Legs
- Stainless Steel Breaker Caps
- TXV Metering Device
- Standard operating temperature for heated cabinet is 140°F to 180°F
- Standard operating temperature for refrigerator cabinet is 34°F to 38°F
- Standard operating temperature for freezer cabinet models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS (Height with 6" legs standard) — Some Feature Selections May Be Required



RDT132WUT-HHS



RDT232WUT-FHS



RDT332WUT-FHS

Models shown with optional casters

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS |
|--|-------------------|-------------------------------|-----------------------------|
| R & A SERIES REACH-IN DUAL-TEMP MODELS – ONE SECTION: | | | |
| R-Series Refrigerator/Freezer – 29-7/8" W x 83-1/4" H x 35" D | RDT132WUT- | N/A | \$45,718.00 |
| R-Series Refrigerator/Freezer – 24" W x 83-1/4" H x 35" D | RDT132KUT- | N/A | \$45,728.00 |
| R-Series Refrigerator/Heated – 29-7/8" W x 83-1/4" H x 35" D | RDH132WUT- | N/A | \$47,529.00 |
| A-Series Refrigerator/Freezer – 29-7/8" W x 83-1/4" H x 35" D | ADT132WUT- | N/A | \$40,769.00 |
| A-Series Refrigerator/Freezer – 24" W x 83-1/4" H x 35" D | ADT132KUT- | N/A | \$40,769.00 |
| A-Series Refrigerator/Heated – 29-7/8" W x 83-1/4" H x 35" D | ADH132WUT- | N/A | \$44,748.00 |
| R & A SERIES REACH-IN DUAL-TEMP MODELS – TWO SECTION: | | | |
| R-Series Refrigerator/Freezer – 58" W x 83-1/4" H x 35" D | RDT232WUT- | \$59,237.00 | \$60,449.00 |
| R-Series Refrigerator/Freezer – 52-1/8" x 83-1/4" H x W x 35" D | RDT232NUT- | \$57,816.00 | \$59,028.00 |
| R-Series Refrigerator/Freezer – 48" W x 83-1/4" H x 35" D | RDT232DUT- | \$57,818.00 | \$59,030.00 |
| R-Series Refrigerator/Heated – 58" W x 83-1/4" H x 35" D | RDH232WUT- | \$59,049.00 | \$60,261.00 |
| A-Series Refrigerator/Freezer – 58" W x 83-1/4" H x 35" D | ADT232WUT- | \$52,706.00 | \$53,918.00 |
| A-Series Refrigerator/Freezer – 52-1/8" W x 83-1/4" H x 35" D | ADT232NUT- | \$51,484.00 | \$52,696.00 |
| A-Series Refrigerator/Freezer – 48" W x 83-1/4" H x 35" D | ADT232DUT- | \$51,485.00 | \$52,697.00 |
| A-Series Refrigerator/Heated – 58" W x 83-1/4" H x 35" D | ADH232WUT- | \$56,785.00 | \$57,997.00 |
| R & A SERIES REACH-IN DUAL-TEMP MODELS – THREE SECTION: | | | |
| R-Series Refrigerator/Freezer – 86-1/8" W 83-1/4" H x x 35" D | RDT332WUT- | \$69,234.00 | \$71,052.00 |
| R-Series Refrigerator/Freezer – 76-5/16" W 83-1/4" H x x 35" D | RDT332NUT- | \$65,052.00 | \$66,870.00 |
| A-Series Refrigerator/Freezer – 86-1/8" W x 83-1/4" H x 35" D | ADT332WUT- | \$61,635.00 | \$63,453.00 |
| A-Series Refrigerator/Freezer – 76-5/16" W x 83-1/4" H x 35" D | ADT332NUT- | \$57,900.00 | \$59,718.00 |

OPTIONS

For options **see page 68**

OPTIONS

| DESCRIPTION | PRICE |
|---|-----------------|
| Stainless Steel Back With Rear Louvers – Per Section | \$2,340.00 |
| One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan | \$157.00 |
| One (1) Pair #4 Type Trayslides Provides 18 to 19 Levels for 18" x 26" Pans (excludes one section dual temp models) | \$833.00 |
| One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans (excludes three section "N" width models) | \$263.00 |
| EZ-Change Interior - #1 Trayslides (excludes single section dual temps) | \$207.00 |
| EZ-Change Interior - Universal Trayslides (excludes single section dual temps) | \$308.00 |
| EZ-Change Interior - Heavy Duty Universal Trayslides (excludes single section dual temps) | \$412.00 |
| One (1) Additional Coated Shelf or One Shelf Credit | \$237.00 |
| Stainless Steel Shelf | \$911.00 |
| Coated Shelf to Fit Trayslide | \$421.00 |
| Set of Four (4) Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Locking Casters (installed height) | \$1,246.00 |
| Set of Four (4) 4-1/8" High Locking Casters (installed height) (not compatible with EZ-Open Foot Pedal) | \$1,976.00 |
| 4-1/2" High Stainless Steel Base – Per Section (not compatible with EZ-Open Foot Pedal) | \$1,411.00 |
| One (1) Stainless Steel Kickplate, 6" High (models with legs only) – Per Section | \$1,213.00 |
| Add One (1) Half-Height Glass Door In Lieu of Half-Height Solid Door (excludes freezers) | \$800.00 |
| Add One (1) Full-Height Glass Door In Lieu of Full-Height Solid Door (excludes freezers) – Two & Three Section Only | \$1,967.00 |
| EZ-Open Foot Pedal (full height doors only) – Per Door (only available with 6" supports) (not available on 3 section narrow models) | \$570.00 |
| Positive Action Latch – Per Door | Consult Factory |
| (2) Vertically Mounted LED Light Tube Lights for Use With Glass Door – (refrigerator side & one and two section only) | \$2,157.00 |
| (3) Vertically Mounted LED Light Tube Lights for Use With Glass Door – (refrigerator side & three section only) | \$3,139.00 |
| Optional Voltage – 1 Section DT Models (220/50/1) | \$1,292.00 |
| Optional Voltage – 2 Section DT Models (220/50/1 or 208-230/60/1) | \$2,583.00 |
| Relocate Freezer Compartment - 1 Section | \$1,832.00 |
| Relocate Freezer Compartment - 2 Section | \$1,832.00 |
| Relocate Freezer Compartment - 3 Section (W width model only) | Consult Factory |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Heat Shield – Per Side (adds 1" to width per section) | \$2,497.00 |
| Kool Klad Exterior Laminate Décor | Consult Factory |
| Export Crating - 1 Section : FEEACC-1EXPRT | \$1,289.00 |
| Export Crating - 2 Section : FEEACC-2EXPRT | \$2,573.00 |
| Export Crating - 3 Section : FEEACC-3EXPRT | \$3,861.00 |
| Locking Hasp Option, Per Door (D width model standard hinging only) (Padlock supplied by others) | \$846.00 |

HEATED CABINET REACH-IN/PASS-THRU (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 208/115/60/1 Voltage Cord & Plug Attached on 1 section models only
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Raised Door Metal Pan (Solid Door Only)
- Three (3) Coated Shelves on Pilasters Per Section
- Four (4) 6" High Stainless Steel Adjustable Legs
- Stainless Steel Breaker Caps
- Stainless Steel One-Piece Louver Assembly
- Ducted Fan Air Distribution System
- Standard operating temperature for Heated Cabinet models is 140°F to 180°F
- Guaranteed For Life Door Handles (solid door models) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 6" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOOR(S) | HHS HALF-HEIGHT SOLID DOORS | FHG FULL-HEIGHT HINGED GLASS DOOR(S) | HHG HALF-HEIGHT HINGED GLASS DOORS |
|--|------------------|-------------------------------|-----------------------------|--------------------------------------|------------------------------------|
| R & A SERIES REACH-IN HEATED CABINET MODELS: - ONE SECTION | | | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RHF132W- | \$26,881.00 | \$27,487.00 | \$28,848.00 | \$28,481.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 35" D | AHF132W- | \$23,892.00 | \$24,498.00 | \$25,859.00 | \$25,492.00 |
| R & A SERIES REACH-IN HEATED CABINET MODELS: - TWO SECTION | | | | | |
| R-Series – 58" W x 83-1/4" H x 35" D | RHF232W- | \$39,106.00 | \$40,318.00 | \$43,040.00 | \$42,306.00 |
| A-Series – 58" W x 83-1/4" H x 35" D | AHF232W- | \$34,767.00 | \$35,979.00 | \$38,701.00 | \$37,967.00 |
| R & A SERIES REACH-IN HEATED CABINET MODELS: - THREE SECTION | | | | | |
| R-Series – 86-1/8" W x 83-1/4" H x 35" D | RHF332W- | \$55,950.00 | \$57,768.00 | \$61,851.00 | \$60,750.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 35" D | AHF332W- | \$49,536.00 | \$51,354.00 | \$55,437.00 | \$54,336.00 |
| R & A SERIES PASS-THRU HEATED CABINET MODELS: - ONE SECTION | | | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | RHF132WP- | \$32,292.00 | \$33,504.00 | \$36,226.00 | \$35,492.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 37-15/16" D | AHF132WP- | \$28,763.00 | \$29,975.00 | \$32,697.00 | \$31,963.00 |
| R & A SERIES PASS-THRU HEATED CABINET MODELS: - TWO SECTION | | | | | |
| R-Series – 58" W x 83-1/4" H x 37-15/16" D | RHF232WP- | \$48,000.00 | \$50,424.00 | \$55,868.00 | \$54,400.00 |
| A-Series – 58" W x 83-1/4" H x 37-15/16" D | AHF232WP- | \$42,725.00 | \$45,149.00 | \$50,593.00 | \$49,125.00 |
| R & A SERIES PASS-THRU HEATED CABINET MODELS: - THREE SECTION | | | | | |
| R-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | RHF332WP- | \$69,758.00 | \$73,394.00 | \$81,560.00 | \$79,358.00 |
| A-Series – 86-1/8" W x 83-1/4" H x 37-15/16" D | AHF332WP- | \$61,864.00 | \$65,500.00 | \$73,666.00 | \$71,464.00 |

Consult factory for narrow footprint models (limited interiors selection)

OPTIONS

For options *see page 70*



RHF132W-FHG



RHF232W-FHS



RHF332WP-FHS

Models shown with optional casters

OPTIONS:

| DESCRIPTION | PRICE |
|--|-----------------|
| Stainless Steel Back With Rear Louvers (reach-in models only) – Per Section | \$2,340.00 |
| One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan | \$157.00 |
| One (1) Pair #4 Type Trayslides Provides 18 to 19 Levels for 18" x 26" Pans | \$833.00 |
| One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans | \$263.00 |
| EZ-Change Interior - #1 Trayslides | \$207.00 |
| EZ-Change Interior - Universal Trayslides | \$308.00 |
| EZ-Change Interior - Heavy Duty Universal Trayslides | \$412.00 |
| One (1) Additional Coated Shelf or One Shelf Credit | \$237.00 |
| Stainless Steel Shelf | \$911.00 |
| Coated Shelf to Fit Trayslide | \$421.00 |
| Set of Four (4) Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Locking Casters (installed height) | \$1,246.00 |
| Set of Four (4) 4-1/8" High Locking Casters (installed height) | \$1,976.00 |
| 4-1/2" High Stainless Steel Base – Per Section | \$1,411.00 |
| One (1) Stainless Steel Kickplate, 6" High – Per Section (two may be used on pass-thru models) (models with legs only) | \$1,213.00 |
| Add One (1) Full-Height Glass Door In Lieu of Full-Height Solid Door | \$1,967.00 |
| Add One (1) Half-Height Glass Door In Lieu of Half-Height Solid Door | \$800.00 |
| Door Rehinging Features – Per Door | \$680.00 |
| Optional Door Hinging (other than standard) | N/C |
| EZ-Open Foot Pedal (Full height doors only) – Per Door (Only available with 6" supports) | \$570.00 |
| Locking Hasp – Per Door (Padlock supplied by others) | \$846.00 |
| Positive Action Latch – Per Door | Consult Factory |
| (2) Fluorescent Lights For Use With Glass Door Models – One Section | \$2,157.00 |
| (3) Fluorescent Lights For Use With Glass Door Models – Two Section | \$3,249.00 |
| (4) Fluorescent Lights For Use With Glass Door Models – Three Section | \$4,316.00 |
| Optional Voltage: 220/50/1 | \$1,292.00 |
| Optional Voltage: 115/60/1 (one section models only) | \$1,292.00 |
| Optional Voltage: 208-230/60/1 | \$1,292.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Correctional Facilities Options | See Page 89 |
| Heat Shield - Per Side (adds 1" to width per side) | \$2,497.00 |
| Kool Klad Exterior Laminate Decor | Consult Factory |
| Export Crating - 1 Section : FEEACC-1EXPRT | \$1,289.00 |
| Export Crating - 2 Section : FEEACC-2EXPRT | \$2,573.00 |
| Export Crating - 3 Section : FEEACC-3EXPRT | \$3,861.00 |

HEATED CABINET ROLL-IN/ROLL-THRU (1, 2 & 3 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- Accommodates 66" H or 72" H Racks
- 208-230/115V; Cord & Plug Attached on 1 section models only
- Smart Control with Critical Alarms
- EZ-Clean Gasket
- Stainless Steel Floor Ramp
- Self-Closing Door(s) with Stay-Open Feature & Lock(s)
- Raised Door Metal Pan (Solid Door Only)
- Stainless Steel Breaker Caps
- Stainless Steel One-Piece Louver Assembly
- Ducted Fan Air Distribution System
- Standard operating temperature for Heated Cabinet models is 140°F to 180°F
- Guaranteed For Life Door Handles (Solid Door Models Only) & Hinges
- Six-Year Parts and Labor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS – Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|--|---------------------|-------------|
| ROLL-IN HEATED CABINET MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIH132L-FHS | \$32,451.00 |
| R-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIH132H-FHS | \$34,089.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIH132L-FHS | \$28,901.00 |
| A-Series – 35-1/2" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIH132H-FHS | \$30,337.00 |
| ROLL-IN HEATED CABINET MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIH232L-FHS | \$44,692.00 |
| R-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | RIH232H-FHS | \$46,925.00 |
| A-Series – 68" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIH232L-FHS | \$39,791.00 |
| A-Series – 68" W x 89-1/8" H x 35-9/16" D for 27" W x 72" H x 29" D Racks | AIH232H-FHS | \$41,789.00 |
| ROLL-IN HEATED CABINET MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | RIH332L-FHS | \$60,520.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 35-9/16" D for 27" W x 66" H x 29" D Racks | AIH332L-FHS | \$52,872.00 |
| ROLL-THRU HEATED CABINET MODELS – ONE SECTION | | |
| R-Series – 35-1/2" W x 83-1/4" H x 39-3/4" D for 27" W x 66" H x 29" D Racks | RIH132LP-FHS | \$39,601.00 |
| A-Series – 35-1/2" W x 83-1/4" H x 39-3/4" D for 27" W x 66" H x 29" D Racks | AIH132LP-FHS | \$35,270.00 |
| ROLL-THRU HEATED CABINET MODELS – TWO SECTION | | |
| R-Series – 68" W x 83-1/4" H x 39-3/4" D for 27" W x 66" H x 29" D Racks | RIH232LP-FHS | \$55,712.00 |
| A-Series – 68" W x 83-1/4" H x 39-3/4" D for 27" W x 66" H x 29" D Racks | AIH232LP-FHS | \$49,617.00 |
| ROLL-THRU HEATED CABINET MODELS – THREE SECTION | | |
| R-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | RIH332LP-FHS | \$73,914.00 |
| A-Series – 100-1/2" W x 83-1/4" H x 39-1/8" D for 27" W x 66" H x 29" D Racks | AIH332LP-FHS | \$65,922.00 |

OPTIONS

For options **see page 72**



RIH132L-FHS



RIH232L-FHS



RIH332L-FHS



RIH132LP-FHS

OPTIONS

| DESCRIPTION | PRICE |
|---|------------------------|
| Stainless Steel Back With Rear Louvers for (roll-in models only) – Per Section | \$2,340.00 |
| (2) Vertically Mounted Fluorescent Light Tube Lights for Use With Glass Door Models – One Section | \$2,157.00 |
| (3) Vertically Mounted Fluorescent Light Tube Lights for Use With Glass Door Models – Two Section | \$3,249.00 |
| (4) Vertically Mounted Fluorescent Light Tube Lights for Use With Glass Door Models – Three Section | \$4,316.00 |
| Add One (1) Full-Height Glass Door In Lieu of Solid Door | \$1,967.00 |
| Optional Door Hinging (other than standard) | N/C |
| Positive Action Latch – Per Door | Consult Factory |
| Locking Hasp – Per Door (Padlock supplied by others) | \$846.00 |
| Optional Voltages: 220/50/1 | \$1,292.00 |
| Optional Voltages: 115/60/1 (one section models only) | \$1,292.00 |
| Optional Voltages: 208-230/60/1 | \$1,292.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Transition Strip for Recessed Floor Installation | N/C |
| Coated Shelf Package For Roll-In/Roll-Thru Models (includes three coated shelves) – Per Section | \$4,344.00 |
| Additional Coated Shelves for Above | \$908.00 |
| Stainless Steel Shelf Package For Roll-In/Roll-Thru Models (includes three stainless steel shelves) – Per Section | \$5,224.00 |
| Additional Stainless Steel Shelves for Above | \$1,213.00 |
| Correctional Facilities Options | See Page 89 |
| Heat Shield - Per Side (adds 1" to width per side) | \$2,497.00 |
| Full-Length Reach-In Door on Rear of Roll-Thru Model – Per Section | Consult Factory |
| Half-Length Reach-In Doors on Rear of Roll-Thru Model – Per Section | Consult Factory |
| Kool Klad Exterior Laminate Décor | Consult Factory |
| Export Crating - 1 Section : FEEACC-1EXPRT | \$1,289.00 |
| Export Crating - 2 Section : FEEACC-2EXPRT | \$2,573.00 |
| Export Crating - 3 Section : FEEACC-3EXPRT | \$3,861.00 |

BLAST CHILLERS

UNDERCOUNTER, REACH-IN & ROLL-IN/ROLL-THRU

(Traulsen's Blast Chillers are solely intended for blast chilling, and not for use as holding cabinets.)

STANDARD FEATURES

- Electro Deposition Coating
- All Metal Construction
- Chill By Temperature, Time or Recipe For Operational Flexibility
- Chill Time for 165°F to 40°F In Approximately 90 mins.
- Touch Screen Control With Automatic and Manual Operation
- Self-Closing Door with Stay-Open Feature At 120°F
- Automatic Maintenance Mode at Cycles End
- Advanced Data Management Features With 90-Day Memory
- Hands Free Autostart
- On-Board Printer Provides All Cycle Data Required By HACCP
- Adjustable Target Temps 40°F to -5°F (Chill/Freeze)
- Four (4) Operating Modes
- Three (3) Removable Food Probes For Multi-Batching
- EZ-Clean Gasket
- Bullnose Top (TBC5 only)
- Large Chilling and Pan Capacity
- Dual Condensing Units (except TBC5)
- Door Lock Standard
- Operator Video Included
- Guaranteed For Life Door Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATION



TBC5
(shown with casters)



TBC13
(shown with casters)



TBC1H

| DESCRIPTION | MODEL | PRICE |
|---|-----------------|--------------|
| UNDERCOUNTER BLAST CHILLER MODELS – 115V SELF-CONTAINED, 54" W X 33-3/4" H X 34 7/16" D | | |
| 5 Level Trayslide Blast Chiller Hinged Right Door With 6" Legs | TBC5-52 | \$65,293.00 |
| 5 Level Trayslide Blast Chiller Hinged Right Door With 6" Casters | TBC5-50 | \$66,509.00 |
| 5 Level Trayslide Blast Chiller Hinged Left Door With 6" Legs | TBC5-51 | \$65,293.00 |
| 5 Level Trayslide Blast Chiller Hinged Left Door With 6" Casters | TBC5-62 | \$66,509.00 |
| 5 Level Trayslide Blast Chiller Hinged Right Door With 6" Casters and Stainless Steel Back | TBC5-54 | \$67,769.00 |
| 5 Level Trayslide Blast Chiller Hinged Left Door With 6" Casters and Stainless Steel Back | TBC5-58 | \$67,769.00 |
| REACH-IN BLAST CHILLER MODELS – 208-230/115V SELF-CONTAINED, 41" W X 74" H X 34-1/2" D | | |
| 13 Level Trayslide Blast Chiller Hinged Right Door With 6" Legs | TBC13-32 | \$108,488.00 |
| 13 Level Trayslide Blast Chiller Hinged Right Door With 6" Casters | TBC13-28 | \$109,710.00 |
| 13 Level Trayslide Blast Chiller Hinged Left Door With 6" Legs | TBC13-31 | \$108,488.00 |
| 13 Level Trayslide Blast Chiller Hinged Left Door With 6" Casters | TBC13-24 | \$109,710.00 |
| 13 Level Trayslide Blast Chiller Hinged Right Door With 6" Legs – Remote Application (no maintenance system) | TBC13-38 | \$102,133.00 |
| 13 Level Trayslide Blast Chiller Hinged Left Door With 6" Legs – Remote Application (no maintenance system) | TBC13-36 | \$102,133.00 |
| Blast Chiller Hinged Right Door With 6" Casters - For Use With Combi Type Oven | TBC13-50 | \$111,823.00 |
| ROLL-IN & ROLL-THRU BLAST CHILLER MODELS – 115V SELF-CONTAINED, 48-1/2" W X 90-3/8" H X (ROLL-IN 37-5/8" D) OR (ROLL-THRU 41-1/4" D) | | |
| 1 Rack Roll-In Blast Chiller Hinged Left Door | TBC1H-20 | \$158,640.00 |
| 1 Rack Roll-In Blast Chiller Hinged Right Door | TBC1H-24 | \$158,640.00 |
| 1 Rack Roll-In Blast Chiller Hinged Right Door - For Use With Combi Type Oven | TBC1H-33 | \$164,124.00 |
| 1 Rack Roll-In Blast Chiller Hinged Left Door - For Use With Combi Type Oven | TBC1H-34 | \$164,124.00 |
| 1 Rack Roll-Thru Blast Chiller Hinged Left/Left Door | TBC1HR-1 | \$178,079.00 |
| 1 Rack Roll-Thru Blast Chiller Hinged Right/Right Door | TBC1HR-3 | \$178,079.00 |
| ROLL-IN & ROLL-THRU BLAST CHILLER MODELS – 208-230/115V SELF-CONTAINED, 48-1/2" W X 90-3/8" H X (ROLL-IN 71-5/8" D) OR (ROLL-THRU 75-1/4" D) | | |
| 2 Rack Roll-In Blast Chiller Hinged Left Door | TBC2H-7 | \$321,195.00 |
| 2 Rack Roll-In Blast Chiller Hinged Right Door | TBC2H-8 | \$321,195.00 |
| 2 Rack Roll-Thru Blast Chiller Hinged Right/Right Door | TBC2HR-2 | \$342,036.00 |

OPTIONS:

For options and accessories [see page 74](#)

OPTIONS & ACCESSORIES

| DESCRIPTION | PRICE |
|--|-----------------|
| Second Label Printer (add -LP to model) | \$3,183.00 |
| Set of Four (4) 3" High Locking Casters for TBC5 | \$688.00 |
| Set of Four (4) 4" High Locking Casters for TBC5 | \$688.00 |
| Set of Four (4) 4-5/8" High Locking Casters for TBC13 | \$1,918.00 |
| Set of Four (4) 6" High Locking Casters for TBC5 & TBC13 | \$1,210.00 |
| Special Roll-In Rack for TBC1H, TBC1HR, TBC2H & TBC2HR (BCACC-OTRTR) | \$6,790.00 |
| Weather Housing for Remote Condensing Unit (for use with models TBC1H, TBC1HR) (BCACC-60122-10) (Includes leg mounting kit) | \$3,666.00 |
| Stainless Steel Back for TBC13, TBC1H, TBC2H | \$2,272.00 |
| High Capacity Condensate Evaporator for TBC13 (TBCACC-LBMCE) | \$3,137.00 |
| 115 V Floor Mounted Electric Condensate Evaporator for TBC1H, TBC1HR, TBC2H & TBC2HR (BCACC-60018) | \$2,567.00 |
| 4 HP 208-230/60/1 Remote Air-Cooled Condensing Unit for TBC1H, TBC1HR, TBC2H & TBC2HR (includes 5 yr. warranty) (BCACC-60111-10) | \$23,162.00 |
| 4 HP 208-230/60/3 Remote Air-Cooled Condensing Unit for TBC1H, TBC1HR, TBC2H & TBC2HR (includes 5 yr. warranty) (BCACC-60123-10) | \$26,446.00 |
| 4 HP 460/60/3 Remote Air-Cooled Condensing Unit for TBC1H, TBC1HR, TBC2H & TBC2HR (includes 5 yr. warranty) (BCACC-60146-10) | \$26,446.00 |
| 4 HP 208-230/60/1 Remote Water-Cooled Condensing Unit for TBC1H, TBC1HR, TBC2H & TBC2HR (includes 5 yr. warranty) (BCACC-60228) | \$38,503.00 |
| 4 HP 208-230/60/3 Remote Water-Cooled Condensing Unit for TBC1H, TBC1HR, TBC2H & TBC2HR (includes 5 yr. warranty) (BCACC-60229) | \$38,503.00 |
| TBC13 Combi-Oven Compatibility Kit Option (Factory Installed) | \$2,113.00 |
| TBC1H Combi-Oven Compatibility Collar (Factory Installed) | \$5,435.00 |
| Correctional Facilities Options | See Page 89 |
| Export Crating | Consult Factory |

NOTES:

- ① = Model TBC13 requires provision of a floor drain or optional bottom mounted electric condensate evaporator for condensate removal.
- ② = Models TBC1H and TBC1HR require provision of a remote condensing unit for blast chill operation. They also require provision of either a floor drain or optional floor mounted electric condensate evaporator for condensate removal.
- ③ = Model TBC1H equipped with the Combi option can accommodate oven racks with overall dimensions of up to: 27"W x 37-3/8" D x 72-1/2" H
- ④ = Models TBC2H and TBC2HR require provision of a remote condensing unit for blast chill operation. They also require provision of either two floor drains or two optional floor mounted electric condensate evaporator for condensate removal.

QUICK CHILLER UNDERCOUNTER

Traulsen's Quick Chillers are solely intended for chilling, and not for use as holding cabinets

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides & Interior
- Heavy Gauge Galvanized Steel Top, Back & Bottom
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Microprocessor Control System with 3 Digit LED Temperature Display
- Left Hand Refrigeration System Location
- Condenser Filter Facilitates Condenser Coil Cleaning
- Non-Electric Automatic Condensate Evaporator
- Front Breathing Design For Zero Clearance Installation
- Door Lock Standard
- Hot Gas Evaporator Defrost
- TXV Metering Device
- Anti-Condensate Door Perimeter Heaters
- Gasket-Protecting Stainless Steel Door Liner
- Energy Saving Hot Gas Evaporator Defrost
- Rapidly Circulates 31°F to 35°F Air
- Self-Closing Door (field re-hingeable) with Stay-Open Feature
- Two (2) Coated Shelves on Pins (factory installed)
- 6" High Legs on Adjustable Channel System
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



TU048QC
(shown with Optional Casters and Stainless Steel Top)

STANDARD CONFIGURATIONS (Height with 6" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|---|----------------|--------------------|
| UNDERCOUNTER QUICK CHILLER MODEL – ONE DOOR | | |
| TU-Series – 48" W x 34" H x 36" D | TU048QC | \$35,818.00 |

OPTIONS & ACCESSORIES

| DESCRIPTION | PRICE |
|---|-------------------|
| Stainless Steel Top With Bullnose Front | \$3,226.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash | \$5,333.00 |
| Five Level Universal Type Trayslide Rack, Accommodates (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans per Level | \$2,231.00 |
| One (1) Additional Coated Shelf (3 maximum) | \$230.00 |
| Set of four (4) 4" High Casters | \$2,987.00 |
| Set of four (4) 6" High Casters | \$1,590.00 |
| Export Crating - 1 Section | \$1,251.00 |

STANDARD FEATURES

- Stainless Steel Exterior & Interior
- Top Mounted Self-Contained Refrigeration System
- Removable Refrigeration System
- Forced Air Refrigeration System
- EZ-Clean Gasket
- Accommodates 8, 12, or 16— 13" x 13" crates; or 4, 6, or 8—13" x 18" crates
- Electronic Control
- Sliding Lift Up & Down Door(s)
- Single Or Double Sided Access Available
- Low Loading Height
- Reinforced Cabinet Exterior Bottom & Dunnage Racks
- Convenient Floor Drain
- Lockable Insulated Doors with Two Open Positions
- Metal Door Handles
- Durable Caster Rail System For Flexible Positioning
- 9' Cord & Plug Attached
- Set of Four (4) 4" Factory Mounted Casters (6 for 58" models)
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 4" legs standard)

| DIMENSIONS (WIDTH x DEPTH x HEIGHT) | CRATE CAPACITY | | MODEL | PRICE |
|--|----------------|-----------|----------------|-------------|
| | 13" x 13" | 13" x 18" | | |
| SINGLE ACCESS MILK COOLERS: | | | | |
| 34" x 32 1/8" x 46" | 8 | 4 | RMC34S4 | \$10,700.00 |
| 49" x 32 1/8" x 46" | 12 | 6 | RMC49S4 | \$12,713.00 |
| 58" x 32 1/8" x 46" | 16 | 8 | RMC58S4 | \$14,278.00 |
| DOUBLE ACCESS MILK COOLERS: | | | | |
| 34" x 34 1/4" x 46" | 8 | 4 | RMC34D4 | \$15,861.00 |
| 49" x 34 1/4" x 46" | 12 | 6 | RMC49D4 | \$17,731.00 |
| 58" x 34 1/4" x 46" | 16 | 8 | RMC58D4 | \$18,139.00 |



RMC49S4



RMC49D4

ACCESSORIES

| DESCRIPTION | CODE | PRICE |
|-------------------------------------|------------------------|----------|
| Bumper Corner Guard (4) | MCACC-BUMPER | \$376.00 |
| 6" Factory Mounted Casters Set of 4 | RMCACC-46CASTER | \$200.00 |

REFRIGERATOR FULL SIZE UNDERCOUNTERS

STANDARD FEATURES

- Stainless Steel Exterior Front, Sides, Doors, and Interior Finish
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Microprocessor Control System with 3-Digit LED Temperature Display
- Self-Closing Door(s) with Stay-Open Feature
- EZ-Clean Gaskets
- Features Load-Sure Guard For Safe, Consistent Temperatures
- Two (2) Coated Shelves Per Door (Factory Installed)
- 6" High Stainless Steel Adjustable Legs On Adjustable Channel For Lateral Placement
- Work Height 33.7"
- Automatic, Condensate Evaporator
- Door Lock Standard
- Unfinished Top (Refer to **Page 78** for optional work tops)
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



TU044HT
(shown with optional stainless steel top, and casters)



TU072HT
(shown with optional stainless steel top, and casters)

STANDARD CONFIGURATIONS (Height with 6" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|--|----------------|--------------------|
| UNDERCOUNTER REFRIGERATOR MODELS – ONE DOOR | | |
| TU-Series – 44" W x 34" H x 34" D (standard rear spacer bracket adds 2" to depth) | TU044HT | \$14,533.00 |
| UNDERCOUNTER REFRIGERATOR MODELS – TWO DOOR | | |
| TU-Series – 72" W x 34" H x 34" D (standard rear spacer bracket adds 2" to depth) | TU072HT | \$19,081.00 |
| UNDERCOUNTER REFRIGERATOR MODELS – THREE DOOR | | |
| TU-Series – 100" W x 34" H x 34" D (standard rear spacer bracket adds 2" to depth) | TU100HT | \$22,430.00 |

OPTIONS

For options *see page 78*

OPTIONS

| DESCRIPTION | PRICE |
|---|------------|
| Flat Stainless Steel Top With Bullnose Front (44" model) | \$3,226.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash (44" model) | \$5,333.00 |
| Stainless Steel Top With Drip Guard (marine) Edge (44" model) | \$3,226.00 |
| Flat Stainless Steel Top With Bullnose Front (72" model) | \$3,431.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash (72" model) | \$6,796.00 |
| Stainless Steel Top With Drip Guard (marine) Edge (72" model) | \$3,431.00 |
| Flat Stainless Steel Top With Bullnose Front (100" model) | \$3,956.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash (100" model) | \$7,776.00 |
| Stainless Steel Top With Drip Guard (marine) Edge (100" model) | \$3,956.00 |
| Stainless Steel Back – One Door Models | \$793.00 |
| Stainless Steel Back – Two Door Models | \$1,274.00 |
| Stainless Steel Back – Three Door Models | \$2,044.00 |
| One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan (9 maximum) | \$152.00 |
| One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans (5 maximum) | \$255.00 |
| One (1) Additional Coated Shelf or One Shelf Credit (3 maximum) | \$230.00 |
| Stainless Steel Shelf | \$884.00 |
| Set of four (4) 3" High Casters for One Door Models | \$688.00 |
| Set of six (6) 3" High Casters for Two Door Models | \$1,035.00 |
| Set of eight (8) 3" High Casters for Three Door Models | \$1,378.00 |
| Set of four (4) 4" High Casters for One Door Models | \$688.00 |
| Set of six (6) 4" High Casters for Two Door Models | \$1,035.00 |
| Set of eight (8) 4" High Casters for Three Door Models | \$1,378.00 |
| Set of four (4) 6" High Casters for One Door Models | \$688.00 |
| Set of six (6) 6" High Casters for Two Door Models | \$1,035.00 |
| Set of eight (8) 6" High Casters for Three Door Models | \$1,378.00 |
| Two (2) Drawers In Lieu of Door, Two (2) 6" Deep Pans per Drawer (per section) | \$4,701.00 |
| Three (3) Drawers In Lieu of Doors, Two (2) 4" Deep Pans per Drawer (per section) | \$5,872.00 |
| Optional Voltages: 220/50/1 | \$1,629.00 |
| 3" or 6" Cabinet Length Extension Section (with supports – required) | \$1,454.00 |
| 9" Cabinet Length Extension Section (with supports – required) | \$2,940.00 |
| 12" or 15" Cabinet Length Extension Section (with supports – required) | \$3,605.00 |
| Export Crating - 1 Section: FEEACC-1EXPRT | \$1,251.00 |
| Export Crating - 2 Section: FEEACC-2EXPRT | \$2,498.00 |
| Export Crating - 3 Section: FEEACC-3EXPRT | \$3,749.00 |

REFRIGERATOR EQUIPMENT STANDS

(Traulsen's Equipment Stands are solely intended for use with cooking equipment.)

STANDARD FEATURES

- Stainless Steel Exterior & Interior
- Galvanized Steel Exterior Bottom & Back
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Microprocessor Control System with 3-Digit LED Temperature Display
- Condenser Filter is Standard and Easily Removable for Cleaning
- Dedicated Evaporator Fans Behind Each Section
- Self-Closing Drawers with Stay-Open Feature
- Full Length Drawer Handles with Gasket Guard
- Stainless Steel Top With Drip Guard (Marine) Edge
- Front Breathing Design For Zero-Clearance Installation
- Easy To Remove Drawer Cartridges For Easy Cleaning
- Lift-Off Louvere Allows For Easy System Access
- 4" High Casters On Adjustable Channel
- Automatic, Condensate Evaporator
- Top Load Capacity 500 lbs. per section
- Refer to Specification Sheet for Pan Configuration Details
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS (Height with 4" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|---|----------------|-------------|
| TE-SERIES REFRIGERATED EQUIPMENT STAND MODELS – TWO DRAWER | | |
| TE-Series – 36" W x 26" H x 32" D – Two 6" pans (12"x 20" x 6"D) total capacity | TE036HT | \$18,106.00 |
| TE-Series – 48" W x 26" H x 32" D – Four 6" pans (12"x 20" x 6"D) total capacity | TE048HT | \$20,350.00 |
| TE-Series – 60" W x 26" H x 32" D – Six 6" pans (12"x 20" x 6"D) total capacity | TE060HT | \$21,032.00 |
| TE-SERIES REFRIGERATED EQUIPMENT STAND MODELS – FOUR DRAWER | | |
| TE-Series – 72" W x 26" H x 32" D – Eight 6" (12"x 20" x 6"D) pans total capacity | TE072HT | \$24,605.00 |
| TE-Series – 84" W x 26" H x 32" D – Eight 6" (12"x 20" x 6"D) pans total capacity | TE084HT | \$26,684.00 |
| TE-SERIES REFRIGERATED EQUIPMENT STAND MODELS – SIX DRAWER | | |
| TE-Series – 96" W x 26" H x 32" D – Twelve 6" (12"x 20" x 6"D) pans total capacity | TE096HT | \$29,406.00 |
| TE-Series – 110" W x 26" H x 32" D – Twelve 6" (12"x 20" x 6"D) pans total capacity | TE110HT | \$35,314.00 |

OPTIONS

| DESCRIPTION | PRICE |
|---|------------|
| Flat Stainless Steel Top With Bullnose Front – 36" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 48" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 60" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 72" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 84" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 96" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 110" Model | N/C |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 36" Model | \$5,333.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 48" Model | \$5,333.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 60" Model | \$6,796.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 72" Model | \$6,796.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 84" Model | \$7,776.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 96" Model | \$7,776.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 110" Model | \$7,776.00 |
| Stainless Steel Back – 36" Model | \$735.00 |
| Stainless Steel Back – 48" Model | \$810.00 |
| Stainless Steel Back – 60" Model | \$884.00 |
| Stainless Steel Back – 72" Model | \$1,297.00 |
| Stainless Steel Back – 84" Model | \$1,628.00 |
| Stainless Steel Back – 96" Model | \$2,083.00 |
| Stainless Steel Back – 110" Model | \$2,364.00 |
| Set of Four (4) 6" Stainless Steel Legs – 36" & 48" Models | \$855.00 |
| Set of Six (6) 6" Stainless Steel Legs – 60" – 84" Models | \$1,283.00 |
| Set of Eight (8) 6" Stainless Steel Legs – 96" – 110" Models | \$1,728.00 |
| Set of Four (4) 3" High Casters – 36" & 48" Models | \$688.00 |
| Set of Six (6) 3" High Casters – 60" – 84" Models | \$1,035.00 |
| Set of Eight (8) 3" High Casters – 96" – 110" Models | \$1,378.00 |
| Set of Four (4) 4" High Casters – 36" & 48" Models | \$688.00 |
| Set of Six (6) 4" High Casters – 60" – 84" Models | \$1,035.00 |
| Set of Eight (8) 4" High Casters – 96" – 110" Models | \$1,378.00 |
| 6" Cabinet Length Extension Section (with supports – required) | \$1,487.00 |



TE036HT




TE072HT



TE096HT
(shown with optional compressor on right)

TOP OPTIONS



Bull Nose Top
(Top Option)



Bull Nose Top with Backsplash
(Top Option)

FREEZER EQUIPMENT STANDS

(Traulsen's Equipment Stands are solely intended for use with cooking equipment.)

STANDARD FEATURES

- Stainless Steel Exterior & Interior
- Galvanized Steel Exterior Bottom & Back
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Microprocessor Control System with 3-Digit LED Temperature Display
- Condenser Filter is Standard and Easily Removable for Cleaning
- Dedicated Evaporator Fans Behind Each Section
- Hot Gas Defrost
- Self-Closing Drawers with Stay-Open Feature
- Lift-Off Louvere Allows For Easy System Access
- Full Length Drawer Handles with Gasket Guard
- Stainless Steel Top With Drip Guard (Marine) Edge
- Front Breathing Design For Zero-Clearance Installation
- Easy To Remove Drawer Cartridges For Easy Cleaning
- 4" High Casters On Adjustable Channel
- Automatic, Condensate Evaporator
- Top Load Capacity 500 lbs. per section
- Refer to Specification Sheet for Pan Configuration Details
- Standard operating temperature for freezer models is 0°F to -5°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 4" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|---|----------------|-------------|
| TE-SERIES FREEZER EQUIPMENT STAND MODELS - TWO DRAWER: | | |
| TE-Series - 48"Wx 26"Hx32"D - Four (4) 6" pans (12"x 20" x 6"D) total capacity | TE048LT | \$20,782.00 |
| TE-Series - 60"Wx 26"Hx32"D - Six (6) 6" pans (12"x 20" x 6"D) total capacity | TE060LT | \$24,195.00 |
| TE-SERIES FREEZER EQUIPMENT STAND MODELS - FOUR DRAWER: | | |
| TE-Series - 72"Wx 26"Hx32"D - Six (6) 6" (12"x 20" x 6"D) pans & Six 1/6 size pans total capacity | TE072LT | \$28,627.00 |
| TE-Series - 84"Wx 26"Hx32"D - Eight (8) 6" (12"x 20" x 6"D) pans total capacity | TE084LT | \$30,535.00 |



TE048LT



TE072LT

TOP OPTIONS



Bull Nose Top
(Top Option)



Bull Nose Top with Backsplash
(Top Option)

OPTIONS

| DESCRIPTION | PRICE |
|--|------------|
| Flat Stainless Steel Top With Bullnose Front – 48" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 60" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 72" Model | N/C |
| Flat Stainless Steel Top With Bullnose Front – 84" Model | N/C |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 48" Model | \$5,333.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 60" Model | \$6,796.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 72" Model | \$6,796.00 |
| Stainless Steel Top With Bullnose Front 4" High Backsplash – 84" Model | \$7,776.00 |
| Stainless Steel Back – 48" Model | \$810.00 |
| Stainless Steel Back – 60" Model | \$884.00 |
| Stainless Steel Back – 72" Model | \$1,297.00 |
| Stainless Steel Back – 84" Model | \$1,628.00 |
| Set of Four (4) 6" Stainless Steel Legs – 48" Models | \$855.00 |
| Set of Six (6) 6" Stainless Steel Legs – 60" – 84" Models | \$1,283.00 |
| Set of Four (4) 3" High Casters – 48" Models | \$688.00 |
| Set of Six (6) 3" High Casters – 60" – 84" Models | \$1,035.00 |
| Set of Four (4) 4" High Casters – 48" Models | \$688.00 |
| Set of Six (6) 4" High Casters – 60" – 84" Models | \$1,035.00 |
| 6" Cabinet Length Extension Section (with supports – required) | \$1,487.00 |

FLEX DRAWER REFRIGERATOR/ FREEZER UNDERCOUNTER

STANDARD FEATURES

- Stainless Steel Exterior Top, Sides, Drawers & Interior
- Each Individual Drawer Can Run at Different Temperature Settings
- Drawers Alternate Between Refrigerator Or Freezer Operation With The Touch Of A Button
- 115/60/1 Voltage, Self- Contained, with Cord & Plug Attached
- Electronic Controls with LED Temperature Display
- Automatic Non-Electric Condensate Evaporator
- EZ-Clean Drawer Gaskets
- Fully Removeable ABS Drawer Bins
- Zero-Clearance Installation
- Each Drawer Accommodates Two Full Sized 6" Deep Pans
- Drawers Provided With Locks
- Set of Four (4) 2.75" Casters
- Refrigerator temperature (33°F to 40°F) to freezer temperature (-3°F to 3°F) in approximately 30 minute
- Freezer temperature (-3°F to 3°F) to refrigerator temperature (33°F to 40°F), leave the door open for approximately 2 minutes
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS

| DESCRIPTION | MODEL | PRICE |
|---|----------------|--------------------|
| Convertible Refrigerator/Freezer Model – Two (2) Drawer 30 1/2" W x 29 5/16" D x 35 11/16" H | TF031D3 | \$33,303.00 |

OPTIONS

| DESCRIPTION | PRICE |
|---------------------------------|-----------------|
| Bin Divider For Drawer | \$111.00 |
| Set of Four (4) 6" High Legs | \$855.00 |
| Set of Four (4) 4" High Casters | \$688.00 |
| Set of Four (4) 6" High Casters | \$688.00 |

BENEFITS



Whether storing fresh produce or frozen goods, the Flex Drawer is an ideal solution for kitchen operations requiring flexibility in their refrigeration storage. The flex drawer changes temperature from refrigerator to freezer with the simple touch of a button. Each drawer runs independently of the other, so the unit can serve as both a refrigerator and freezer or you can set both drawers to refrigerate or freeze simultaneously. This unit requires zero-clearance for easy installation, allowing you to make the most of your space.



TF031D3

FULL SIZE PREP TABLES 48", 66", 72" & 90" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior & Interior Finish
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Exceeds NSF7 Standards For Top Open Performance
- Accommodates Industry Standard Full, Half, Third & 6" Deep Size Pans Without the Use of Adapter Bars
- Water Resistant Microprocessor Control System with 3-Digit LED Temperature Display
- Door(s) Provided With Locks
- Magnetic Snap In Door Gasket(s)
- Two (2) Shelf(s) Per Section
- Self-Closing Door(s) with Stay-Open Feature
- Temperature Rail Equipped with Drain & Flush Valve
- 6" High Casters On Adjustable Channel Mounting System
- Automatic, Non-Electric Condensate Evaporator
- Front Breathing Design For Zero-Clearance Installation
- Stainless Steel Insulated Lift-Up Rail Covers
- Left Hand System Only
- TXV Metering Device
- Standard operating temperature 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 6" casters standard) – Some Feature Selections May Be Required

| DESCRIPTION | MODEL | PRICE |
|---|----------------|--------------------|
| TS FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – ONE (48") DOOR MODELS (48 3/8" H X 36" D) | | |
| TS-Series – 48" Wide, 6 x 1/3 Pan Capacity | TS048HT | \$16,830.00 |
| TS FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – TWO (66"& 72") DOOR MODELS (48 3/8" H X 36" D) | | |
| TS-Series – 66" Wide, 9 x 1/3 Pan Capacity | TS066HT | \$23,143.00 |
| TS-Series – 72" Wide, 10 x 1/3 Pan Capacity | TS072HT | \$24,365.00 |
| TS FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – THREE (90") DOOR MODELS (48 3/8" H X 36" D) | | |
| TS-Series – 90" Wide, 12 x 1/3 Pan Capacity | TS090HT | \$32,028.00 |

OPTIONS & ACCESSORIES

For options & accessories *see page 83*



TS048HT

(Shown with Optional Composite Cutting Board)



TS072HT



TS090HT

OPTIONS

| DESCRIPTION | PRICE |
|---|-----------------|
| Stainless Steel Finished Back For All 48" Long Models | \$1,783.00 |
| Stainless Steel Finished Back For All 66" Long Models | \$2,588.00 |
| Stainless Steel Finished Back For All 72" Long Models | \$2,831.00 |
| Stainless Steel Finished Back For All 90" Long Models | \$3,539.00 |
| 16 GA. Stainless Steel Ticket Rail For All 48", 66" & 72" Long Models | \$1,191.00 |
| 16 GA. Stainless Steel Ticket Rail For All 90" Long Models | \$2,627.00 |
| 16 GA. Stainless Steel Single Overshelf (16 1/4" Deep, Height Installed from Floor to Top Shelf 65 5/16", Height Installed from Work Surface to Top Shelf 29 3/4", Assuming 6" Casters) For All 48" Long Models | \$2,179.00 |
| 16 GA. Stainless Steel Single Overshelf (16 1/4" Deep, Height Installed from Floor to Top Shelf 65 5/16", Height Installed from Work Surface to Top Shelf 29 3/4", Assuming 6" Casters) For All 66" Long Models | \$2,718.00 |
| 16 GA. Stainless Steel Single Overshelf (16 1/4" Deep, Height Installed from Floor to Top Shelf 65 5/16", Height Installed from Work Surface to Top Shelf 29 3/4", Assuming 6" Casters) For All 72" Long Models | \$3,289.00 |
| 16 GA. Stainless Steel Single Overshelf (16 1/4" Deep, Height Installed from Floor to Top Shelf 65 5/16", Height Installed from Work Surface to Top Shelf 29 3/4", Assuming 6" Casters) For All 90" Long Models | \$3,878.00 |
| NOTE: Overshelf and ticket rail not offered together. | |
| One Additional Standard Shelf (max three shelves per door) | \$230.00 |
| Stainless Steel Shelf (max three shelves per door) | \$884.00 |
| No. 1 Type Trayslides To Accommodate either (1) 18" x26" or (2) 14" x 18" Sheet Pans (maximum nine slides per door) | \$152.00 |
| Universal Type Trayslides To Accommodate either (1) 18" x26" or (2) 12" x 20" or (2) 14" x 18" Sheet Pans (maximum five slides per door) (48" & 72" right section only) | \$255.00 |
| Bi-Fold Rail Cover (In Lieu of Standard Lift-Up Lid) | \$1,903.00 |
| Lift-Off Night Cover For Rail (In Lieu of Standard Lift-Up Lid) | \$1,903.00 |
| Two (2) Drawers In Lieu Of One Or More Doors (accommodates 6" deep pans) | \$6,337.00 |
| Three (3) Drawers In Lieu Of One Or More Doors (accommodates 4" deep pans) | \$8,037.00 |
| Full Length Removable White Cutting Board For All 48" Long Models - 18" Deep | \$718.00 |
| Full Length Removable White Cutting Board For All 66" Long Models - 18" Deep | \$1,019.00 |
| Full Length Removable White Cutting Board For All 72" Long Models - 18" Deep | \$1,112.00 |
| Full Length Removable White Cutting Board For All 90" Long Models - 18" Deep | \$1,378.00 |
| Full Length Removable Composite Cutting Board For All 48" Long Models - 18" Deep | \$1,169.00 |
| Full Length Removable Composite Cutting Board For All 66" Long Models - 18" Deep | \$1,659.00 |
| Full Length Removable Composite Cutting Board For All 72" Long Models - 18" Deep | \$1,796.00 |
| Full Length Removable Composite Cutting Board For All 90" Long Models - 18" Deep | \$2,266.00 |
| Optional Voltage: 220/50/1 | Consult Factory |
| Set of four (4) 6" High Leg (For Use In Lieu Of Standard 6" High Casters) (for 48" Models) | \$855.00 |
| Set of six (6) 6" High Leg (For Use In Lieu Of Standard 6" High Casters) (for 66" & 72" Models) | \$1,283.00 |
| Set of eight (8) 6" High Leg (For Use In Lieu Of Standard 6" High Casters) (for 90" Models) | \$1,712.00 |
| Set of four (4) 3" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 48" Models) | \$688.00 |
| Set of six (6) 3" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 66" & 72" Models) | \$1,035.00 |
| Set of eight (8) 3" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 90" Models) | \$1,378.00 |
| Set of four (4) 4" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 48" Models) | \$688.00 |
| Set of six (6) 4" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 66" & 72" Models) | \$1,035.00 |
| Set of eight (8) 4" High Casters (For Use In Lieu Of Standard 6" High Casters) (for 90" Models) | \$1,378.00 |
| Optional Installed Supports | \$1,020.00 |

ACCESSORIES

| DESCRIPTION | PART # | PRICE |
|---|----------------|------------|
| Stainless Steel Rail Mount Scale Stand | VPSACC-SCALE | \$593.00 |
| Stainless Steel Counter Garnish Racks For All 48" Long Models | VPSACC-48SGRN | \$1,844.00 |
| Stainless Steel Counter Garnish Racks For All 66" Long Models | VPSACC-66SGRN | \$2,632.00 |
| Stainless Steel Counter Garnish Racks For All 72" Long Model | VPSACC-72SGRN | \$2,632.00 |
| Stainless Steel Counter Garnish Racks For All 90" Long Models | VPSACC-90SGRN | \$3,509.00 |
| Stainless Steel Rail Mount Ambient Pan Holder | VPSACC-AMBIENT | \$623.00 |
| Stainless Steel Ticket Rail | VPSACC-90STR | \$2,627.00 |
| 12" Divider Bar (1) For Top Rail | VPSACC-1BAR | \$66.00 |
| 12" Divider Bar (5) For Top Rail | VPSACC-5BARS | \$273.00 |


FULL SIZE GLYCOL PREP TABLES 46", 60", 65", 71", 91" & 113" WIDE MODELS

STANDARD FEATURES

- Stainless Steel Exterior & Interior Finish
- 115/60/1 Voltage, Self-Contained, with 9' Cord & Plug Attached
- Advanced Glycol System Exceeds NSF 7 Requirements.
- Maintains Food At Or Below 39" Using Specified 8" Deep Pans, 24/7
- Microprocessor Control Displays Both Base and Ingredient Rail Temperature
- Two (2) Shelf(s) Per Door Section, On Pilasters
- 20" Hinged, Self-Closing Door(s) With Snap-In Magnetic Gasket(s) And Gasket Guards
- Horizontal finned T6 Anodized Chiller Plates, Hold 1/2, 1/6, or 1/8 Size Pans
- Stainless Steel Lift-Off Night Cover or Hinged Night Cover
- 6" Casters (factory installed)
- Sloped Rail
- Available in 2 or 3 Pan Rows
- **2-Row:** 14" White Poly Cutting Board
- **3-Row:** 8" White Poly Cutting Board
- Compressor Compartment Right Side
- TXV Metering Device
- Standard Operating Temperature 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS – Some Feature Selections May Be Required



Glycol
(7.6" Chiller Bar Spacing)



TB091SL2S

| DIMENSIONS (WIDTH X DEPTH X HEIGHT) | NUMBER OF DOORS | NUMBER OF ROWS | PAN CAPACITY (1/6 size pans) | MODEL | PRICE |
|---|--------------------|-------------------|------------------------------------|------------------|-------------|
| GLYCOL FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – ONE DOOR MODELS: | | | | | |
| 46" x 32" x 42" | 1 | 2 | 12 | TB046SL2S | \$37,525.00 |
| | 1 | 3 | 18 | TB046SL3S | \$41,254.00 |
| GLYCOL FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – TWO DOOR MODELS: | | | | | |
| 60" x 32" x 42" | 2 | 2 | 16 | TB060SL2S | \$41,656.00 |
| | 2 | 3 | 24 | TB060SL3S | \$45,386.00 |
| 65" x 32" x 42" | 2 | 2 | 18 | TB065SL2S | \$43,552.00 |
| | 2 | 3 | 27 | TB065SL3S | \$47,286.00 |
| 71" x 32" x 42" | 2 | 2 | 20 | TB071SL2S | \$45,308.00 |
| | 2 | 3 | 30 | TB071SL3S | \$49,038.00 |
| GLYCOL FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – THREE DOOR MODELS: | | | | | |
| 91" x 32" x 42" | 3 | 3 | 26 | TB091SL2S | \$50,426.00 |
| | 3 | 2 | 39 | TB091SL3S | \$57,177.00 |
| GLYCOL FULL SIZE PIZZA/SALAD/SANDWICH PREP TABLES – FOUR DOOR MODELS: | | | | | |
| 113" x 32" x 42" | 4 | 2 | 32 | TB113SL2S | \$55,810.00 |

OPTIONS

For options *see page 85*

OPTIONS

| DESCRIPTION | PRICE |
|--|-----------------|
| Stainless Steel Finished Back For All 46" Long Models | \$1,313.00 |
| Stainless Steel Finished Back For All 60-65" Long Models | \$1,964.00 |
| Stainless Steel Finished Back For All 71" Long Models | \$2,225.00 |
| Stainless Steel Finished Back For All 91" Long Models | \$2,878.00 |
| Stainless Steel Finished Back For All 113" Long Models | Consult Factory |
| Stainless Steel Single Overshelf For All 46" Long Models – Shelf Depth 10" With Full Unit Height 58 1/4" With 6" Casters | \$2,878.00 |
| Stainless Steel Single Overshelf For All 60-65" Long Models – Shelf Depth 10" With Full Unit Height 58 1/4" With 6" Casters | \$3,439.00 |
| Stainless Steel Single Overshelf For All 71" Long Models – Shelf Depth 10" With Full Unit Height 58 1/4" With 6" Casters | \$3,926.00 |
| Stainless Steel Single Overshelf For All 91" Long Models – Shelf Depth 10" With Full Unit Height 58 1/4" With 6" Casters | \$5,104.00 |
| Stainless Steel Single Overshelf For All 113" Long Models – Shelf Depth 10" With Full Unit Height 58 1/4" With 6" Casters | Consult Factory |
| Stainless Steel Double Overshelf For All 46" Long Models – Shelves 11 7/8" Deep With Unit Full Height 69 3/4" With 6" Casters | \$3,535.00 |
| Stainless Steel Double Overshelf For All 60-65" Long Models – Shelves 11 7/8" Deep With Unit Full Height 69 3/4" With 6" Casters | \$5,104.00 |
| Stainless Steel Double Overshelf For All 71" Long Models – Shelves 11 7/8" Deep With Unit Full Height 69 3/4" With 6" Casters | \$5,495.00 |
| Stainless Steel Double Overshelf For All 91" Long Models – Shelves 11 7/8" Deep With Unit Full Height 69 3/4" With 6" Casters | \$6,531.00 |
| 5 Level High Trayslides (5 slides per section) | \$1,690.00 |
| 7 Level High Trayslides (7 slides per section) | \$1,778.00 |
| Stainless Steel Hinged Night Cover (two row unit only) | N/C |
| Stainless Steel Lift-Off Night Cover | N/C |
| Two (2) Drawers In Lieu Of One Or More Doors | \$4,223.00 |
| Three (3) Drawers In Lieu Of One Or More Doors (excludes 60" models) | \$5,589.00 |
| 4" Casters or 6" Legs (6" casters are standard) | N/C |
| Full Length Removable Composite (richlite brown) Cutting Board For All 46" Long Models | \$788.00 |
| Full Length Removable Composite (richlite brown) Cutting Board For All 60-65" Long Models | \$990.00 |
| Full Length Removable Composite (richlite brown) Cutting Board For All 71" Long Models | \$1,190.00 |
| Full Length Removable Composite (richlite brown) Cutting Board For All 91" Long Models | \$1,544.00 |
| Full Length Removable Composite (richlite brown) Cutting Board For All 113" Long Models | \$1,716.00 |
| 10" Composite (richlite brown) Cutting Board Depth Extension (three row unit only-8" is standard for Composite Cutting Board Option) | \$2,999.00 |
| 14" Composite (richlite brown) Cutting Board Depth Extension (three row unit only-8" is standard for Composite Cutting Board Option) | \$3,275.00 |
| 10" White Poly Cutting Board Depth Extension (three row unit only-8" is standard) | \$2,041.00 |
| 14" White Poly Cutting Board Depth Extension (three row unit only-8" is standard) | \$2,487.00 |

REFRIGERATOR REACH-IN, SLIDING GLASS DOOR (2 SECTION)

STANDARD FEATURES

- Stainless Steel Exterior & Interior Finish
- 115/60/1 Voltage, Self-Contained, with 9' Cord & Plug Attached
- Smart Control with Critical Alarms
- (2) LED Light Tube Lights with Exterior Switch
- EZ-Clean Gasket
- Self-Closing Sliding Glass Doors with Stay-Open Feature
- Stainless Steel Vertical Door Handles
- Anti-Condensate Door Perimeter Heate
- Rear-Biased Return Air Duct
- Stainless Steel One-Piece Louver Assembly
- Three (3) Coated Shelves Per Section On Pilasters
- Four (4) 6" High Stainless Steel Adjustable Legs
- Automatic, Non-Electric Condensate Evaporator
- TXV Metering Device
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 6" casters standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FSL FULL-HEIGHT SLIDING GLASS DOORS | HSL HALF-HEIGHT SLIDING GLASS DOORS |
|--|-------------------|-------------------------------------|-------------------------------------|
| REACH-IN SLIDING GLASS DOOR REFRIGERATOR MODELS – TWO SECTION: | | | |
| R-Series – 52- ³ / ₈ " W x 83- ¹ / ₄ " H x 33" D | RHT232NUT- | \$49,391.00 | \$50,984.00 |
| R-Series – 58" W x 83- ¹ / ₄ " H x 33" D | RHT232WUT- | \$56,619.00 | \$58,218.00 |



RHT232NUT-FSL
(shown with optional casters)

OPTIONS

| DESCRIPTION | PRICE |
|---|-----------------|
| Stainless Steel Back With Rear Louvers | \$4,680.00 |
| * One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan | \$157.00 |
| * One (1) Pair #4 Type Trayslides Provides 18 to 19 Levels for 18" x 26" Pans | \$833.00 |
| * One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" or (2) 12" x 20" Pans | \$263.00 |
| * One (1) Additional Coated Shelf or One Shelf Credit | \$237.00 |
| * Stainless Steel Shelf | \$911.00 |
| * Coated Shelf to Fit Trayslide | \$421.00 |
| Set of Four (4) Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Locking Casters | \$1,246.00 |
| Set of Four (4) 4- ⁵ / ₈ " High Locking Casters | \$1,976.00 |
| 4- ¹ / ₂ " High Stainless Steel Base | \$1,411.00 |
| One (1) Stainless Steel Kickplate, 6" High (models with legs only) | \$2,426.00 |
| Sliding Glass Door Lock - Per Door | \$217.00 |
| Optional Voltages: 220/50/1 | \$1,292.00 |
| Optional Voltages: 208-230/115/60/1 | \$1,292.00 |
| Relocate Electrical Outlet Box To Bottom | \$1,511.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Heat Shield – Per Side (adds 1" to width per side) | \$2,497.00 |
| Kool Klad Exterior Laminate Décor | Consult Factory |

* Unit must have uniform interior trayslides.

REFRIGERATOR REACH-IN, EVEN THAW

STANDARD FEATURES

- Stainless Steel Exterior & Interior Finish
- 115/60/1 Voltage, Self-Contained, with 9' Cord & Plug Attached
- Smart Control with Critical Alarms
- Special Refrigeration System/Air Flow Design Promotes Rapid, Safe Thawing of Frozen Food Product
- Safely Thaws Up To 300 lbs. Frozen Product, Per Section, In 24 Hrs Or Less
- Automatically Returns to Refrigerator Operation When Product is Thawed
- Cabinet Air Temperature Never Rises Above 41°F
- EZ-Clean Gasket
- Automatic Hands Free Operation
- HAACP Compliant
- Self-Closing Doors with Stay-Open Feature & Locks
- Four (4) 6" High Stainless Steel Adjustable Legs
- Includes 14 Pairs #1 Type Trayslides (per section)
- LED Lighting
- Automatic, Non-Electric Condensate Evaporator
- Stainless Steel One-Piece Louver System
- Stainless Steel Breaker Caps
- StayClear™ Condenser Standard
- Guaranteed For Life Door Handles & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

STANDARD CONFIGURATIONS (Height with 6" legs standard) – Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS |
|--|-------------------|-----------------------------|-----------------------------|
| REACH-IN EVEN-THAW REFRIGERATOR MODELS, SELF-CONTAINED – ONE & TWO SECTION: | | | |
| R-Series – 32" W x 83- ¹ / ₄ " H x 35" D | RET132EUT- | \$47,778.00 | \$48,384.00 |
| R-Series – 52- ¹ / ₈ " W x 83- ¹ / ₄ " H x 35" D | RET232NUT- | \$63,704.00 | \$64,916.00 |

OPTIONS

| DESCRIPTION | PRICE |
|--|------------|
| Stainless Steel Back With Rear Louvers (Per Section) | \$2,340.00 |
| Set of Four (4) 6" High Locking Casters | \$1,246.00 |
| Set of Four (4) 4- ¹ / ₈ " High Locking Casters | \$1,976.00 |
| EZ-Open Foot Pedal (reach-in full height doors only) (only available with 6" supports) | \$570.00 |



RET232NUT-FHS
(shown with optional casters)

REFRIGERATOR AIR-CURTAIN REFRIGERATOR

STANDARD FEATURES

- Stainless Steel Exterior & Interior Finish
- 220/60/1 Voltage, Self-Contained with cord & plug attached
- Multi-Fan 3-D Air Screen System
- Designed For Open Door Performance For Up To 90-Minutes
- Automatic Defrost with Manual Override Feature
- Digital Temperature Display
- Ten (10) Pairs of Trayslides for 18" x 26" Pans at 4-¹/₂" Spacing
- Full Perimeter Bumper
- Vertical Door Handle & Flush Mounted Side Grips on Each Side
- Fold Back & Latch Door Design
- Rear Mounted Tubular Handle For Easy Mobility
- Four (4) 6" High Casters with Stress Pads
- Electronic Control with Two Operating Modes
- Refrigerator Stand Setting 32°F to 40°F, Preset at 36°F
- Refrigerator Low-Temp Setting 25°F to 35°F, Preset at 34°F
- One-Year Parts and Labor Warranty
- Five-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

PRE-CONFIGURED

| DESCRIPTION | MODEL | PRICE |
|--|-----------------|-------------|
| REACH-IN AIR-CURTAIN REFRIGERATOR MODELS - FULL-HEIGHT SOLID DOOR (120/60/1) (32"W X 78-³/₄" H X 37"D): | | |
| R-Series - Full-Height Solid Door Hinged Left | RAC37-1 | \$50,309.00 |
| R-Series - Full-Height Solid Door Hinged Right | RAC37-2 | \$50,309.00 |
| REACH-IN AIR-CURTAIN REFRIGERATOR MODELS - HALF-HEIGHT SOLID DOOR (220/60/1) (32"W X 78-³/₄" H X 37"D): | | |
| R-Series - Half-Height Solid Door Hinged Right | RAC37-18 | \$53,581.00 |



RAC37

REFRIGERATOR OR FREEZER CONVERTIBLE (1 & 2 SECTION)

STANDARD FEATURES

- R-Series: Stainless Steel Exterior & Interior Finish
- A-Series: Stainless Steel Exterior & Anodized Aluminum Interior
- 115/60/1 Voltage, Self-Contained, with Cord & Plug Attached
- Easily Convert Compartment Operation From Refrigerator to Freezer or Freezer to Refrigerator With A Switch
- Smart Control with Critical Alarms
- LED Lights
- EZ-Clean Gasket
- Self-Closing Doors with Stay-Open Feature & Locks
- Three (3) Coated Shelves Per Section On Pins
- Four (4) 6" High Stainless Steel Adjustable Legs
- Stainless Steel Breaker Caps
- Anti-Condensate Door Perimeter Heater
- Convertible models available with R290 Refrigerant Only
- Automatic Non-Electric Condensate Evaporator
- TXV Metering Device
- Standard operating temperature for refrigerator models is 34°F to 38°F
- Standard operating temperature for freezer models is 0°F to -5°F, -10°F capable
- Guaranteed For Life Door Handles & Hinges
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS



STANDARD CONFIGURATIONS (Height with 6" legs standard) — Some Feature Selections May Be Required

| DESCRIPTION | MODEL | FHS FULL-HEIGHT SOLID DOORS | HHS HALF-HEIGHT SOLID DOORS |
|--|-------------------|-----------------------------|-----------------------------|
| REACH-IN CONVERTIBLE REFRIGERATOR OR FREEZER MODELS, SELF-CONTAINED – ONE SECTION | | | |
| R-Series – 29-7/8" W x 83-1/4" H x 35" D | RCV132WUT- | \$42,439.00 | \$43,045.00 |
| A-Series – 29-7/8" W x 83-1/4" H x 35" D | ACV132WUT- | \$38,331.00 | \$38,937.00 |
| REACH-IN CONVERTIBLE REFRIGERATOR OR FREEZER MODELS, SELF-CONTAINED – TWO SECTION | | | |
| R-Series – 58" W x 83-1/4" H x 35" D | RCV232WUT- | \$56,499.00 | \$57,711.00 |
| A-Series – 58" W x 83-1/4" H x 35" D | ACV232WUT- | \$50,850.00 | \$52,062.00 |

OPTIONS

| DESCRIPTION | PRICE |
|---|------------------------|
| Stainless Steel back with Rear Louvers – Per Section | \$2,340.00 |
| One (1) Pair #1 Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan | \$157.00 |
| One (1) Pair #4 Type Trayslides Provides 18 to 19 Levels for 18" x 26" Pans | \$833.00 |
| One (1) Pair Universal Type Trayslides for (1) 18" x 26" or (2) 14" x 18" Pan or (2) 12" x 20" Pans | \$263.00 |
| EZ-Change Interior - #1 Trayslides | \$207.00 |
| EZ-Change Interior - Universal Trayslides | \$308.00 |
| EZ-Change Interior - Heavy Duty Universal Trayslides | \$412.00 |
| EZ-Open Foot Pedal (full height doors only) – Per Door Only Available With 6" Supports | \$570.00 |
| One Additional Coated Shelf or One Shelf Credit | \$237.00 |
| Stainless Steel Shelf | \$911.00 |
| Coated Shelf to Fit Trayslide | \$421.00 |
| Set of Four (4) Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Locking Casters | \$1,246.00 |
| Set of Four (4) 4-1/8" High Locking Casters | \$1,976.00 |
| Door Rehinging Features - Per Door | \$680.00 |
| Positive Action Latch - Per Door | Consult Factory |
| Locking Hasp - Per Door (Padlock supplied by others) | \$846.00 |
| One (1) Stainless Steel Banking Strip | \$666.00 |
| Heat Shield - Per Side (adds 1" to width per side) | \$2,497.00 |
| Kool Klad Exterior Laminate Décor | Consult Factory |



RCV132WUT-FHS



ACV232WUT-FHS

Models shown with optional casters



RH132N-COR01
(Correctional Reach-In Refrigerator)


STANDARD CORRECTIONAL PACKAGE



Locking Hasp



Flanged Legs




Security System Perforated Top Cover



Security Cover



Welded Trayslides
(Reach-In/Pass-Thru Models Only) (12 pairs per section)



Hinges Without Covers



Security Screws

STANDARD PRE-CONFIGURED

(Pre-configured models include correctional package, where applicable.)

| DESCRIPTION | MODEL | PRICE |
|--|----------------------|--------------|
| REFRIGERATOR MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Single Section Reach-In Refrigerator, Hinged Left | RH132N-COR01 | \$41,494.00 |
| Single Section Reach-In Refrigerator, Hinged Right | RH132N-COR02 | \$41,494.00 |
| Single Section Pass-Thru Refrigerator, Control Side Front Hinged Right, Other Side Hinged Right * | RH132NP-COR01 | \$52,802.00 |
| Single Section Pass-Thru Refrigerator, Control Side Front Hinged Left, Other Side Hinged Left * | RH132NP-COR02 | \$52,802.00 |
| Two Section Reach-In Refrigerator, Hinged Left/Right | RH232N-COR01 | \$56,608.00 |
| Two Section Pass-Thru Refrigerator, Control Side Front Hinged Left/Right, Other Side Hinged Left/Right * | RH232NP-COR01 | \$72,297.00 |
| FREEZER MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Single Section Reach-In Freezer, Hinged Left | RL132N-COR01 | \$45,060.00 |
| Single Section Reach-In Freezer, Hinged Right | RL132N-COR02 | \$45,060.00 |
| Two Section Reach-In Freezer, Hinged Left/Right | RL232N-COR01 | \$63,202.00 |
| HOT FOOD HOLDING CABINET MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Single Section Reach-In Hot Food, Hinged Left | RW132W-COR01 | \$36,303.00 |
| Single Section Reach-In Hot Food, Hinged Right | RW132W-COR02 | \$36,303.00 |
| Single Section Pass-Thru Hot Food, Control Side Front Hinged Right, Other Side Hinged Right * | RW132WP-COR01 | \$42,952.00 |
| Single Section Pass-Thru Hot Food, Control Side Front Hinged Left, Other Side Hinged Left * | RW132WP-COR02 | \$42,952.00 |
| Two Section Reach-In Hot Food, Hinged Left/Right | RW232W-COR01 | \$54,578.00 |
| Two Section Pass-Thru Hot Food, Control Side Front Hinged Left/Right, Other Side Hinged Left/Right * | RW232WP-COR01 | \$65,956.00 |
| REFRIGERATOR MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Single Section Roll-In Refrigerator, Hinged Left | RR132L-COR01 | \$37,446.00 |
| Single Section Roll-In Refrigerator, Hinged Right | RR132L-COR02 | \$37,446.00 |
| Single Section Roll-Thru Refrigerator, Control Side Front Hinged Right, Other Side Hinged Right * | RR132LP-COR01 | \$49,239.00 |
| Single Section Roll-Thru Refrigerator, Control Side Front Hinged Left, Other Side Hinged Left * | RR132LP-COR02 | \$49,239.00 |
| Two Section Roll-In Refrigerator, Hinged Left/Right | RR232L-COR01 | \$51,437.00 |
| Two Section Roll-Thru Refrigerator, Control Side Front Hinged Left/Right, Other Side Hinged Left/Right * | RR232LP-COR01 | \$71,238.00 |
| HOT FOOD HOLDING CABINET MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Single Section Roll-In Heated, Hinged Left | RI132L-COR01 | \$36,557.00 |
| Single Section Roll-In Heated, Hinged Right | RI132L-COR02 | \$36,557.00 |
| Single Section Roll-Thru Heated, Control Side Front Hinged Right, Other Side Hinged Right * | RI132LP-COR01 | \$44,946.00 |
| Single Section Roll-Thru Heated, Control Side Front Hinged Left, Other Side Hinged Left * | RI132LP-COR02 | \$44,946.00 |
| Two Section Roll-In Heated, Hinged Left/Right | RI232L-COR01 | \$50,694.00 |
| Two Section Roll-Thru Heated, Control Side Front Hinged Left/Right, Other Side Hinged Left/Right * | RI232LP-COR01 | \$64,189.00 |
| BLAST CHILLER MODELS – FULL-HEIGHT SOLID DOORS: | | |
| Reach-In 100 lb., Hinged Right | TBC13-COR01 | \$115,899.00 |
| Roll-In 200 lb., Hinged Left | TBC1H-COR01 | \$163,350.00 |
| Roll-Thru 200 lb., Hinged Left | TBC1HR-COR01 | \$182,788.00 |
| Roll-Thru 200 lb., Hinged Right | TBC1HR-COR02 | \$182,788.00 |

Note: * Door hinging when viewed from that side.

REFRIGERATOR WINE REFRIGERATOR

STANDARD FEATURES

- All Metal Construction, Stainless Steel Interior and Exterior
- 115/60/1 Self-Contained with 9" Cord and Plug Attached
- Adjustable Wine Temperature (Factory Preset to 53°F to 57°F)
- Smart Control with Critical Alarms
- LED Display Hinged Glass Door(s) With Exterior On Off Switch
- Self-Closing Doors with Stay-Open Feature & Locks
- EZ-Clean Gasket
- Display Wine Racks (7 per Section), 11-15 bottles per shelf
- Racks Feature Incline Display
- Set of Four (4) 6" Adjustable Stainless Steel Legs
- Stainless Steel Breaker Caps
- Six-Year Parts and Labor Warranty
- Seven-Year Compressor Warranty

CONTACT YOUR HOBART CUSTOMER CARE REPRESENTATIVE FOR PRICING AND AVAILABILITY OF OTHER CONFIGURATIONS

PRE-CONFIGURED



| DESCRIPTION | MODEL | PRICE |
|---|--------------------|--------------------|
| ONE SECTION – OPERATING TEMPERATURE (53°F – 57°F): | | |
| 7 Wine Shelves per Section, Hinged Left, 29 7/8"W x 83 1/4"H x 29"D | RH126W-WR01 | \$47,563.00 |
| 7 Wine Shelves per Section, Hinged Right, 29 7/8"W x 83 1/4"H x 29"D | RH126W-WR02 | \$47,563.00 |
| TWO SECTION – OPERATING TEMPERATURE (53°F – 57°F): | | |
| 7 Wine Shelves per Section, Hinged Left/Right, 58"W x 83 1/4"W x 29"D | RH226W-WR01 | \$60,053.00 |



RH126W-WR01
(shown with optional casters)



Display Wine Racks
(racks can slide out & incline bottles)

ACCESSORIES

| DESCRIPTION | PRICE |
|--|------------------------|
| Stainless Steel Finished Back With Rear Louvers – Per Section | \$2,340.00 |
| Set of four (4) 6" High Stainless Steel Flanged Legs | \$1,151.00 |
| Set of Four (4) 6" High Casters In Lieu of Legs | \$1,246.00 |
| Set of Four (4) 4-1/8" High Casters In Lieu of Legs | \$1,976.00 |
| 4-1/2" High Stainless Steel Base In Lieu of Legs – Per Section | \$1,411.00 |
| 6" High Stainless Steel Kickplate (for use with standard legs) – Per Section | \$1,213.00 |
| Kool Klad Exterior Laminate Décor | Consult Factory |

R & A SERIES MODEL NUMBERS

| R | HT | 2 | 32 | N | P | UT | FHS |
|-----|-----|-----|-----|-----|-----|-----|-----|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |

POSITION (1)

EXTERIOR & INTERIOR METAL FINISH

- R** Stainless Steel Exterior and Interior
- A** Stainless Steel Exterior, Anodized Aluminum Interior

POSITION (2)

TYPE OF CABINET

- HT** Refrigerator (reach-in/pass-thru)
- RI** Refrigerator (roll-in/roll-thru)
- LT** Freezer (reach-in)
- IF** Freezer (roll-in)
- DT** Dual Temp (refrigerator/freezer)
- DH** Dual Temp (refrigerator/heated cabinet)
- HF** Heated Cabinet (reach-in/pass-thru)
- IH** Heated Cabinet (roll-in/roll-thru)
- ET** Even Thaw

POSITION (3)

NUMBER OF CABINET SECTIONS

POSITION (4)

DEPTH OF CABINET BODY IN INCHES

- 32" STANDARD
- 26" SLIM LINE

POSITION (5)

CABINET WIDTH (or roll-in rack height)

- N** 26-3/8" (1-section), 52-1/8" (2-section), 76-5/16" (3-section)
- W** 29-7/8" (1-section), 58" (2-section), 86-1/8" (3-section)
- D** 24" (1-section), 48" (2-section)
- K** 24" (1-section)
- L** Roll-In/Roll-Thru To Accommodate a 66" High Rack
- H** Roll-In/Roll-Thru To Accommodate a 72" High Rack

POSITION (6)

- If P is present, it is a Pass-Thru (or Roll-Thru)
- If P is not present, it is a Reach-In (or Roll-In)

POSITION (7)

- If UT is present, the cabinet is Self-Contained with top-mounted condensing unit.
- If UT is not present in this position, the cabinet is Remote (Condensing unit not furnished) or a heated cabinet.

POSITION (8)

- FHS** = Full-Length Stainless Steel Door(s)
- HHS** = Half-Length Stainless Steel Doors
- FHG** = Full-Length Hinged Glass Door(s)
- HHG** = Half-Length Hinged Glass Doors
- FSL** = Full-Length Sliding Glass Doors
- HSL** = Half-Length Sliding Glass Doors



*Kool Klad exterior laminate decor is only available for R/A Series uprights

Hundreds of options to choose from!




HOW TO ORDER KOOL KLAD

COMMON SUPPLIERS:

www.formica.com | www.wilsonart.com

STEP-BY-STEP

1 Choose your brand



2 Choose your color



3 Choose your finish




4 Let our team know:
Brand, Item #, Color, & Finish



DISCLAIMER: When placing an order please provide plastic laminate manufacturer name, color name, and color number to avoid processing delays. Quote on Kool Klad finish is based on non-metallic plastic laminate manufactured by Wilsonart. Please submit spec including manufacturer name, color name, and color number for a re-quote on all metallic or non-Wilsonart Kool Klad finish. Kool Klad laminate can add up to 1/4" on all affected exterior dimensions listed on unit spec sheets.


[10-23] TR35809

TRAYSLIDES




#1 TRAYSLIDES
STANDARD

EZ-CHANGE
TRAYSLIDES




#1 TRAYSLIDES
EZ-CHANGE



#4 TRAYSLIDES
STANDARD



UNIVERSAL TRAYSLIDES
EZ-CHANGE



UNIVERSAL TRAYSLIDES
STANDARD



HEAVY-DUTY
UNIVERSAL TRAYSLIDES
EZ-CHANGE

TRAYSLIDES

| DESCRIPTION | SPACING | | | |
|---|---------|--------------------|--------|----|
| #1 TRAYSLIDES | | | | |
| 16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 14" x 18" Pans | 2" | 3" | 4" | 5" |
| Behind full height door – all models | 28 | 19 | 14 | 11 |
| Behind upper half height door – all models | 13 | 9 | 7 | 5 |
| Behind lower half height door – all models | 13 | 9 | 7 | 5 |
| Behind TU Series undercounter door | 9 | 6 | 5 | 4 |
| #1 Trayslides – EZ-Change Interior | 2" | | 4" | |
| Behind full height door – all models | 26 | | 13 | |
| Behind half height door – all models | 12 | | 6 | |
| #4 TRAYSLIDES – STANDARD (NOT AVAILABLE FOR 1 SECTION R & A DUAL TEMP) | | | | |
| Plated steel rod type for rim support of: (1) 18" x 26" Pan (One pair of #4 trayslides accommodates one half section) | 1-1/2" | | | |
| Behind full height door – all models | 38 | | | |
| Behind upper half height door – all models | 18 | | | |
| Behind lower half height door – all models | 18 | | | |
| UNIVERSAL TRAYSLIDES – STANDARD | | | | |
| 16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 14" x 18" Pans or (2) 12" x 20" Pans For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 4" | 5" | 6" | |
| Behind full height door – all models | 14 | 11 | 9 | |
| Behind upper half height door – all models | 6 | 5 | 4 | |
| Behind lower half height door – all models | 7 | 5 | 4 | |
| Behind TU Series undercounter door | 5 | 4 | 3 | |
| Universal Trayslides – EZ-Change Interior* For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 2-1/4" | | 4-1/2" | |
| Behind full height door – all models | 22 | | 11 | |
| Behind half height door – all models | 11 | | 5 | |
| Heavy-Duty Universal Trayslides – EZ-Change Interior* For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door) | 4-1/2" | | 9" | |
| Behind full height door – all models | 10 | | 5 | |
| Behind half height door – all models | 5 | | 2 | |
| SHELVES (SOME SHELVES ARE NOT AVAILABLE FOR HEATED CABINETS) | | | | |
| CAPACITY | STD. | MAX. | | |
| Behind full height door mounted on standard shelf pins | 3 | 9 | | |
| Behind half height door mounted on standard shelf pins | 3 | 8 | | |
| Behind full height door mounted on optional pilasters | 3 | 13 (4" spacing) | | |
| Behind half height door mounted on optional pilasters | 3 | 12 (4" spacing) | | |
| Behind TU Series undercounter door | 2 | 3 | | |

NOTES:

1. For all after market parts call Traulsen parts department 800-825-8220.
2. All 26" deep models are available with shelves only, optional trayslides are not available.
3. Deduct one tray slide per door from the above quantities for sliding glass door models.
4. Please consult factory for special interior arrangements on "DUT" 24" and 48" wide models.
5. Universal trayslides are not available for one, two, and three section "N" width models supplied with display lights.
6. Tray slides are not available for one and two section "D-Width" models supplied with optional LED lights.
7. EZ-Change Interior Universal Trayslides max weight 75 lbs. EZ-Change Heavy-Duty Universal Trayslides max weight 125 lbs.*
8. All trayslides and shelves are factory installed.
9. Reduce tray slide quantity by 1 for 1 section Dual Temp.

U.S. DOMESTIC WARRANTY

SIX-YEAR PARTS AND LABOR WARRANTY

FEQ Refrigeration, a division of ITW Food Equipment Group LLC d/b/a Traulsen ("Traulsen") warrants to the original end-user (the "Owner") of the Equipment (as defined below) that Traulsen will convey the Equipment free and clear of all liens, security interests, and encumbrances created by, through or under Traulsen. Traulsen further warrants to the Owner that for a period of six (6) years from the later of either (a) the date of delivery to the common carrier or (b) the date of original installation (the "Domestic Warranty Period") (provided that in no event shall the Domestic Warranty Period commence later than 3 months from the date of delivery to the common carrier by Traulsen unless otherwise agreed upon by the parties in writing), under normal use and given proper installation and maintenance as determined by Traulsen, the Equipment: (a) will conform to the written specifications as provided by Traulsen ("Specifications") and (b) will be free from substantial defects in material and workmanship. "Equipment" means serialized units of refrigeration equipment sold by Traulsen and branded as "Traulsen", "Kairak" or "Centerline by Traulsen". "Equipment" does not include, Air Curtains, equipment for export, spare parts, component parts, replacement parts, service parts, products not branded as Traulsen, Kairak or Centerline by Traulsen, products sold by Traulsen that are expressly subject to a different warranty and/or warranty period, and other products whose product documentation reference a different warranty policy and/or exclude this warranty policy.

SEVEN-YEAR COMPRESSOR WARRANTY

The warranty period for compressors (the "Compressor Warranty Period") shall extend for an additional one (1) year beyond the Domestic Warranty Period. In the case of a nonconforming compressor, Traulsen shall provide a single replacement compressor; however, all installation, recharging, and repair costs shall be the responsibility of the Owner. For Equipment purchased for use with a condenser provided by a third-party, the six-year parts and labor warranty will apply only to those components contained within the Equipment to the point of connection of the refrigeration lines leading to the third-party condenser.

LIFETIME CAM-LIFT HINGE AND WORKFLOW HANDLE WARRANTY

Traulsen warrants to the Owner for the life of the Equipment (the "Cam-Lift Lifetime Warranty Period") that the housing of cam-lift hinges and workflow handles will be free from substantial defects. In the case of non-conforming housing for cam-lift hinge or workflow handle during the Cam-Lift Lifetime Warranty Period, Traulsen shall provide a replacement part; however, Owner shall be responsible for any other replacement costs, including but not limited to, installation and labor.

WHAT IS NOT COVERED BY THIS WARRANTY

Traulsen's responsibility under this warranty is subject to the additional limits below:

- **No Consequential Damages.** Traulsen is not liable for loss of product or loss of profit, or any special, indirect, or consequential damages including, but not limited to, loss or damage resulting from the loss of product, whether or not due to refrigeration failure and whether or not Traulsen has been notified of the possibility of such damages.
- **Consumable Components or Ordinary Wear Items.** This Warranty excludes all consumable components and ordinary wear items within the Equipment, such as but not limited to components that are removable without the use of tools, gaskets, shelf pins, and light bulbs. All Excluded Products sold separately are also excluded.
- **Non-OEM parts.** Any use of non-OEM parts or parts not supplied by Traulsen or specified by Traulsen in the Operator's Manual on the Traulsen website (such as but not limited to EZ Clean gaskets, sensors, controls, etc.) shall automatically void this Warranty with respect to such parts and any damage, defect or wear caused by such parts.
- **Specified Causes.** This Warranty does not cover any damage, defect or wear resulting from fire, water, burglary, accident, abuse, misuse, lack of preventive maintenance, transit, acts of God, terrorism, power surges, improper installation, or repairs or installation by unqualified third parties, or improper modifications outside published parameters or modifications implemented outside of the direction of Traulsen tech support. All warranty claims made outside of the Domestic Warranty Period, Compressor Warranty Period or Cam-Lift Lifetime Warranty Period, as applicable, are expressly excluded from this Warranty.
- **Specified Uses.** The Equipment is intended only for commercial use in conditioned spaces and shall not be used by residences, consumers, or households or in any non-commercial application or in any non-conditioned spaces. This Warranty does not apply to, and shall not cover, any Equipment that is installed or used in any way in any residential, consumer or non-commercial application. No warranties, express or implied, are provided to any residential, consumer or non-commercial purchaser or owner of the Equipment.
- **Owner's Use.** The Owner is solely responsible for determining if Equipment is fit for a particular purpose and suitable for Owner's application. Accordingly, and due to the nature and manner of the Equipment, Traulsen is not responsible for the results or consequences of any use, misuse, or application of its Equipment.

SOLE REMEDIES

In the event of a breach of the warranties set forth above, Traulsen will, at Traulsen's option, and as Owner's sole and exclusive remedy and Traulsen's sole and exclusive obligation, repair (including labor costs), refund or replace any nonconforming Equipment, provided that:

- Traulsen is promptly notified during the Domestic Warranty Period, Compressor Warranty Period or Cam-Lift Lifetime Warranty Period, as applicable, in writing upon discovery of the nonconformance with a detailed explanation of any alleged deficiencies;
- Traulsen is given a reasonable opportunity to investigate all claims;
- Traulsen's examination of any alleged defective part confirms such alleged deficiencies and that the deficiencies were not caused by misuse, neglect improper installation, improper repair, improper alteration or improper testing; AND In the case of a nonconforming part, Owner must return the part to Traulsen within 30 days from the date of repair. Failure to return a claimed defective part to Traulsen within the 30 days will waive the right to the warranty claim.

THIS DOMESTIC WARRANTY SETS FORTH THE EXTENT OF TRAUlsen'S LIABILITY FOR SALES WITHIN THE UNITED STATES. NO EQUIPMENT MAY BE RETURNED TO TRAUlsen WITHOUT TRAUlsen'S PRIOR WRITTEN APPROVAL. EXCEPT AS EXPRESSLY SET FORTH ABOVE IN THIS WARRANTY STATEMENT, TRAUlsen MAKES NO WARRANTY OR REPRESENTATION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE). IN NO EVENT WILL TRAUlsen'S LIABILITY IN CONNECTION WITH THIS WARRANTY OR THE SALE OF THE EQUIPMENT EXCEED THE PURCHASE PRICE OF THE EQUIPMENT AS TO WHICH THE CLAIM IS MADE.

This warranty only applies to units shipped from Traulsen's manufacturing facilities on or after January 1, 2023.

To report a warranty claim, please email service@traulsen.com or call 1.800.825.8220 and include the serial and model number of the affected unit. All service for warranty claims must be dispatched by Traulsen. Traulsen reserves the right to refuse warranty claims for warranty service conducted by unauthorized third-party providers.

EXPORT WARRANTY

For sales of Traulsen refrigeration equipment ("Equipment") outside of the United States, Traulsen warrants to the original purchaser of the Equipment ("Purchaser") that Traulsen will convey the Equipment free and clear of all liens, security interests and encumbrances created by, through or under Traulsen. Traulsen further warrants that for a period of one (1) year from the date of delivery to the common carrier (the "Export Warranty Period") unless otherwise agreed upon by the parties in writing, under normal use and given proper installation and maintenance as determined by Traulsen, the Equipment: (a) will conform to the Specifications as provided by Traulsen; and (b) will be free from substantial defects in material and workmanship. It is the end user's responsibility to arrange for the export shipping.

The Export Warranty does not apply to: (a) consumable components or ordinary wear items; (b) components that are removable without the use of tools including but not limited to gaskets, shelf pins, and light bulbs; (c) use of the Equipment components or parts not supplied by Traulsen or specified in the Operator's Manual as set forth on Traulsen's website; or (d) damage resulting from fire, water, burglary, accident, abuse, misuse, transit, acts of God, terrorism, power surges, improper installation, or repairs or installation by unauthorized third parties. Additionally, the Equipment is intended only for commercial use and should not be used by consumers or households or in any non-commercial application. This Export Warranty does not apply to, and shall not cover, any Equipment that is installed or used in any way in any residential or non-commercial application. No warranties, express or implied, are provided to any residential, consumer or noncommercial purchaser or owner of the Equipment.

For Traulsen units purchased with a condenser provided by a third-party other than Traulsen, this standard warranty will apply only to those components contained within the unit to the point of connection of the refrigeration lines leading to the to the third-party condenser. In the event of a breach of the warranties set forth above (the "Export Warranty"), Traulsen will, at Traulsen's option and as Purchaser's sole remedy, refund or replace any non-conforming Equipment, but not including labor, freight, export costs, packaging costs or any other costs beyond the replacement part, component or product, provided that (a) during the Export Warranty Period Traulsen is promptly notified in writing upon discovery of such nonconformance with a detailed explanation of any alleged deficiencies; (b) Traulsen is given a reasonable opportunity to investigate all claims; and (c) Traulsen's examination of such piece of Equipment defective part confirms the alleged nonconformity and that the nonconformities were not caused by misuse, neglect, improper installation, unauthorized alteration or repair or improper testing. Traulsen reserves the right to, at its request, require Purchaser shall ship the alleged defective part to Traulsen for inspection and confirmation of defect. No Equipment may be returned without Traulsen's approval.

Purchaser is solely responsible for determining if Equipment is fit for a particular purpose and suitable for Purchaser's application. Accordingly and due to the nature and manner of Traulsen's Equipment, Traulsen is not responsible for the results or consequences of use, misuse, or application of its Equipment.

THIS EXPORT WARRANTY SETS FORTH THE EXTENT OF TRAUlsen'S LIABILITY FOR SALES OUTSIDE THE UNITED STATES. EXCEPT AS SET FORTH ABOVE, TRAUlsen MAKES NO WARRANTY OR REPRESENTATION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE). IN NO EVENT WILL TRAUlsen'S LIABILITY IN CONNECTION WITH THE AGREEMENT OR SALE OF THE EQUIPMENT EXCEED THE PURCHASE PRICE OF THE EQUIPMENT AS TO WHICH THE CLAIM IS MADE. IN NO EVENT SHALL TRAUlsen BE LIABLE FOR ANY LOSS OF USE, LOSS OF PRODUCT, LOSS OF PROFIT, OR ANY OTHER INDIRECT, INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM THIS WARRANTY EVEN IF TRAUlsen HAS BEEN NOTIFIED OF THE POSSIBILITY OF SUCH DAMAGES.

Content extracted from form TR35836 (11-23)

PO REQUIREMENTS FOR PROCESSING ORDERS:

1. Your company information (logo) and individual placing the order.
2. Bill to information (if different).
3. Purchase order number.
4. Pay terms – If unknown please contact credit services for your terms.
5. If the Purchase Order is from a quotation, please reference the quote reference number and date of quote or attached a copy of the quotation.
6. Complete ship to address is with contact name and number if drop shipped.
7. Need by Date – This is the date you wish the order to leave our warehouse.
8. End-user address to include Country of Final Destination if outside of the US (unless equipment is being ordered for display plan/stock plan dealership).
9. Freight terms.
10. Special marks or ship instructions.
11. Detail product information – Model number, voltage, special features, and accessories.
12. Promo number if applicable.
13. Agreed upon price if other than Dealer Net.
14. Identify your customer's type of business by assigning a Market Segment Code. This information will be very helpful in future product offerings and will not be shared with any outside companies.

1. ACCEPTANCE

These terms and conditions of sale ("Terms"), any Traulsen quotation, dealer agreement, acknowledgment or invoice and all documents incorporated by specific reference herein or therein ("Traulsen Documents") constitute the complete terms governing the sale of Traulsen equipment, accessories, and/or products ("Products") to the customer purchasing from Traulsen, referred to as "Purchaser". TRAUlsen HEREBY REJECTS ANY ADDITIONAL OR DIFFERENT TERMS OR CONDITIONS PROPOSED BY PURCHASER, WHETHER OR NOT CONTAINED IN ANY OF PURCHASER'S COMMERCIAL DOCUMENTS OR ON PURCHASER'S WEBSITE, AND SUCH ADDITIONAL OR DIFFERENT TERMS WILL BE OF NO EFFECT. Commencement of any work by Traulsen or Purchaser's acceptance of delivery of the Products will constitute Purchaser's assent to the Agreement. Additional or different terms applicable to a particular sale may be specified in Traulsen Documents or agreed to in writing by the parties. In the event of a conflict, the following order of precedence will apply: (a) terms agreed to in writing and executed by an authorized officer of Traulsen; (b) Traulsen Document terms; (c) these Terms.

2. QUOTATIONS

Written quotations are only valid in writing and for 30 days from the date of the quotation. All quotations are subject to change or withdrawal without prior notice to Purchaser. Quotations are made subject to credit approval by Traulsen. Traulsen may refuse orders and has no obligation to supply Products unless Traulsen issues an order acknowledgment or upon the shipment of Products. Requirements for processing quotes includes end user information (name, city/state, zip), unit specifics such as hinging, voltage, if replacement, serial numbers. If applicable, please provide complete specifications, drawings, consultant information and coversheet.

3. PRODUCT SPECIFICATIONS & DESIGN

Traulsen reserves the right to change Product specifications, discontinue a Product line, and alter options and accessories at any time and without notice. Such changes shall not entitle Purchaser to modify the terms of purchase for previously purchased Products. Many of Traulsen's Products are ENERGY STAR® qualified. For more information, please visit www.energystar.gov. Please note that some Products use R-290 (Propane) as a refrigerant. Consult detailed owner's manual available at www.traulsen.com before attempting to install or service Products with R-290 or other flammable refrigerants. All safety precautions must be followed to avoid risk of fire or explosion. Contact Traulsen technical assistance for additional information at 800-825-8220

4. PRICES AND PAYMENT TERMS

Prices are in U.S. Dollars and are subject to change without notice. All orders are accepted subject to Traulsen's price in effect as stated in the Quotation subject to Section 2 above. Prices do not include any sales, use, value-added or other taxes (federal, state, local or otherwise), import duties, license fees or like charges ("Fees") related to the sale, importation or use of Products, and Purchaser is responsible for those Fees. Unless otherwise agreed upon in writing, Purchaser shall remit payment in full to Traulsen within 30 days from the date of Traulsen's invoice. Traulsen invoices may be under cover of ITW Food Equipment Group. Overdue invoices will incur interest at the rate of 1.5% per month, or at the maximum rate allowable by governing law. Under no circumstances will Purchaser have a right of set-off. If Purchaser fails to make any payment as required, Purchaser agrees to indemnify Traulsen for all associated costs incurred by Traulsen, including reasonable attorney fees and court costs..

5. LEAD TIMES

Traulsen will attempt to meet schedules as requested by Purchaser however delivery dates and lead times shall be determined by Traulsen unless otherwise agreed upon by the parties in writing. Traulsen shall not be responsible for delivery delays nor any claims arising from shipment, delivery, or production delays.

6. CANCELLATION OR MODIFICATION; RETURNS

Traulsen may cancel any purchase order or terminate any agreement relating to the purchase of Traulsen's Products upon reasonable prior written notice to Purchaser. Once Traulsen has accepted a purchase order or begun taking actions with respect to a purchase order, Purchaser cannot cancel or modify that purchase order except with Traulsen's written consent. In such event, Purchaser will be liable for cancellation or modification charges and all costs incurred in connection with the cancellation or modification.

7. INSPECTION / NON-CONFORMING SHIPMENTS

Purchaser must declare and document in writing any damage to the Products or shortages to both the carrier and Traulsen at the time of delivery. Purchaser must inspect shipments for concealed damage incurred during transit within five (5) business days of delivery ("Freight Inspection Period"). Purchaser must also inspect Products for conformity with Traulsen's specifications for a period of 10 days after delivery ("Conformity Inspection Period"). Purchaser must notify Traulsen in writing of any Products that do not conform to the specifications within the Conformity Inspection Period and afford Traulsen a reasonable opportunity to inspect such Products and cure any such nonconformity. If Purchaser fails to provide Traulsen such written notice within the Conformity Inspection Period, Purchaser will be deemed to have accepted the Products. Purchaser may not return any Product without Traulsen's prior written authorization. Any return authorized by Traulsen must be made in accordance with Traulsen's return policies and may be subject to restocking and reconditioning fees. Purchaser will be responsible for all costs associated with returns of Products and will bear the risk of loss, unless Traulsen agrees otherwise in writing or determines that the Products do not conform to the applicable terms of sale.

8. DELIVERY & INSTALLATION

Unless otherwise agreed upon by the parties in writing, all Products will be shipped FOB Traulsen's facility with freight prepaid (Incoterms 2010). For shipments bound for Alaska or Hawaii, Purchaser shall be responsible for all freight charges from the continental United States onward. In such a case, Purchaser shall designate a freight forwarder in writing to which delivery shall be made within the continental United States. Risk of loss shall pass to Purchaser upon delivery to Purchaser's facility. Any redelivery fees shall be the responsibility of the Purchaser. Purchaser must notify Traulsen and the delivering carrier within 5 business days from date of receipt of Products, of any concealed damage or shortages. Traulsen reserves the right to charge Purchaser fees for shipping delays caused by Purchaser or other specialized delivery charges. Oversized products with crate dimensions over 72 inches in length when crated and/or 90 inches in height when crated are subject to lift gate fees and other surcharges. Please refer to the appropriate specification sheet or call 1-800-825-8220 for product crating dimensions if needed. For customer initiated re-consignment, a \$250 re-consignment fee is applicable for each shipment. For all 3 section reach-in products that require specialized handling delivery to the ground, at point of delivery, a flat \$400 fee will apply. Shipping dates are approximate and are based upon prompt receipt of all necessary information from Purchaser. Traulsen may ship items in a single or multiple shipments. Purchaser shall be responsible for the installation of all Products and all associated costs.

[Continued to next page]

9. WARRANTY

For all Product warranty information, please consult Traulsen’s Equipment Warranty document as set forth in the Price List for the current year.

10. LIMITATION OF LIABILITY AND REMEDIES

TRAULSEN WILL NOT BE LIABLE, AND PURCHASER WAIVES ALL CLAIMS AGAINST TRAULSEN, FOR INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, DOWN TIME, LOST PRODUCT, LOSS OF USE, LOST PROFITS OR COMMERCIAL LOSSES, WHETHER OR NOT BASED UPON TRAULSEN’S NEGLIGENCE OR BREACH OF WARRANTY OR STRICT LIABILITY IN TORT OR ANY OTHER CAUSE OF ACTION. IN NO EVENT WILL TRAULSEN’S LIABILITY IN CONNECTION WITH THE AGREEMENT OR SALE OF TRAULSEN’S PRODUCTS EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCT AS TO WHICH THE CLAIM IS MADE.

11. FORCE MAJEURE

Traulsen will not be responsible for failure to perform in a timely manner under the Agreement when its failure results from events beyond its reasonable control (an event of "Force Majeure"), including acts of God, epidemics, acts of war whether declared or undeclared, blockades, labor disputes (whether of Traulsen’s employees or the employees of others), raw material shortages and material increases in costs of raw materials. In the event of Force Majeure, the time for performance will extend for such time as reasonably necessary to enable Traulsen to perform.

12. FREIGHT CLAIMS INFORMATION:

At time shipment is received:

- Observe entire shipment for visible damage and correct amount of pieces. Make notation of shortage or damage on all copies of the freight bill.
- Count and sign for the number of pieces received.
- Unpack cartons immediately to check their contents for possible damage.
- Notify Customer Care at (800) 333-7447 of any damages.

Concealed damage, not visible at time of delivery:

- Call the carrier’s local terminal immediately to report (note time/date and who you spoke to).
- Carrier must be notified within 5 business days of receipt.
- Keep all original packaging materials for inspection.
- Do not move from delivery location, modify, or install equipment.
- Notify Customer Care at (800) 333-7447.

Unless customer has made third-party transportation arrangements, Traulsen will initiate the carrier claims process once the damage has been assessed and any inspections completed.

| | | | | | | |
|--|---------------------------------|-------------------------------|----------------------------|---------------------------------|-------------------------------|---|
|  Manufacturer of High Quality Commercial Refrigeration Products 4401 Blue Mound Rd. Fort Worth, TX 76106 (800) 825-8220 or (817) 625-9671 | | | | | | <p>RESOURCE CENTER</p> <p>For Product literature please visit traulsen.com and click the link at the top of the page. Product literature, such as specification sheets, are available on-line 24/7 for your convenience via the Resource Center.</p> |
| OTHER IMPORTANT NUMBERS & INFORMATION | | | | | | |
| Customer Services, Unit Orders & Quotes: | Phone: (800) 333-7447 | Fax: (937) 332-2852 | Parts Sales: | Phone: (800) 825-8220 | Fax: (817) 740-6748 | |
| Warranty Service & Technical Assistance: | Phone: (800) 825-8220 | Fax: (817) 740-6757 | Credit/Collections: | Phone: (937) 332-2396 | Fax: (937) 332-2515 | |

THERE IS A TRAULSEN DIFFERENCE

LET US SHOW YOU



**K - 12 SCHOOLS
HIGHER EDUCATION
HEALTHCARE
SENIOR CARE
CHAIN RESTAURANTS
INDEPENDENT RESTAURANTS
CONVENIENCE STORES
LODGING & CASINOS
RECREATION
CORRECTIONS
BUSINESS & INDUSTRY
AVIATION & MARINE
MILITARY
GOVERNMENT**



Traulsen

4401 Blue Mound Road, Fort Worth, Texas 76106
(800) 825-8220